

AS 2915—1987

Australian Standard[®]

**SOLAR PHOTOVOLTAIC
MODULES—
PERFORMANCE REQUIREMENTS**

This Australian standard was prepared by Committee TE/15, Solar Photovoltaic Cells and Modules. It was approved on behalf of the Council of the Standards Association of Australia on 4 November 1986 and published on 5 January 1987.

The following interests are represented on Committee TE/15:

Australian Electrical and Electronic Manufacturers Association
Confederation of Australian Industry
Department of Aviation
Department of Housing and Construction
Department of Industry, Technology and Commerce
Energy Authority of New South Wales
Institution of Engineers Australia
Solar Energy Industries Association of Australia
Solar Energy Research Institute of Western Australia
Telecom Australia
University of New South Wales
Victorian Solar Energy Council

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for comment as DR 82068.

AS 2915—1987

Australian Standard[®]

**SOLAR PHOTOVOLTAIC
MODULES—
PERFORMANCE REQUIREMENTS**

First published 1987

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 4442 2

PREFACE

This standard was prepared under the authority of the Association's Committee on Solar Photovoltaic Cells and Modules.

The standard specifies performance requirements for terrestrial flat-plate solar photovoltaic modules and gives methods of measurement for module performance and environmental tests. The aim of these tests is to establish the minimum electrical and mechanical performance requirements thought likely to produce a life expectancy in the field in excess of ten years. Safety requirements are specified for systems operating at safety extra-low voltage, extra-low voltage and low voltage.

There are currently no International standards for solar photovoltaic cells or modules but Australia is taking part in the preparation of a series of standards by the International Electrotechnical Commission (IEC). In the preparation of this standard documents consulted included drafts circulated by IEC/TC 82, Solar Photovoltaic Energy Systems, relevant specifications issued by the Commission of the European Communities and reports on the subject by the National Aeronautic and Space Administration (NASA) and the Jet Propulsion Laboratories (JPL) of the United States. Acknowledgement is made of the assistance received from these sources.

CONTENTS

	<i>Page</i>
1 SCOPE	3
2 REFERENCED DOCUMENTS	3
3 DEFINITIONS	3
4 DESIGN GUIDE	4
5 COMPLIANCE WITH THE STANDARD	4
6 DOCUMENTATION	4
7 MARKING	5
8 MECHANICAL REQUIREMENTS	5
9 ELECTRICAL REQUIREMENTS	5
10 TEST METHODS	5
 APPENDICES	
A DETERMINATION OF NOMINAL OPERATING CELL TEMPERATURE	7
B METHOD FOR DETERMINING CURRENT-VOLTAGE CHARACTERISTICS (<i>I-V</i> CURVE)	11
C MECHANICAL TEST METHODS	16
D CLIMATIC TEST METHODS	18
E HOT-SPOT HEATING METHOD	21
F PROCEDURES FOR TEMPERATURE AND IRRADIANCE CORRECTIONS TO MEASURED <i>I-V</i> CHARACTERISTICS	24

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS ASSOCIATION OF AUSTRALIA

Australian Standard

for

SOLAR PHOTOVOLTAIC MODULES—PERFORMANCE REQUIREMENTS

1 SCOPE. This standard specifies the performance requirements for two types of terrestrial flat-plate solar photovoltaic modules suitable for use throughout Australia to produce electricity directly.

A method of characterizing photovoltaic module performance is specified. Techniques for measuring module performance are described. Environmental and mechanical tests are specified.

Some of the tests and measurements described may not be suitable for application to all types of photovoltaic cells or modules, e.g. thin-film cells or photo-chemical cells. However, the standard will in future be revised to take advantage of any developments in hardware or procedure.

2 REFERENCED DOCUMENTS. The following standards are referred to in this standard:

- AS 1099 Basic Environmental Testing Procedures for Electrotechnology Part 2—Tests
- AS 2535 Glazed Flat-plate Solar Collectors with Water as the Heat Transfer Liquid—Methods for Testing Thermal Performance
- AS 3000 SAA Wiring Rules
- AS 3100 Approval and Test Specification for Definitions and General Requirements for Electrical Materials and Equipment

3 DEFINITIONS. For the purpose of this standard the following definitions apply:

3.1 Solar cell—a semiconductor device which converts sunlight directly into electricity (the photovoltaic effect).

3.2 Solar module—a packaged unit consisting of a number of interconnected solar cells.

3.3 Solar array—a mechanical assembly consisting of a number of solar modules mounted on a support structure and connected together.

3.4 Interconnects—electrical conductors between cells in a module which are used to connect cells together and to the module terminals.

3.5 Irradiance—the radiant power in the form of electromagnetic waves or photons incident upon unit surface area.

3.6 Nominal peak sunlight—a global irradiance (or solar flux density) on the plane of the solar module of 1 kW/m^2 , AM1.5. Solar module performance is often referenced to nominal peak sunlight conditions.

3.7 Air mass (AM)—the length of path through the earth's atmosphere traversed by the direct solar beam expressed as a multiple of the path traversed to a point at sea level with the sun directly overhead.

NOTES:

1. Air Mass is used to broadly describe the spectral properties of the sunlight received at sea level. Due to absorption and scattering by the atmosphere the spectral distribution of sunlight depends on the length of its path.

2. For the purposes of this standard, Air Mass is not related to any absolute value of solar irradiance but is used solely to denote particular sunlight or simulated sunlight spectral distributions.

3. See Appendix B, Table B1, for the AM 1.5 spectral irradiance distribution to be used for the purpose of this standard.

3.8 Standard operating conditions (SOC)—the conditions under which solar module performance is compared for the purposes of this standard, i.e. Irradiance: $1 \text{ kW/m}^2 \pm 10 \text{ W/m}^2$, AM1.5; Cell Temperature: $23 \pm 2^\circ\text{C}$.

3.9 Nominal operating cell temperature (NOCT)—the average cell temperature within a module under the following nominal conditions: Irradiance, 800 W/m^2 ; Air temperature, 20°C ; Wind average velocity, 1 m/s ; with the module mounted, oriented normal to solar noon and with open circuit. See Appendix A.

3.10 Short-circuit current (I_{sc})—the output current of the solar cell, module or array with zero voltage between the terminals.

3.11 Open-circuit voltage (V_{oc})—the terminal voltage of the solar cell, module or array under no load conditions.

3.12 Nominal peak power (P_p)—the maximum electrical power attainable from a solar cell, module or array under specified operating conditions.

3.13 Nominal peak power voltage (V_{pp})—the voltage corresponding to nominal peak power.

3.14 Fill factor (FF)—the ratio of the nominal peak power to the product of the open circuit voltage and the short circuit current.

3.15 Nominal module voltage—the nominal voltage of a storage battery that the module could charge in a solar system.

3.16 Conversion efficiency—the ratio of maximum electrical power output to irradiance input. Two variations can be quoted for conversion efficiency:

- (a) *Encapsulated cell efficiency*—which considers the solar radiation falling on the total cell area.
- (b) *Module efficiency*—which considers the solar radiation falling on the total surface area of the module.

3.17 Type I module—a module intended for consumer use and where high reliability and long life are not required.

3.18 Type II module—a module intended for professional use and where both long life and high reliability are required.

3.19 Class A module—a module designed as suitable for use only in systems the maximum system voltage of which is less than or equal to 50 V .

3.20 Class B module—a module designed as suitable for use in systems where the maximum system voltage is greater than 50 V but less than 1000 V .

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-