AS/NZS 60745.1:2009 (Incorporating Amendment No. 1)






Australian/New Zealand Standard™

# Hand-held motor-operated electric Tools — Safety

Part 1: General requirements (IEC 60745-1 Ed 4, MOD)



#### AS/NZS 60745.1:2009

This Joint Australian/New Zealand Standard™ was prepared by Joint Technical Committee EL-002, Safety of Household and Similar Electrical Appliances and Small Power Transformers and Power Supplies. It was approved on behalf of the Council of Standards Australia on 17 March 2009 and by the Council of Standards New Zealand on 13 March 2009.

This Standard was published on 29 May 2009.

The following are represented on Committee EL-002:

Association of Accredited Certification Bodies
Australian Industry Group
Business New Zealand
Consumer Electronic Suppliers Association, Australia
Consumers' Federation of Australia
Electrical Regulatory Authorities, Australia
Electrical consultants
Engineers Australia
JAS-ANZ
National Retailers Association (Australia)
New Zealand Electric Fence Energizer Manufacturers' Standards Group
Testing Interests New Zealand
WorkSafe, New Zealand

This Standard was issued in draft form for comment as DR 08948.

#### **Keeping Standards up-to-date**

Ensure you have the latest versions of our publications and keep up-to-date about Amendments, Rulings, Withdrawals, and new projects by visiting:

www.standards.org.au www.standards.govt.nz

(Incorporating Amendment No. 1)

### Australian/New Zealand Standard™

# Hand-held motor-operated electric Tools — Safety

## Part 1: General requirements (IEC 60745-1 Ed 4, MOD)

Originated in Australia as AS C160—1959. Previous edition AS/NZS 3160:1996. Jointly revised and redesignated, in part, as AS/NZS 7450.1:1999. Jointly revised and redesignated as AS/NZS 60745.1:2003. Jointly revised and redesignated as AS/NZS 60745.1:2009. Reissued incorporating Amendment No 1 (June 2021).



© Standards Australia Limited/the Crown in right of New Zealand, administered by the New Zealand Standards Executive 2021

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Cth) or the Copyright Act 1994 (New Zealand).

### **CONTENTS**

| FOI          | REWORD   | 5   |
|--------------|--|-----|
| INT          | RODUCTION  | 7   |
| 1            | Scope  | 8   |
| 2            | Normative references   | 9   |
| 3            | Terms and definitions  | 14  |
| 4            | General requirements   | 21  |
| 5            | General conditions for the tests   | 21  |
| 6            | Void   | 23  |
| 7            | Classification   | 23  |
| 8            | Marking and instructions   | 24  |
| 9            | Protection against access to live parts                                      | 32  |
| 10           | Starting   | 34  |
| 11           | Input and current  | 34  |
| 12           | Heating  | 34  |
| 13           | Leakage current  | 38  |
| 14           | Moisture resistance  | 39  |
| 15           | Electric strength  | 42  |
| 16           | Overload protection of transformers and associated circuits                  | 44  |
| 17           | Endurance  | 44  |
| 18           | Abnormal operation   | 45  |
| 19           | Mechanical hazards   | 50  |
| 20           | Mechanical strength  | 51  |
| 21           | Construction   | 53  |
| 22           | Internal wiring  | 60  |
| 23           | Components   | 61  |
| 24           | Supply connection and external flexible cords                                | 64  |
| 25           | Terminals for external conductors  | 70  |
| 26           | Provision for earthing   | 73  |
| 27           | Screws and connections   | 74  |
| 28           | Creepage distances, clearances and distances through insulation              | 77  |
| 29           | Resistance to heat, fire and tracking  | 80  |
| 30           | Resistance to rusting  | 82  |
| 31           | Radiation, toxicity and similar hazards                                      | 83  |
| Anr          | nex A (normative) Measurement of creepage distances and clearances           | 92  |
|              | nex B (normative) Motors not isolated from the supply mains and having basic |     |
| insu         | ulation not designed for the rated voltage of the tool                       |     |
| Anr          | nex C Void   | 99  |
| Annex D Void |  |     |
| Annex E Void |  |     |
| Anr          | nex F (normative) Needle-flame test  | 102 |
| Anr          | nex G (normative) Proof tracking test  | 103 |

| Annex H Void   | 104 |
|--|-----|
| Annex I (normative) Switches   | 105 |
| Annex J (informative) Selection and sequence of the tests of Clause 29   | 108 |
| Annex K (normative) Battery tools and battery packs  | 109 |
| Annex L (normative) Battery tools and battery packs provided with mains connection or non-isolated sources   | 120 |
| Annex M (normative) Safety of working stands for operation with hand-held motor-<br>operated electric tools  | 130 |
| Annex N (informative) Rules for routine tests  | 136 |
| Annex ZZ (informative) Variations to IEC 60745-1 Ed 4.0 for application in Australia and New Zealand   | 138 |
| Bibliography   | 141 |
| Figure 1 – Standard test finger  | 84  |
| Figure 2 – Test pin  | 85  |
| Figure 3 – Diagram for leakage current measurement at operating temperature for single-phase connection and three-phase tools suitable for single-phase supply | 85  |
| Figure 4 – Diagram for leakage current measurement at operating temperature for three-phase connection   | 86  |
| Figure 5 – Ball-pressure test apparatus  | 86  |
| Figure 6 – Schematic representation of cord anchorages   | 87  |
| Figure 7 – Test fingernail   | 88  |
| Figure 8 – Examples of parts of earthing terminals   | 89  |
| Figure 9 – Flexing test apparatus  | 90  |
| Figure 10 – Circuit for measuring leakage currents   | 91  |
| Figure 11 – Example of an electronic circuit with low-power points   | 91  |
| Figure A.1a – Clearance gap for parallel sided and V-shaped groove   | 93  |
| Figure A.1b – Clearance gap for rib and uncemented joint with groove   | 94  |
| Figure A.1c – Clearance gap for uncemented joint and diverging-sided groove  | 95  |
| Figure A.1d – Clearance gap between wall and screw   | 96  |
| Figure B.1 – Simulation of defects   | 98  |
| Figure K.1 – Measurement of clearances   | 119 |
| Figure L.1 – Measurement of clearances   | 129 |
| Table 1 - Maximum normal temperature rises   | 36  |
| Table 2 – Test voltages  | 43  |
| Table 3 – Maximum winding temperature  | 47  |
| Table 4 – Impact energies  | 52  |
| Table 5 – Test torques   | 52  |
| Table 6 – Minimum cross-sectional area of supply cord  | 65  |
| Table 7 – Pull and torque value  | 67  |
| Table 8 – Nominal cross-sectional area of conductors   | 71  |
| Table 9 – Torque for testing screws and nuts   | 76  |



| The is a new provider i arenade and chare publication at the limit below | This is a free preview. | Purchase the | entire publication | at the link below: |
|--|-------------------------|--------------|--------------------|--------------------|
|--|-------------------------|--------------|--------------------|--------------------|

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation