

Irish Standard I.S. EN ISO 15761:2020

Steel gate, globe and check valves for sizes DN 100 and smaller, for the petroleum and natural gas industries (ISO 15761:2020)

© CEN 2020 No copying without NSAI permission except as permitted by copyright law.

I.S. EN ISO 15761:2020

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R.~xxx: Standard~Recommendation-recommendation~based~on~the~consensus~of~an~expert~panel~and~subject~to~public~consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

Published:

EN ISO 15761:2020

2020-09-16

This document was published under the authority of the NSAI

ICS number:

and comes into effect on:

75.180.20

2020-10-05

Northwood, Santry

NOTE: If blank see CEN/CENELEC cover page

NSAI 1 Swift Square,

T +353 1 807 3800 F+353 1 807 3838 E standards@nsai.ie Sales: T+353 1 857 6730 F+353 1 857 6729

Dublin 9 W NSAl.ie

W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

National Foreword

I.S. EN ISO 15761:2020 is the adopted Irish version of the European Document EN ISO 15761:2020, Steel gate, globe and check valves for sizes DN 100 and smaller, for the petroleum and natural gas industries (ISO 15761:2020)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 15761

NORME EUROPÉENNE

EUROPÄISCHE NORM

September 2020

ICS 75.180.20

Supersedes EN ISO 15761:2002

English Version

Steel gate, globe and check valves for sizes DN 100 and smaller, for the petroleum and natural gas industries (ISO 15761:2020)

Robinets-vannes, robinets à soupape et clapets de non retour en acier de dimensions DN 100 et inférieures, pour les industries du pétrole et du gaz naturel (ISO 15761:2020)

Schieber, Kugel- und Rückschlagventile aus Stahl mit Nennweiten DN 100 und kleiner für die Erdöl- und Erdgasindustrie (ISO 15761:2020)

This European Standard was approved by CEN on 22 August 2020.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 15761:2020 (E)

Contents	Pag	e
Euronean foreword		3

EN ISO 15761:2020 (E)

European foreword

This document (EN ISO 15761:2020) has been prepared by Technical Committee ISO/TC 153 "Valves" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2021, and conflicting national standards shall be withdrawn at the latest by March 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15761:2002.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 15761:2020 has been approved by CEN as EN ISO 15761:2020 without any modification.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN ISO 15761:2020

INTERNATIONAL STANDARD

ISO 15761

Second edition 2020-08

Steel gate, globe and check valves for sizes DN 100 and smaller, for the petroleum and natural gas industries

Robinets-vannes, robinets à soupape et clapets de non retour en acier de dimensions DN 100 et inférieures, pour les industries du pétrole et du gaz naturel





COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Contents		Page	
For	eword		v
Intr	oductio	n	vi
1	Scop	e	1
2	•	native references	
3		ns and definitions	
4		Sure/temperature ratings	3
	4.1 4.2	Valve ratings Temperature constraints	
5		yn	
	5.1	Reference design	
	5.2	Flow passageway	
	5.3	Wall thickness	
	5.4	Valve body	
		5.4.1 General	
		5.4.2 Socket welding ends	
		5.4.3 Threaded ends	
		5.4.4 Flanged ends 5.4.5 Butt-welding ends	
		5.4.6 Body seats	
	5.5	Valve bonnet or cover	
	5.6	Obturator	13
		5.6.1 Seating surfaces	
		5.6.2 Gate valve obturators	
		5.6.3 Globe valve obturators	
	5.7	5.6.4 Check valve obturators	
	5.8	Stem nut or stem bushing	
	5.9	Packing, packing chamber, and gland	
	5.10	Packing retention	
	5.11	Handwheel	17
6	Mate	rials	17
	6.1	Trim materials	
	6.2	Materials other than trim	17
7	Mark	sing	18
	7.1	Legibility	
	7.2	Body marking	
	7.3	Ring joint groove marking	
	7.4 7.5	Identification plate marking	
		Weld fabrication marking	
8		ng and inspection	
	8.1	Pressure tests	
		8.1.1 General 8.1.2 Shell test	
		8.1.3 Closure leakage test	
		8.1.4 Optional closure leakage test for gate valves	
		8.1.5 Backseat leakage test	
		8.1.6 Fugitive emission testing	23
	8.2	Inspection	24
9	Prep	aration for despatch	24
Ann	ex A (no	ormative) Requirements for extended body gate valve bodies	25

This is a free page sample. Access the full version online. **I.S. EN ISO 15761:2020**

ISO 15761:2020(E)

Annex B (normative) Requirements for valves with bellows stem seals	30
Annex C (normative) Type testing of bellows stem seals	34
Annex D (informative) Identification of valve parts	37
Annex E (informative) Information to be specified by the purchaser	40
Annex F (informative) Valve material combinations	42
Rihliogranhy	46

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 153, *Valves*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 12, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 15761:2002), which has been technically revised:

- Clause 2 "Normative references" was updated;
- addition of ASME Class 2 500 designation and relevant dimensions;
- addition of higher PN Class designations, including PN 63, 250 and 400, and relevant dimensions.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The purpose of this document is to establish basic requirements and practices for steel gate, globe and check valves which can be socket welded, butt welded or flanged ended with reduced body seat openings, whose general construction parallels that described in API 602 and BS 5352.

The form of this document corresponds to ISO 6002 and ISO 10434.

Steel gate, globe and check valves for sizes DN 100 and smaller, for the petroleum and natural gas industries

1 Scope

This document specifies the requirements for a series of compact steel gate, globe and check valves for petroleum and natural gas industry applications.

It is applicable to valves of:

- nominal sizes DN 8, 10, 15, 20, 25, 32, 40, 50, 65, 80 and 100,
- corresponding to nominal pipe sizes NPS ¼, ¾, ½, ¾, 1, 1¼, 1½, 2, 2½, 3 and 4,
- pressure designations PN 16, 25, 40, 63, 100, 250 and 400, and
- pressure designations Class 150, 300, 600, 800, 1 500 and 2 500.

Class 800 is not a listed class designation, but is an intermediate Class number widely used for socket welding and threaded end compact valves covered by this document. There is no equivalent PN designation.

This document includes provisions for the following valve characteristics:

- outside screw with rising stems (OS & Y): in sizes 8 ≤ DN ≤ 100;
- inside screw with rising stems (ISRS): in sizes 8 ≤ DN ≤ 65 with a pressure designation PN ≤ 100 or Class ≤ 800;
- socket welding or threaded ends: in sizes $8 \le DN \le 65$;
- flanged or butt-welding ends excluding flanged end Class 800;
- bonnet joint construction that is bolted, welded or threaded with seal weld;
- bonnet joint construction that uses a union nut with a pressure designation PN \leq 45 or Class \leq 800;
- body seat openings;
- materials: as specified;
- testing and inspection.

This document covers valve end flanges in accordance with EN 1092-1 and ASME B16.5 and valve body ends having tapered pipe threads in accordance with ISO 7-1 or ASME B1.20.1. It is applicable to extended body construction in sizes $15 \le DN \le 50$ with pressure designations Class 800 and Class 1 500 and to bellows and bellows assembly construction adaptable to gate or globe valves in sizes $8 \le DN \le 50$. Also covered are requirements for bellows stem seal type testing.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7-1, Pipe threads where pressure-tight joints are made on the threads — Part 1: Dimensions, tolerances and designation



Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation