AS/NZS CISPR 16.2.3:2012 CISPR 16-2-3, Ed. 3.1 (2010) (Incorporating Amendment No. 1)

Australian/New Zealand Standard™

Specification for radio disturbance and immunity measuring apparatus and methods

Part 2.3: Methods of measurement of disturbances and immunity—Radiated disturbance measurements





AS/NZS CISPR 16.2.3:2012

SingTel Optus

Wireless Institute Australia

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee TE-003, Electromagnetic Interference. It was approved on behalf of the Council of Standards Australia on 12 October 2012 and on behalf of the Council of Standards New Zealand on 15 September 2012.

This Standard was published on 17 December 2012.

The following are represented on Committee TE-003:

Australian Broadcasting Corporation Australian Chamber of Commerce and Industry Australian Communications and Media Authority Australian Electrical and Electronic Manufacturers Association Australian Industry Group Australian Information Industry Association Consumer Electronics Suppliers Association Curtin University Department of Defence **Electrical Compliance Testing Association** EMC Society of Australia **Energy Networks Association** Engineers Australia Free TV Australia Lighting Council Australia Ministry of Economic Development, New Zealand National Measurement Institute

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS CISPR 16.2.3.

AS/NZS CISPR 16.2.3:2012 (Incorporating Amendment No. 1)

Australian/New Zealand Standard™

Specification for radio disturbance and immunity measuring apparatus and methods

Part 2.3: Methods of measurement of disturbances and immunity—Radiated disturbance measurements

Originated as part of AS/NZS 1052.2:1999. Previous edition AS/NZS CISPR 16.2.3:2004. Second edition 2012. Reissued incorporating Amendment No. 1 (May 2015).

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140.

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee TE-003, Electromagnetic Interference, to supersede AS/NZS CISPR 16.2.3:2004.

This Standard incorporates Amendment No. 1 (May 2015). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

The objective of this Standard is to specify the methods of measurement of radiated disturbance phenomena in the frequency range of 9 kHz to 18 GHz.

This Standard is identical with, and has been reproduced from, CISPR 16-2-3, Ed. 3.1 (2010), Specification for radio disturbance and immunity measuring apparatus and methods—Part 2-3: Methods of measurement of disturbances and immunity—Radiated disturbance measurements and its Amendment, CISPR 16-2-3 Edition 3.0/Amd 2:2014, which has been added at the end of the document.

This consolidated version of CISPR 16-2-3 consists of the third edition (2010) and its Amendment 1 (2010). It bears the edition number 3.1. The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience. A vertical line in the margin shows where the base publication has been modified by Amendment 1.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text 'this part of CISPR 16' should read 'this Australian/New Zealand Standard'.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

Reference to International Standard Australian/New Zealand Standard **CISPR** AS/NZS CISPR 16 Specification for radio disturbance and 16 Specification for radio disturbance and immunity measuring apparatus and immunity measuring apparatus and methods methods 16-1-1 Part 1-1: Radio disturbance and 16.1.1 Part 1.1: Radio disturbance and immunity measuring apparatus immunity measuring apparatus— Measuring apparatus Measuring apparatus 16-4-1 Part 4-1: Uncertainties, statistics and 16.4.1 Part 4.1: Uncertainties, statistics and limit modelling—Uncertainties in limit modelling—Uncertainties in standardized EMC tests standardized EMC tests 16-4-2 Part 4-2: Uncertainties, statistics and 16.4.2 Part 4.2: Uncertainties, statistics and limit modelling—Measurement limit modelling—Uncertainty in EMC instrumentation uncertainty measurements

A1

CONTENTS

1	Scop	cope1					
2	Norn	lormative references					
3	Terms and definitions						
4	Туре	Types of disturbance to be measured					
	4.1	Gener	al	15			
	4.2 Types of disturbance						
	4.3 Detector functions						
5	Conr	Connection of measuring equipment					
6	General measurement requirements and conditions						
	6.1 General						
	6.2	Disturbance not produced by the equipment under test					
		6.2.1	General				
		6.2.2	Compliance (conformity assessment) testing	17			
	6.3	Measurement of continuous disturbance					
		6.3.1	Narrowband continuous disturbance	17			
		6.3.2	Broadband continuous disturbance	17			
		6.3.3	Use of spectrum analyzers and scanning receivers	18			
	6.4	Opera	ting conditions of the EUT	18			
		6.4.1	Normal load conditions	18			
		6.4.2	The time of operation	18			
		6.4.3	Running-in time	18			
		6.4.4	Supply	18			
		6.4.5	Mode of operation	18			
	6.5	Interpretation of measuring results					
		6.5.1	Continuous disturbance				
		6.5.2	Discontinuous disturbance	19			
		6.5.3	Measurement of the duration of disturbance				
	6.6	Measurement times and scan rates for continuous disturbance					
		6.6.1	General				
		6.6.2	Minimum measurement times				
		6.6.3	Scan rates for scanning receivers and spectrum analyzers				
		6.6.4	Scan times for stepping receivers				
		6.6.5	Strategies for obtaining a spectrum overview using the peak detector				
		6.6.6	Timing considerations using FFT-based instruments				
7	Meas	Measurement of radiated disturbances					
	7.1	Introductory remarks					
	7.2	Loop-antenna system measurements (9 kHz to 30 MHz)					
		7.2.1	General				
		7.2.2	General measurement method				
		7.2.3	Test environment				
		7.2.4	Configuration of the equipment under test				
	7.0	7.2.5	Measurement uncertainty for LAS	33			
	7.3	Open-area test site or semi-anechoic chamber measurements (30 MHz to 1 GHz)					
		7.3.1	Measurand				



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation