

Australian Standard[®]

**Polymeric insulators for indoor and
outdoor use with a nominal voltage
> 1000 V—General definitions, test
methods and acceptance criteria**



This Australian Standard® was prepared by Committee EL-010, Overhead Lines. It was approved on behalf of the Council of Standards Australia on 1 June 2007. This Standard was published on 12 July 2007.

The following are represented on Committee EL-010:

- Australasian Railway Association
 - Australian Chamber of Commerce and Industry
 - Australian Electrical and Electronic Manufacturers Association
 - Energy Networks Association
-

This Standard was issued in draft form for comment as DR 07010.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through public comment period.

Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au**

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

AS 62217—2007

Australian Standard[®]

Polymeric insulators for indoor and outdoor use with a nominal voltage > 1000 V—General definitions, test methods and acceptance criteria

First published as AS 62217—2007.

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia
ISBN 0 7337 8277 9

PREFACE

This Standard was prepared by the Standards Australia Committee EL-010, Overhead Lines.

The objective of this Standard is to specify common requirements for polymeric insulators for use on overhead power lines.

This Standard is identical with, and has been reproduced from IEC 62217, Ed.1.0 (2005), *Polymeric insulators for indoor and outdoor use with a nominal voltage > 1000 V—General definitions, test methods and acceptance criteria*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'IEC 62217' should read 'AS 62217'.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

The terms 'normative' and 'informative' are used to define the application of the annex to which they apply. A normative annex is an integral part of a standard, whereas an informative annex is only for information and guidance.

CONTENTS

INTRODUCTION	iv
1 Scope and object	1
2 Normative references	1
3 Terms and definitions	2
4 Identification	4
5 Environmental conditions	4
6 Information on transport, storage and installation	5
7 Classification of tests	5
7.1 Design tests	5
7.2 Type tests	6
7.3 Sample tests	6
7.4 Routine tests	6
8 General requirements for insulator test specimens	6
9 Design tests	7
9.1 General	7
9.2 Tests on interfaces and connections of end fittings	7
9.3 Tests on shed and housing material	9
9.4 Tests on the core material	12
Annex A (normative) Wheel test	17
Annex B (normative) Test at multiple stresses	19
Annex C (informative) Difference between the tracking and erosion and accelerated ageing tests on polymeric insulators	25
Annex D (informative) Recommended application of tests	26
Annex E (informative) Explanation of the concept of classes for the design tests	27
Bibliography	28
 Figure 1 – Example of boiling container for the water diffusion test	 14
Figure 2 – Examples of test specimen for core material	15
Figure 3 – Electrodes for the voltage test	15
Figure 4 – Voltage test circuit	16
Figure A.1 – Test arrangement of the tracking wheel test	18
Figure B.1 — Typical layout of the test specimens in the chamber and main dimensions of the chamber	19
Figure B.2 – Multiple stress cycle	22
Figure B.3 – Typical layout of the rain and salt fog spray systems and the xenon lamp	23
Figure B.4 – Spectrum of xenon arc lamp and solar spectrum	23
Figure B.5 – Reference porcelain insulator	24
 Table 1 – Normal environmental conditions	 5
Table 2 – Initial NaCl content of the water as a function of the specimen dimensions	11

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-