

Irish Standard I.S. EN 12331:2021

Food processing machinery - Mincing machines - Safety and hygiene requirements

 $\ensuremath{\mathbb S}$ CEN 2021 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN 12331:2021

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation – recommendation based on the consensus of an expert panel and subject to public consultation.

SWIFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN 12331:2021 *Published:* 2021-08-11

<i>This document was published</i> under the authority of the NSAI		ICS number:	
and comes into effect on:		67.260	
2021-09-15		NOTE: If blank see CEN/CENELEC cover page	
		NOTE: II DIAIIR SEE CEN/CENELEC COVEL page	
NSAI	T +353 1	. 807 3800 Sales:	
1 Swift Square,	F +353 1	. 807 3838 T +353 1 857 6730	
Northwood, Santry	E standa	ards@nsai.ie F +353 1 857 6729	
Dublin 9	W NSAI.i	ie W standards.ie	

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 12331:2021 is the adopted Irish version of the European Document EN 12331:2021, Food processing machinery - Mincing machines - Safety and hygiene requirements

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

EUROPEAN STANDARD NORME EUROPÉENNE

EN 12331

EUROPÄISCHE NORM

August 2021

ICS 67.260

Supersedes EN 12331:2015

English Version

Food processing machinery - Mincing machines - Safety and hygiene requirements

Machines pour les produits alimentaires - Hachoirs -Prescriptions relatives à la sécurité et l'hygiène Nahrungsmittelmaschinen - Wölfe - Sicherheits- und Hygieneanforderungen

This European Standard was approved by CEN on 23 May 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 12331:2021 (E)

Contents

Europ	ean foreword	4
Introd	uction	5
1	Scope	6
2	Normative references	8
3	Terms and definitions	9
4	Safety requirements and/or measures	13
4.1	General	13
4.2	Mechanical safety	13
4.3	Electrical hazards	27
4.4	Stability of the machine	29
4.5	Noise reduction	30
4.6	Hazards from use of gases (N ₂ , CO ₂ and steam)	31
4.7	Ergonomic requirements	31
4.8	Hygiene and cleaning	32
5	Verification of safety requirements and/or measures	34
6	Information for use	36
6.1	General	
6.2	Operating instructions	36
6.3	Marking	38
Annex A (normative) Noise test code for mincing machines (grade 2)		
A.1	Emission sound pressure level determination	
A.2	Determination of the sound power level	40
A.3	Installation and mounting conditions	40
A.4	Operating conditions	40
A.5	Measurement	41
A.6	Information to be recorded	41
A.7	Information to be reported	41
A.8	Measurement uncertainty	42
A.9	Declaration and verification of the noise emission values	42
Annex	B (normative) Design principles to ensure cleanability of mincing machines	44
B.1	Definition	44
B.2	Materials	44
B.3	Design	44
Annex	C (informative) Performance level required	49
Annex	Annex D (informative) List of significant hazards	

Annex ZA (informative) Relationship between this European Standard and the essential	
requirements of Directive 2006/42/EC aimed to be covered	51
Bibliography	53

European foreword

This document (EN 12331:2021) has been prepared by Technical Committee CEN/TC 153 "Machinery intended for use with foodstuffs and feed", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2022 and conflicting national standards shall be withdrawn at the latest by February 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12331:2015.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA, which is an integral part of this document.

The significant changes with respect to the previous edition EN 12331:2015 are listed below:

- for better distinction, two types of mincing machines are defined: professional and industrial;
- the requirements have been specified and revised with regard to the two types of mincing machine (professional and industrial).

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document is a type-C-standard as stated in EN ISO 12100.

This document is of relevance, in particular for the following stakeholder groups representing the market players with regard to machinery safety:

- machine manufacturers (small, medium and large enterprises);
- health and safety bodies (regulators, accident prevention organizations, market surveillance, etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

- machine users/employers (small, medium and large enterprises);
- machine users/employees (e.g. trade unions, organizations for people with special needs);
- service providers, e.g. for maintenance (small, medium and large enterprises);
- consumers (in the case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

When provisions of this type-C-standard are different from those which are stated in type-A- or -Bstandards, the provisions of this type-C-standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type-Cstandard.

EN 12331:2021 (E)

1 Scope

This document specifies requirements for the design and manufacture of mincing machines (see Figure 1).

The mincing machines (hereinafter referred to as machine) covered by this document are used for size reduction of fresh or frozen meat, meat products and fish (hereinafter referred to as product) by cutting in a set of cutting tools.

Household machines are not included in this document. Filling mincers are covered by EN 12463 "Food processing machinery — Filling machines and auxiliary machines — Safety and hygiene requirements".

This document applies only to machines that are manufactured after the date of issue of this document.


This document covers:

- a) professional machines (see Figure 1 a) used for on-demand preparation in shops and/or restaurants characterized by all of the following features (if any of the features is missing the machine is considered an industrial machine):
 - 1) designed as a table-top machine;
 - 2) having a feed tray;
 - 3) the product is only fed manually;
 - 4) is only operated from the ground;
 - 5) is operated by no more than one operator;
 - 6) with full visibility and full accessibility of the entire machine from the operator workstation;
 - 7) having hole plate diameter \leq 106 mm;
 - 8) a worm casing set which is removable without using any tools;
 - 9) the weight of the worm casing set \leq 15 kg;
- NOTE The table-top machine can be equipped with a frame or base, so no separate table is needed.
- b) industrial machines (see Figure 1 b) used for industrial mass production, and which cannot be characterized as a professional machine.

This document does not describe the specific requirements for the control of machines with foot switch.

This document does not describe the specific requirements for additional mixing screws in the feed intake hopper which are covered by EN 13570:2005+A1:2010 "Food processing machinery — Mixing machines — Safety and hygiene requirements".

EN 12331:2021 (E)



a) Professional machine with feed tray and restrictor plate

Key

21

- lock nut feed intake 1 6 2 pusher
 - 7 hole plate 8
- 3 blade 4
 - worm 9
- 5 worm casing


table

10 on-/off-switch

feed trav

restrictor plate

22 table-top



b) Industrial machine with feed intake hopper. protective cover and feeding screw

- 11 feed intake hopper protective hood 16 12 feeding screw 17 worm 13 machine rack protective cover 18 on-/off-switch with 19 loading device 14 protective hood 15
- lock nut
 - 20 floor

Figure 1 — Examples of machines

This document covers the following types of machines:

- machine with feed tray, feed intake and pusher (see Figure 3);
- machine with feed tray, feed intake, restrictor plate and pusher (see Figure 4);
- machine with feed intake hopper, protective cover and feeding screw (see Figure 6);
- machine with feed intake hopper, with or without protective cover, feeding screw, with loading device (continuously or discontinuously).

Machines comprise a machine base, a worm casing with a worm, a feed tray (with feed intake) or a feed intake hopper, a set of cutting tools, a lock nut, a drive motor. They will also have various safeguarding devices as examples in Clause 4.

Machines can be equipped e.g. with:

- an extraction claw;
- an ejector or extractor;
- a protective hood over the discharge outlet;
- a protective cover over the inlet opening of the feed intake hopper;

- a transport carriage for the lock nut, the set of cutting tools, the worm and the feeding screw;
- a lifting device for the lock nut, the set of cutting tools, the worm and the feeding screw;
- a loading device.

The product is fed manually or with a loading device into the machine. The product is fed to the worm either by a pusher or a feeding screw and reduced in size by a set of cutting tools.

This document specifies all significant hazards, hazardous situations and events relevant to machines, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Annex D).

This document specifies the hazards which can arise during commissioning, operation, cleaning, use, maintenance and decommissioning of the machine.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 614-1:2006+A1:2009, Safety of machinery — Ergonomic design principles — Part 1: Terminology and general principles

EN 1005-1:2001+A1:2008, Safety of machinery — Human physical performance — Part 1: Terms and definitions

EN 1005-2:2003+A1:2008, Safety of machinery — Human physical performance — Part 2: Manual handling of machinery and component parts of machinery

EN 1005-3:2002+A1:2008, Safety of machinery — Human physical performance — Part 3: Recommended force limits for machinery operation

EN 1672-2:2005+A1:2009, Food processing machinery — Basic concepts — Part 2: Hygiene requirements

EN 60204-1:2018, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2016, modified)

EN 60529:1991¹), Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)

EN 61496-1:2013, Safety of machinery — Electro-sensitive protective equipment — Part 1: General requirements and tests (IEC 61496-1:2012)

EN ISO 3744:2010, Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Engineering methods for an essentially free field over a reflecting plane (ISO 3744:2010)

¹⁾ As impacted by EN 60529:1991/A1:2000 and EN 60529:1991/A2:2013.

EN ISO 3746:2010, Acoustics — Determination of sound power levels and sound energy levels of noise sources using sound pressure — Survey method using an enveloping measurement surface over a reflecting plane (ISO 3746:2010)

EN ISO 4287:1998²), Geometrical product specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters (ISO 4287:1997)

EN ISO 4871:2009, Acoustics — Declaration and verification of noise emission values of machinery and equipment (ISO 4871:1996)

EN ISO 7010:2020, Graphical symbols — Safety colours and safety signs — Registered safety signs (ISO 7010:2019, Corrected version 2020-06)

EN ISO 11201:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions in an essentially free field over a reflecting plane with negligible environmental corrections (ISO 11201:2010)

EN ISO 11202:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a workstation and at other specified positions applying approximate environmental corrections (ISO 11202:2010)

EN ISO 11688-1:2009, Acoustics — Recommended practice for the design of low-noise machinery and equipment — Part 1: Planning (ISO/TR 11688-1:1995)

EN ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)

EN ISO 13849-1:2015, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2015)

EN ISO 13854:2019, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body (ISO 13854:2017)

EN ISO 13857:2019, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2019)

EN ISO 14119:2013, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection (ISO 14119:2013)

EN ISO 14120:2015, Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards (ISO 14120:2015)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>
- IEC Electropedia: available at <u>http://www.electropedia.org/</u>

²⁾ As impacted by EN ISO 4287:1998/AC:2008 and EN ISO 4287:1998/A1:2009.

3.1

platform

accessible workstation

3.2

worm

rotating screw-shaped component in the worm casing for product transport to the set of cutting tools

3.3

ejector/extractor

device for detaching the set of cutting tools and the worm

3.4

extraction claw

tool for detaching the set of cutting tools and the worm

3.5

loading device

device for the lifting and tilting of transport cars and containers

3.6

container

device for holding processed and/or unprocessed product

3.7

protective cover device with safety function

3.8

feed intake

housing between the feed tray and the worm casing

3.9

feed intake hopper

device for holding the unprocessed product

3.10

locking device

device for locking the trolley or container in the load bearing device

3.11

trolley movable container

3.12

design dimension

sum of dimensions measured as tight string length from the workstation (floor, steps, intermediate steps or platforms) to the hopper edge (inclusively additional safety measures) and from the hopper edge (inclusively additional safety measures) to the first danger point in the feed intake hopper (see Figure 7 and Figure 8)

3.13

cooling mincer

machine with a cooling device for the feed intake and the worm casing

3.14

workstation

every location at the machine from which the operator interacts with the machine

3.15

hole plate plate with bores

Note 1 to entry: A hole plate is shown in Figure 1 a).

3.16

end hole plate last hole plate towards the outlet

3.17

blade element for cutting the product

3.18

feed tray

device for receiving the product to be processed to feed the feed intake by hand

3.19

mechanical trip bar

movable device with a safety function

3.20

worm casing

element for holding the worm and the set of cutting tools

3.21

worm casing set

arrangement consisting of a worm casing, a worm, a set of cutting tools and a lock nut

3.22

set of cutting tools

arrangement of blades and hole plates for size reduction of product

Note 1 to entry: The number and type of cutting tools used is selected depending on the desired quality of the minced product.

3.23

protective grid

device on the feed intake hopper mouth with a safety function

3.24

protective hood

device on the discharge outlet with a safety function

3.25

restrictor plate device above the feed intake



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation