

Australian/New Zealand Standard™

**Electrical equipment for explosive gas
atmospheres—Special protection—Type
of protection ‘s’**



AS/NZS 1826:2008

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-014, Equipment for Explosive Atmospheres. It was approved on behalf of the Council of Standards Australia on 25 March 2008 and on behalf of the Council of Standards New Zealand on 11 April 2008.
This Standard was published on 30 May 2008.

The following are represented on Committee EL-014:

Association of Consulting Engineers Australia
Auckland Regional Chamber of Commerce
Australian Chamber of Commerce and Industry
Australian Coal Association
Australian Electrical and Electronic Manufacturers Association
Australian Industry Group
Australian Institute of Petroleum
Australian Institute of Refrigeration Air Conditioning and Heating
Australian Petroleum Production and Exploration Association
Department of Primary Industries, Mineral Resources, NSW
Electrical Compliance Testing Association
Electrical Regulatory Authorities Council
Energy Networks Association
Engineers Australia
Environmental Risk Management Authority of New Zealand
Institute of Electrical Inspectors
Institute of Instrumentation, Control and Automation Australia
Mining Electrical and Mining Mechanical Engineering Society, NSW
Ministry of Economic Development, New Zealand
National Electrical and Communications Association
New Zealand Association of Marine, Aviation and Power Engineers
New Zealand Employers and Manufacturers Association
Simtars (Natural Resources, Mines and Water)
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.standards.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

Alternatively, both organizations publish an annual printed Catalogue with full details of all current Standards. For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR 08001.

AS/NZS 1826:2008

Australian/New Zealand Standard™

**Electrical equipment for explosive gas
atmospheres—Special protection—Type
of protection ‘s’**

Originated as AS 1826—1976.
Previous edition AS/NZS 1826(Int):2006.
Fourth edition 2008.

COPYRIGHT

© Standards Australia/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Jointly published by Standards Australia, GPO Box 476, Sydney, NSW 2001 and Standards New Zealand, Private Bag 2439, Wellington 6020

ISBN 0 7337 8717 7

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-014, Equipment for Explosive Atmospheres, to supersede AS/NZS 1826(Int):2006.

The intent of AS/NZS 1826 is to allow the design, assessment and testing of equipment or parts of equipment that cannot be classified within a recognized technique or combination of recognized techniques because of functional or operational limitations. However, it has to be demonstrated that the equipment is safe for use in the area requiring the Equipment Protection Level (EPL) for which it is intended.

The AS/NZS 60079 series of Standards does not have an equivalent part to AS/NZS 1826 although Ex 's' is mentioned as a permitted marking in AS/NZS 60079.0.

AS/NZS 60079.26 provides for equipment to be used in an area requiring EPL Ga equipment but depends on combining techniques already described in other parts of the Standard.

This Standard may also be used to certify equipment which is required to be used in an area requiring a higher EPL than the underlying protection techniques allow. This would require additional control measures to be applied. Designers need to first consider all possibilities for design to established explosion-protection techniques described in the AS/NZS 60079 series or IEC equivalent, or to combinations of techniques as described in AS/NZS 60079.26, before resorting to type of protection Ex 's'.

NOTE: Some equipment in the past that was certified to Ex 's' Standard could now be readily certified, with modification if needed, to one or more of the protection techniques covered in the AS/NZS 60079 series.

This Standard is not to be considered as a last resort in the event that equipment fails compliance to a technique in the AS/NZS 60079 series.

The Ex 's' technique is necessarily based on identification of failure modes and assessment of the risk of failure in the identified modes. In this regard the safety of the equipment has to be equal to or greater than comparable techniques. For example, for an area requiring EPL Ga equipment, the equipment has to have equivalent or greater safety than Ex 'ia', Ex 'ma' or combined techniques described in AS/NZS 60079.26.

The probability of failure, of the identified failure modes, may need to be demonstrated to be of a similar likelihood as the failures that occur in recognized types of protection.

Full safety life cycle conditions may be necessary and form part of the mandatory directions for safe use of the equipment, to ensure ongoing levels of safety during the operational life of the equipment.

By its very nature, testing and assessment to Ex 's' cannot be as prescriptive as for other techniques. It is anticipated that considerable dialogue is required between the manufacturer and the testing station. Additional tests may be devised by the testing station, to ensure the relevant level of safety is achieved.

The terms 'normative' and 'informative' have been used in this Standard to define the application of the appendix to which they apply. A 'normative' appendix is an integral part of a Standard, whereas an 'informative' appendix is only for information and guidance.

CONTENTS

	<i>Page</i>
1 SCOPE	4
2 REFERENCED DOCUMENTS.....	5
3 DEFINITIONS	5
4 GENERAL.....	6
5 APPLICATION OF AS/NZS 60079.0 REQUIREMENTS.....	8
6 SAFETY REQUIREMENTS RELATING TO THE DESIGN AND CONSTRUCTION OF EQUIPMENT AND PROTECTIVE SYSTEMS	8
7 SUPPLEMENTARY REQUIREMENTS IN RESPECT OF EQUIPMENT.....	11
8 FAULT ASSESSMENT.....	13
9 SPECIAL PROTECTION TECHNIQUES	13
10 CONNECTION OF CONDUCTORS AND CABLES	16
11 ASSESSMENT AND TESTS	16
12 DOCUMENTATION	17
13 MARKING	18
14 INSTRUCTIONS.....	18

APPENDICES

A	IGNITION HAZARD ASSESSMENT	19
B	SINTERED HEAD TESTING.....	20
C	BIBLIOGRAPHY.....	24

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-