

AS/NZS 61000.4.30:2012
IEC 61000-4-30, Ed.2.0 (2008)

AS/NZS 61000.4.30:2012

Australian/New Zealand Standard™

Electromagnetic compatibility (EMC)

**Part 4.30: Testing and measurement
techniques—Power quality
measurement methods**



AS/NZS 61000.4.30:2012

This Joint Australian/New Zealand Standard was prepared by Joint Technical Committee EL-034, Power Quality. It was approved on behalf of the Council of Standards Australia on 4 May 2012 and on behalf of the Council of Standards New Zealand on 26 April 2012.

This Standard was published on 22 May 2012.

The following are represented on Committee EL-034:

Australian Chamber of Commerce and Industry
Australian Industry Group
Australian Information Industry Association
Bureau of Steel Manufacturers of Australia
Consumer Electronics Suppliers Association
Consumers Federation of Australia
Electrical Regulatory Authorities Council
Electricity Engineers Association, New Zealand
Energy Networks Association
Engineers Australia
Lighting Council of Australia
Ministry of Economic Development, New Zealand
National Measurement Institute
New Zealand Coordinating Committee on Power & Telecommunication Systems
New Zealand Electric Fence Energiser Manufacturers Standards WG
Telstra Corporation
University of Canterbury, New Zealand
University of Wollongong

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about joint Australian/New Zealand Standards can be found by visiting the Standards Web Shop at www.saiglobal.com.au or Standards New Zealand web site at www.standards.co.nz and looking up the relevant Standard in the on-line catalogue.

For more frequent listings or notification of revisions, amendments and withdrawals, Standards Australia and Standards New Zealand offer a number of update options. For information about these services, users should contact their respective national Standards organization.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Please address your comments to the Chief Executive of either Standards Australia or Standards New Zealand at the address shown on the back cover.

This Standard was issued in draft form for comment as DR AS/NZS 61000.4.30.

AS/NZS 61000.4.30:2012

Australian/New Zealand Standard™

Electromagnetic compatibility (EMC)

**Part 4.30: Testing and measurement
techniques—Power quality
measurement methods**

Originated as AS/NZS 61000.4.30:2007.
Second edition 2012.

COPYRIGHT

© Standards Australia Limited/Standards New Zealand

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher, unless otherwise permitted under the Copyright Act 1968 (Australia) or the Copyright Act 1994 (New Zealand).

Jointly published by SAI Global Limited under licence from Standards Australia Limited, GPO Box 476, Sydney, NSW 2001 and by Standards New Zealand, Private Bag 2439, Wellington 6140

ISBN 978 1 74342 115 4

PREFACE

This Standard was prepared by the Joint Standards Australia/Standards New Zealand Committee EL-034, Power Quality, to supersede AS/NZS 61000.4.30:2007, *Electromagnetic compatibility (EMC)—Part 4.30: Testing and measurement techniques—Power quality measurement methods*.

The objective of this Standard is to define the methods for measurement and interpretation of results for power quality parameters in 50/60 Hz a.c. power supply systems. The power quality parameters considered in this Standard are power frequency, magnitude of the supply voltage, flicker, supply voltage dips and swells, voltage interruptions, transient voltages, supply voltage unbalance, voltage harmonics and interharmonics, mains signalling on the supply voltage and rapid voltage changes.

This Standard is identical with, and has been reproduced from IEC 61000-4-30, Ed.2.0 (2008), *Electromagnetic compatibility (EMC)—Part 4-30: Testing and measurement techniques—Power quality measurement methods*.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number appears on the cover and title page while the International Standard number appears only on the cover.
- (b) In the source text ‘this part of IEC 61000’ should read ‘this part of AS/NZS 61000’.
- (c) A full point substitutes for a comma when referring to a decimal marker.

References to International Standards should be replaced by references to Australian or Australian/New Zealand Standards, as follows:

<i>Reference to International Standard</i>		<i>Australian/New Zealand Standard</i>	
IEC		AS/NZS	
61000	Electromagnetic compatibility (EMC)	61000	Electromagnetic compatibility (EMC)
61000-2-2	Part 2-2: Environment—Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems	61000.2.2	Part 2.2: Environment—Compatibility levels for low-frequency conducted disturbances and signalling in public low-voltage power supply systems
61000-2-4	Part 2-4: Environment—Compatibility levels in industrial plants for low-frequency conducted disturbance	61000.2.4	Part 2.4: Environment—Compatibility levels in industrial plants for low-frequency conducted disturbances
61000-4-4	Part 4-4: Testing and measurement techniques—Electrical fast transient/burst immunity test	61000.4.4	Part 4.4: Testing and measurement techniques—Electrical fast transient/burst immunity test
61000-4-15	Part 4-15: Testing and measurement techniques—Flickermeter—Functional and design specifications	61000.4.15	Part 4.15: Testing and measurement techniques—Flickermeter—Function and design specifications

The term ‘informative’ has been used in this Standard to define the application of the annex to which it applies. An ‘informative’ annex is only for information and guidance.

CONTENTS

1	Scope	7
2	Normative references.....	7
3	Terms and definitions	8
4	General	12
4.1	Classes of measurement methods	12
4.2	Organization of the measurements.....	13
4.3	Electrical values to be measured.....	13
4.4	Measurement aggregation over time intervals	14
4.5	Measurement aggregation algorithm	14
4.5.1	Requirements	14
4.5.2	150/180 cycle aggregation	14
4.5.3	10 min aggregation	15
4.5.4	2 hour aggregation.....	18
4.6	Real time clock (RTC) uncertainty.....	18
4.7	Flagging concept	18
5	Power quality parameters.....	19
5.1	Power frequency.....	19
5.1.1	Measurement method	19
5.1.2	Measurement uncertainty and measuring range.....	19
5.1.3	Measurement evaluation	19
5.1.4	Aggregation	19
5.2	Magnitude of the supply voltage.....	20
5.2.1	Measurement method	20
5.2.2	Measurement uncertainty and measuring range.....	20
5.2.3	Measurement evaluation	20
5.2.4	Aggregation	20
5.3	Flicker	20
5.3.1	Measurement method	20
5.3.2	Measurement uncertainty and measuring range.....	20
5.3.3	Measurement evaluation	21
5.3.4	Aggregation	21
5.4	Supply voltage dips and swells.....	21
5.4.1	Measurement method	21
5.4.2	Detection and evaluation of a voltage dip	22
5.4.3	Detection and evaluation of a voltage swell	22
5.4.4	Calculation of a sliding reference voltage	23
5.4.5	Measurement uncertainty and measuring range.....	23
5.4.6	Aggregation	24
5.5	Voltage interruptions.....	24
5.5.1	Measurement method	24
5.5.2	Evaluation of a voltage interruption	24
5.5.3	Measurement uncertainty and measuring range.....	25
5.5.4	Aggregation	25
5.6	Transient voltages	25

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-