

AS 2167—1996

Australian Standard<sup>®</sup>

---

**Graduated straight pipettes**

---

This Australian Standard was prepared by Committee CH/1, Laboratory Glassware and Related Apparatus. It was approved on behalf of the Council of Standards Australia on 2 September 1996 and published on 5 December 1996.

---

The following interests are represented on Committee CH/1:

Australian Chamber of Commerce and Industry  
Australian Government Analytical Laboratories  
Environment Protection Authority, N.S.W.  
National Association of Testing Authorities Australia  
National Standards Commission  
Royal Australian Chemical Institute  
Royal College of Pathologists of Australasia  
Scientific Suppliers Association of Australia  
University of Sydney

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-