

AS 1722.1—1975

Australian Standard[®]

Pipe threads of Whitworth form

**Part 1: Sealing pipe threads
(metric units)**

The following scientific, industrial and governmental organizations and departments were officially represented on the committee entrusted with the preparation of this standard:

Airconditioning and Refrigeration Equipment Manufacturers Association
of Australia
Associated Chambers of Manufactures of Australia
Australian and New Zealand Railways Conferences
Australian Institute of Refrigeration, Air Conditioning and Heating
Australian Liquefied Petroleum Gas Association
Brassware Manufacturers Association of Victoria
Dairy Equipment Manufacturers Association of Australia
Department of Defence (Army and Materials Research Laboratory)
Department of Manufacturing Industry (Ammunitions Factory)
Department of Technical Education, N.S.W.
Electricity Supply Association of Australia
Fasteners Institute of Australia
Federal Chamber of Automotive Industries
Federation of Automotive Products Manufacturers
Metal Trades Industry Association of Australia
National Measurement Laboratory
Petroleum Refinery Engineers Advisory Committee
Postmaster-General's Department
Society of Automotive Engineers — Australasia
The Institution of Engineers, Australia
The Institution of Production Engineers
Sydney Metropolitan Water, Sewerage and Drainage Board

This standard, prepared by Committee ME/28, Screw Threads, was approved on behalf of the Council of the Standards Association of Australia on 13 November 1974.

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This standard was issued in draft form for public review as DR 73114.

AS 1722.1—1975

Australian Standard[®]

Pipe threads of Whitworth form
Part 1: Sealing pipe threads
(metric units)

First published	1975
Reprinted	1975
Reprinted	1983

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 0653 9

PREFACE

This standard was prepared by the Association's Committee on Screw Threads as a metrication and revision of AS B53—1961 which was an endorsement with amendment of BS 21:1957, and which it accordingly supersedes. Part 2 of this standard deals with fastening pipe threads, which were formerly specified in AS B154.

Except for the method of designation, the external taper pipe threads and internal pipe threads given in this standard are in agreement with ISO 7* which was based on BS 21:1957, but it is wider in scope than both, particularly in the description of gauges and gauging methods. In response to a demand from Australian industry the long screw thread is included in this standard, but is not given in ISO 7.

A new method of designating pipe threads is introduced. Current Australian practice is to designate *pipe size* by metric nominal bore (e.g. 50 NB) whereas ISO 7 designates *pipe threads* by imperial nominal bore (e.g. RP2). This standard reconciles these conflicting methods of designating by adopting a dual number (e.g. RP2/50).

The standard retains the Gauging System B of BS 21:1957 as recommended in the endorsement of that standard as AS B53.

The committee is aware of the wide use of parallel ring gauges for gauging taper external threads and there are signs of a trend towards the use of these gauges in international standards; however at this time there are not national or international standards for such gauges. Should there be further developments in this matter, the method of gauging in this standard will be reviewed.

Attention is drawn to the use of the 'decimal comma' in this standard. Its use in situations where ambiguity does not arise is recognized by the Metric Conversion Board, and the comma is used in new Australian standards primarily concerned with drawing practice and workshop design.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

* ISO 7, Pipe Threads for Gas List Tubes and Screwed Fittings Where Pressure-tight Joints are made on the Threads (1/8 inch to 6 inches).

CONTENTS

	<i>Page</i>
SECTION 1. SCOPE AND GENERAL	
1.1 Scope	4
1.2 Standard Series	4
1.3 Designation of Threads and Joints	4
1.4 Terms and Definitions	5
SECTION 2. THREAD FORM, LIMITS AND ASSEMBLY	
2.1 Basic and Design Forms (Profiles)	12
2.2 Limiting Dimensions, Tolerances and Deviations	13
2.3 Assembly of Sealing Pipe Threads	15
SECTION 3. GAUGES AND GAUGING PRACTICE	
3.1 General	16
3.2 Sealing Pipe Threads, Series RC, RP and R—Types of Gauges	16
3.3 Description and Use of Gauges	16
3.4 Dimensions and Tolerances	17
TABLES	
1 Limiting Dimensions for Taper Pipe Threads of Series R and RC	8-9
2 Limiting Dimensions for Internal Pipe Threads of Series RP	10-11
2A Minimum Length of Useful Thread on Pipe End	10-11
3 Dimensions of Taper Screw and Taper Plain Plug and Ring Gauges	20-21
4 Tolerance for Gauges	22-23
FIGURES	
1 Terms Related to Pipe Threads	7
2 Basic Whitworth Form	12
3 Basic Form of Taper Pipe Thread	13
4 Tolerance Zones for Diameters of Sealing Pipe Threads	13
5 Limiting Conditions of Hand-tight Assembly of Taper Screw Threads	14
6 Taper Full Form Screw Ring Product Gauge	18
7 Taper Plain Ring Product Gauge	18
8 Taper Full Form Screw Plug Product Gauge	18
9 Taper Plain Plug Product Gauge	18
10 Gauging External Product	19
11 Gauging Internal Product	19

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-