AS 1768—1991 NZS/AS 1768—1991

Australian Standard[®] New Zealand Standard

Lightning protection

AS 1768-1991/NZS/AS 1768-1991

This Standard was prepared under a joint arrangement by Standards Australia and the Standards Association of New Zealand. It was approved for publication on behalf of the Council of Standards Australia on 18 September 1991 and on behalf of the Standards Council of New Zealand on 6 September 1991. It was published on 9 December 1991.

The following organizations are represented on the Committees responsible for this Standard:

Standards Australia Committee EL/24, Protection Against Lightning

Association of Consulting Engineers Australia	
Australian Corrosion Association	
Australian Electrical and Electronic Manufacturers Association	
Australian Institute of Petroleum	
Building Owners and Managers Association of Australia	
Confederation of Australian Industry	
Department of Defence	
Department of Minerals and Energy, N.S.W.	
Department of Administrative Services—Australian Construction Services	
Electricity Supply Association of Australia	
Institution of Engineers Australia	
Public Works Department, N.S.W.	
Railways of Australia Committee	
Telecom Australia	
University of Queensland	
Standards Association of New Zealand	

Standards Association of New Zealand Electrotechnical Board, 60/–, was responsible for coordinating the New Zealand participation.

Review of Standards. To keep abreast of progress in industry, Joint Australian/New Zealand Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Joint Standards and related publications will be found in the Standards Australia and Standards New Zealand Catalogue of Publications; this information is supplemented each month by the magazines 'The Australian Standard' and 'Standards New Zealand', which subscribing members receive, and which give details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Joint Standards, addressed to the head office of either Standards Australia or Standards New Zealand, are welcomed. Notification of any inaccuracy or ambiguity found in a Joint Australian/New Zealand Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 1768—1991 NZS/AS 1768—1991

Australian Standard[®] New Zealand Standard

Lightning protection

In Australia First published as AS MC1—1969. Revised and redesignated AS 1768—1975. Second edition 1983. Third edition 1991.

In New Zealand First published as NZS/AS 1768—1991.

PUBLISHED JOINTLY BY:

STANDARDS AUSTRALIA (Standards Association of Australia), 1 The Crescent, Homebush, NSW, Australia

STANDARDS NEW ZEALAND Level 10, Standards House, 155 The Terrace, Wellington 6001 New Zealand

PREFACE

This Standard is issued as a joint Standard under the terms of the Memorandum of Understanding between Standards Australia and the Standards Association of New Zealand with the objective of reducing technical barriers to trade between the two nations. It was prepared by the Standards Australia Committee on Protection against Lightning and, in Australia, it supersedes AS 1768–1983.

This Standard is intended to provide authoritative guidance on the principles and practice of lightning protection for a wide range of structures and systems, but excludes those owned or operated by public utilities and statutory authorities. It is not intended for mandatory application but, if called up in a contractual situation, compliance with this Standard requires compliance with all relevant clauses of the Standard. Alternative methods of protection to those described in this Standard will be the subject of future consideration.

In general, it is not economically possible to provide total protection against all the possible damaging effects of lightning, but the recommendations in this Standard will reduce the probability of damage to a low level, and will minimize any lightning damage that does occur. Guidance is given to methods of enhancing the level of protection against lightning damage, if this is required in a particular situation.

Following a review of submissions relating to AS 1768–1983, several changes and additions have been made to this Standard. Information is given on the protection of persons and equipment within buildings from the harmful effects of lightning strikes to the building, or to electrical power or communication services entering the building from remote sites. Revised recommendations are given relating to the compatibility of materials used in lightning protection systems, especially from the point of view of minimizing galvanic corrosion of components. In addition, changes have been made to recommendations for protection of the sides of tall buildings.

Unless it has been specified that lightning protection must be provided, the first decision to make is whether the lightning protection is needed. Section 2 provides guidance to assist in this decision. Section 3 provides advice on the protection of persons from lightning, mainly relating to the behaviour of persons when not inside substantial buildings. Once a decision is made that lightning protection is necessary, Section 4 will provide details on interception lightning protection for the building or structure. This includes information on the size, material, and form of conductors, the positioning of air terminations and downconductors, and the requirements for the earth terminations. Persons and equipment within buildings can be at risk from the indirect effects of lightning and Section 5 gives recommendations on the protective measures that may need to be applied.

Section 6 describes methods of lightning protection of various items not covered in earlier sections, such as communications aerials, chimneys, boats, fences, and trees. A new clause has been included on methods for protecting domestic dwellings, where a complete protection system may not be justified, but some protection is considered desirable.

Section 7 sets out recommendations for the protection of structures with explosive or highly flammable contents. Section 8 gives advice on inspecting, testing, and maintaining lightning protection systems.

A number of appendices are included which provide additional information and advice. The appendices form an integral part of this Standard unless specifically stated otherwise, i.e. appendices identified as 'informative' only provide supportive or background information and are therefore not an integral part of this Standard.

© Copyright - STANDARDS AUSTRALIA/STANDARDS NEW ZEALAND

Users of Standards are reminded that copyright subsists in all Standards Australia and Standards New Zealand publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia or Standards New Zealand may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia or Standards New Zealand. Permission may be conditional on an appropriate royalty payment. Australian requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia. New Zealand requests should be directed to Standards New Zealand.

Up to 10 percent of the technical content pages of a Standard may be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia or Standards New Zealand.

Inclusion of copyright material in computer software programs is also permitted without royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia or Standards New Zealand at any time.

CONTENTS

Page

SECTIO	N 1 SCOPE AND GENERAL
1.1	SCOPE
1.2	APPLICATION
1.3	REFERENCED DOCUMENTS
1.4	DEFINITIONS
SECTIO	N 2 ANALYSIS OF NEED FOR PROTECTION
2.1	NEED FOR PERSONAL PROTECTION
2.2	NEED FOR PROTECTION OF BUILDINGS AND CONTENTS
2.3	NEED FOR PROTECTION OF PERSONS AND EQUIPMENT WITHIN
	BUILDINGS
SECTIO	N 3 BEHAVIOURAL PRECAUTIONS FOR PERSONAL SAFETY
31	SCOPE OF SECTION
3.2	PERSONAL CONDUCT
33	EFFECT ON PERSONS AND TREATMENT FOR INIURY BY
0.0	LIGHTNING
SECTIO	N 4 PROTECTION OF BUILDINGS
4.1	SCOPE OF SECTION
4.2	ZONES OF PROTECTION
4.3	METHODS OF PROTECTION
4.4	MATTERS TO BE CONSIDERED WHEN PLANNING
	PROTECTION
4.5	MATERIALS
4.6	FORM AND SIZE OF CONDUCTORS
4.7	
4.8	FASTENERS
4.9	AIR TERMINATIONS
4.10	DOWNCONDUCTORS
4.11	
4.12	
4.13	
4.14	METAL IN AND ON A STRUCTURE
SECTIO	N 5 PROTECTION OF PERSONS AND EQUIPMENT WITHIN
	BUILDINGS
5.1	SCOPE OF SECTION
5.2	NEED FOR PROTECTION
5.3	MODES OF ENTRY OF LIGHTNING IMPULSES
5.4	GENERAL CONSIDERATIONS FOR PROTECTION
5.5	PROTECTION OF PERSONS WITHIN BUILDINGS
5.6	PROTECTION OF EQUIPMENT
SECTIO	N 6 PROTECTION OF MISCELLANEOUS STRUCTURES AND
	PROPERTY
61	SCOPE OF SECTION
6.2	STRUCTURES WITH RADIO AND TELEVISION AERIALS
6.3	STRUCTURES NEAR TREES
6.4	PROTECTION OF TREES
6.5	CHIMNEYS, METAL GUY–WIRES OR CABLES
6.6	PROTECTION OF MINES
6.7	PROTECTION OF BOATS
6.8	FENCES
6.9	MISCELLANEOUS STRUCTURES
6.10	PROTECTION OF HOUSES AND SMALL BUILDINGS



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation