

AS 4214—2002
(Incorporating Amendment No. 1)

AS 4214—2002

Australian Standard™

Gaseous fire extinguishing systems

This Australian Standard was prepared by Committee FP-011, Gaseous Fire Protection. It was approved on behalf of the Council of Standards Australia on 28 August 2002. This Standard was published on 13 November 2002.

The following are represented on Committee FP-011:

Australian Chamber of Commerce and Industry
Australian Government Analytical Laboratories, Scientific Services Laboratory
Australian Industry Group
Australian Museum
Commerce Queensland
Department of Defence (Australia)
Fire Protection Association Australia
Institute of Security Executives
Society of Fire Protection Engineers Australasian Chapter
Telecommunications Interests
Waterways Authority (NSW)
WorkCover New South Wales

Keeping Standards up-to-date

Standards are living documents which reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued. Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments which may have been published since the Standard was purchased.

Detailed information about Standards can be found by visiting the Standards Web Shop at www.standards.com.au and looking up the relevant Standard in the on-line catalogue.

Alternatively, the printed Catalogue provides information current at 1 January each year, and the monthly magazine, *The Global Standard*, has a full listing of revisions and amendments published each month.

Australian Standards™ and other products and services developed by Standards Australia are published and distributed under contract by SAI Global, which operates the Standards Web Shop.

We also welcome suggestions for improvement in our Standards, and especially encourage readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at mail@standards.org.au, or write to the Chief Executive, Standards Australia, GPO Box 5420, Sydney, NSW 2001.

AS 4214—2002
(Incorporating Amendment No. 1)

Australian Standard™

Gaseous fire extinguishing systems

Originated in part as AS 4214.1—1995, AS 4214.2—1995, AS 4214.3—1995, AS 4214.4—1995, AS 4214.5—1995, AS 4214.6—1998 and AS 4214.7—1998.
AS 4214.1—1995, AS 4214.2—1995, AS 4214.3—1995, AS 4214.4—1995, AS 4214.5—1995, AS 4214.6—1998 and AS 4214.7—1998 revised, amalgamated and redesignated as AS 4214—2002.
Reissued incorporating Amendment No. 1 (May 2005).

COPYRIGHT

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia, GPO Box 5420, Sydney, NSW 2001, Australia

ISBN 0 7337 4803 1

PREFACE

This Standard was prepared by the Standards Australia Committee FP-011, Gaseous Fire Extinguishing Systems, to supersede AS 4214—1995, *Gaseous fire extinguishing systems—General requirements*.

This Standard incorporates Amendment No. 1 (May 2005). The changes required by the Amendment are indicated in the text by a marginal bar and amendment number against the clause, note, table, figure or part thereof affected.

This revision is based on ISO 14520.1 and NFPA 12, *Carbon dioxide extinguishing systems*. The Committee has introduced higher levels of safety and security. Additionally, this revision includes a section dedicated to marine application. Appendices cover gaseous agents including an appendix for carbon dioxide.

It is essential that gaseous fire extinguishing systems be maintained to ensure instant readiness when required. The importance of maintenance cannot be too highly emphasized. Maintenance requirements for gaseous systems are detailed in AS 1851.12 (see Clause 1.4).

Gas containers manufactured for use in Australia are required to meet the design criteria set out in AS 2030.1, *The approval, filling, inspection, testing and maintenance of containers for the storage and transport of compressed gases, Part 1: Containers for compressed gases other than acetylene*.

Attention is drawn to AS 2030.1, as it requires containers to be designed for a pressure developed at the nominated maximum temperature of 65°C. This is some 10°C higher than that nominated in overseas codes. Accordingly, this aspect should be kept in mind for any imported containers.

It is a basic assumption in all technical standards work that each Standard be used only by persons competent in the field of application. This is of particular importance in fire protection work. Accordingly, it is emphasized that only trained and experienced designers interpret the design requirements contained herein.

The term ‘normative’ has been used in this Standard to define the application of the appendix to which it applies. A ‘normative’ appendix is an integral part of this Standard.

This Standard incorporates a Commentary on some Clauses. The Commentary directly follows the relevant Clause, is designated by ‘C’ preceding the clause number and is printed in italics in a panel. The Commentary is for information only and does not need to be followed for compliance with the Standard.

CONTENTS

| | <i>Page</i> |
|--|-------------|
| FOREWORD..... | 6 |
| SECTION 1 SCOPE AND GENERAL | |
| 1.1 SCOPE | 7 |
| 1.2 APPLICATION | 8 |
| 1.3 OBJECTIVE..... | 8 |
| 1.4 REFERENCED DOCUMENTS | 9 |
| 1.5 DEFINITIONS | 10 |
| 1.6 SYMBOLS AND UNITS | 13 |
| 1.7 INTERPRETATION OF SPECIFIED LIMITING VALUES | 13 |
| 1.8 USES AND LIMITATIONS..... | 14 |
| 1.9 LISTING REQUIREMENTS | 15 |
| SECTION 2 SAFETY REQUIREMENTS | |
| 2.1 PERSONNEL SAFETY REQUIREMENTS..... | 16 |
| 2.2 SYSTEM SAFETY REQUIREMENTS..... | 17 |
| SECTION 3 SYSTEM DESIGN | |
| 3.1 SPECIFICATIONS, PLANS AND APPROVALS | 21 |
| 3.2 ACCEPTANCE OF INSTALLATIONS..... | 22 |
| 3.3 APPROVAL OF COMPONENTS..... | 22 |
| 3.4 EXTINGUISHING AGENT CONCENTRATION REQUIREMENTS | 22 |
| 3.5 TOTAL FLOODING QUANTITY | 24 |
| 3.6 SPECIAL CONDITIONS | 26 |
| 3.7 ALTITUDE ADJUSTMENT | 26 |
| 3.8 HOLDING TIME | 27 |
| 3.9 LOCAL APPLICATION SYSTEMS..... | 27 |
| 3.10 SYSTEM PERFORMANCE..... | 27 |
| 3.11 EXTENDED DISCHARGE..... | 28 |
| 3.12 SYSTEM FLOW CALCULATIONS..... | 28 |
| SECTION 4 TOTAL FLOODING ENCLOSURE REQUIREMENTS | |
| 4.1 GENERAL | 32 |
| 4.2 NON-CLOSABLE OPENINGS..... | 32 |
| 4.3 VENTILATION AND SERVICES..... | 32 |
| 4.4 PRESSURE-RELIEF VENTING..... | 32 |
| 4.5 ENCLOSURE STRENGTH AND ALLOWABLE PRESSURE..... | 33 |
| SECTION 5 SUPPLY | |
| 5.1 QUALITY | 34 |
| 5.2 STORAGE CONTAINER DESIGN | 34 |
| 5.3 STORAGE CONTAINER ARRANGEMENT..... | 34 |
| 5.4 VALVES | 35 |
| 5.5 PRESSURE-REDUCTION DEVICES | 36 |

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-