# Australian Standard®

Fire detection and alarm systems

Part 5: Point type heat detectors (ISO 7240-5:2003, MOD)



This Australian Standard® was prepared by Committee FP-002, Fire Detection, Warning, Control and Intercom Systems. It was approved on behalf of the Council of Standards Australia on 9 January 2004.

This Standard was published on 30 April 2004.

The following are represented on Committee FP-002:

- Audio Engineering Society
- Australasian Fire Authorities Council
- Australian Building Codes Board
- Australian Chamber of Commerce and Industry
- Australian Electrical and Electronic Manufacturers Association
- Australian Government Analytical Laboratories, Scientific Services Laboratory
- Australian Industry Group
- Australian Institute of Building Surveyors
- Deafness Forum of Australia
- Department of Defence (Australia)
- Fire Protection Association Australia
- Institute of Security Executives
- National Electrical and Communications Association
- Property Council of Australia

This Standard was issued in draft form for comment as DR 03323.

Standards Australia wishes to acknowledge the participation of the expert individuals that contributed to the development of this Standard through their representation on the Committee and through public comment period.

### Keeping Standards up-to-date

Australian Standards® are living documents that reflect progress in science, technology and systems. To maintain their currency, all Standards are periodically reviewed, and new editions are published. Between editions, amendments may be issued.

Standards may also be withdrawn. It is important that readers assure themselves they are using a current Standard, which should include any amendments that may have been published since the Standard was published.

Detailed information about Australian Standards, drafts, amendments and new projects can be found by visiting **www.standards.org.au** 

Standards Australia welcomes suggestions for improvements, and encourages readers to notify us immediately of any apparent inaccuracies or ambiguities. Contact us via email at **mail@standards.org.au**, or write to Standards Australia, GPO Box 476, Sydney, NSW 2001.

AS 7240.5—2004 (Amendment No. 1 attached)

## Australian Standard®

### Fire detection and alarm systems

Part 5: Point type heat detectors (ISO 7240-5:2003, MOD)

Originated as AS 7240.5—2004. Reissued with Amendment No. 1 (February 2007) attached.

#### **COPYRIGHT**

© Standards Australia

All rights are reserved. No part of this work may be reproduced or copied in any form or by any means, electronic or mechanical, including photocopying, without the written permission of the publisher.

Published by Standards Australia GPO Box 476, Sydney, NSW 2001, Australia ISBN 0 7337 5886 X

#### **PREFACE**

This Standard was prepared by the Standards Australia Committee FP-002, Fire Detection, Warning, Control and Intercom Systems to supersede AS 1603.2—1997, *Automatic fire detection and alarm systems—Part 2: Point type smoke detectors*. The Committee intends to withdraw AS 1603.2—1997 five years after the publication of this Standard.

Amendment No. 1 (February 2007), is identical to ISO 7240-5:2003, Technical Corrigendum 1 and has been bound at the end of this Standard. The amendment relates to Clauses 2 and 5.

This Standard has been adopted with national modifications and has been reproduced from ISO 7240-5:2003, *Fire detection and fire alarm systems—Part 5, Point type heat detectors.* A modification for Australian conditions is the addition of the indicator visibility requirement of AS 2362.25. The variations are set out in Annex ZA.

As this Standard is reproduced from an International Standard, the following applies:

- (a) Its number does not appear on each page of text and its identity is shown only on the cover and title page.
- (b) In the source text 'this International Standard' should read 'this Australian Standard'.
- (c) A full point should be substituted for a comma when referring to a decimal marker.

References to International Standard

References to International standards should be replaced by references to Australian Standards as follows:

Australian/New Zealand Standard

or other Publication			Trush aran Tre n Zealana Standara		
	IEC		AS		
	60068	Environmental testing	60068	Environmental testing	
	60068-1	Part 1: General and guidance	60068.1	Part 1: General and guidance	
	60068-2-1	Part 2: Tests. Test A: Cold	60068.2.1	Part 2: Tests-Test A: Cold	
	60068-2-2	Part 2: Tests. Test B: Dry heat	60068.2.2	Part 2: Tests-Test B: Dry heat	
	60068-2-6	Part 2: Tests. Test Fc: Vibration (sinusoidal)	60068.2.6	Part 2: Tests-Test Fc: Vibration (sinusoidal)	
	60068-2-27	Part 2: Tests. Test Ea and guidance: Shock	60068.2.27	Part 2: Tests-Tests Ea and guidance: Shock	
	60068-2-78	Part 2: Tests. Test Cab: Damp heat, steady state	60068.2.78	Part 2: Tests- Test Cab: Damp heat, steady state	

The terms 'normative' and 'informative' are used in this Standard to define the application of the annex to which they apply. A 'normative' annex is an integral part of a standard, whereas an 'informative' annex is only for information and guidance.

### **CONTENTS**

Page

1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General requirements	2
4.1	General	2
4.2	Classification	
4.3	Position of heat-sensitive elements	
4.4	Individual alarm indication	3
4.5	Connection for ancillary devices	
4.6	Monitoring of detachable detectors	
4.7	Manufacturer's adjustments	
4.8	On-site adjustment of response behaviour	
4.9	Marking	
4.10	Data	
4.11	Requirements for software-controlled detectors	
5 5.1	Tests	
5.1 5.2	Directional dependence	
5.2 5.3	Static response temperature	
5.4	Response times from the typical application temperature	10 10
5. <del>4</del> 5.5	Response times from 25 °C	
5.6	Response times from high ambient temperature, dry heat (operational)	
5.0 5.7	Variation in supply parameters	11 12
5. <i>1</i> 5.8	Reproducibility	
5.9	Cold (operational)	
5.10	Dry heat (endurance)	
5.11	Damp heat, cyclic (operational)	
5.12	Damp heat, steady state (endurance)	
5.13	Sulfur dioxide (SO <sub>2</sub> ) corrosion (endurance)	
5.14	Shock (operational)	18
5.15	Impact (operational)	
5.16	Vibration, sinusoidal (operational)	
5.17	Vibration, sinusoidal (endurance)	
5.18	Electromagnetic compatibility (EMC), immunity tests (operational)	
6	Additional tests for detectors with class suffixes	22
6.1	Plunge test for suffix-S detectors	
6.2	Test for suffix-R detectors	
7	Test report	
	A (normative) Heat tunnel for response time and response temperature measurements	
Annex	B (informative) Construction of the heat tunnel	27
Annex	C (informative) Derivation of upper and lower limits of response times	29
Annex	D (informative) Apparatus for impact test	32



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation