



NSAI
Standards

Irish Standard
I.S. EN 50131-2-2:2021

Alarm systems - Intrusion and hold-up systems - Part 2-2: Requirements for passive infrared detectors

I.S. EN 50131-2-2:2021

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN 50131-2-2:2021

Published:

2021-12-17

This document was published under the authority of the NSAI and comes into effect on:

2022-01-03

ICS number:

13.310

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 50131-2-2:2021 is the adopted Irish version of the European Document EN 50131-2-2:2021, Alarm systems - Intrusion and hold-up systems - Part 2-2: Requirements for passive infrared detectors

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN 50131-2-2

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2021

ICS 13.310

Supersedes EN 50131-2-2:2017 and all of its amendments and corrigenda (if any)

English Version

Alarm systems - Intrusion and hold-up systems - Part 2-2: Requirements for passive infrared detectors

Systèmes d'alarme - Systèmes d'alarme contre l'intrusion et les hold-up - Partie 2-2: Exigences pour détecteurs à infrarouges passifs

Alarmanlagen - Einbruch- und Überfallmeldeanlagen - Teil 2-2: Anforderungen an Passiv-Infrarotmelder

This European Standard was approved by CENELEC on 2021-11-08. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN 50131-2-2:2021 (E)

Contents	Page
European foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and abbreviations	7
3.1 Terms and definitions	7
3.2 Abbreviations	8
4 Functional requirements	8
4.1 Event processing	8
4.2 Detection.....	10
4.2.1 Detection performance	10
4.2.2 Indication of detection.....	11
4.3 Operational requirements	12
4.3.1 Time interval between intrusion signals or messages.....	12
4.3.2 Switch on delay	12
4.3.3 Self-tests.....	12
4.4 Immunity to incorrect operation	12
4.4.1 General	12
4.4.2 Immunity to turbulent warm air flow.....	12
4.4.3 Immunity to visible and near infrared radiation.....	12
4.5 Tamper security	13
4.5.1 General	13
4.5.2 Resistance to and detection of unauthorised access to components and means of adjustment	13
4.5.3 Detection of removal from the mounting surface.....	13
4.5.4 Resistance to, or detection of, re-orientation.....	13
4.5.5 Immunity to magnetic field interference.....	13
4.5.6 Detection of masking	14
4.6 Electrical requirements	14
4.6.1 General	14
4.6.2 Detector current consumption	14
4.6.3 Slow input voltage change and voltage range limits	14
4.6.4 Input voltage ripple	14
4.6.5 Input voltage step change	14
4.7 Environmental classification and conditions	15
4.7.1 Environmental classification	15
4.7.2 Immunity to environmental conditions	15
5 Marking, identification and documentation	15
5.1 Marking and/or identification.....	15
5.2 Documentation.....	15

6	Testing	16
6.1	General	16
6.2	General test conditions	16
6.2.1	Standard conditions for testing	16
6.2.2	General detection testing environment and procedures	16
6.2.3	Testing environment	16
6.2.4	Mounting height	16
6.2.5	Standard walk test target	17
6.2.6	Testing procedures	17
6.3	Basic detection test	17
6.3.1	General	17
6.3.2	Basic detection targets (BDT)	17
6.3.3	Basic Detection Test procedure	18
6.4	Walk testing	18
6.4.1	General walk test method	18
6.4.2	Verification of detection performance	18
6.4.3	Detection across and within the detection boundary	19
6.4.4	Verify the high-velocity detection performance for detectors with a coverage angle less than or equal to 180°	20
6.4.5	Verify the high-velocity detection performance for detectors with a coverage angle of greater than 180°	21
6.4.6	Verify the intermittent movement detection performance for detectors with a coverage angle less than or equal to 180°	21
6.4.7	Verify the intermittent movement detection performance for detectors with a coverage angle of greater than 180°	21
6.4.8	Verify the close-in detection performance for detectors with a coverage angle less than or equal to 180°	22
6.4.9	Detection of radial movement for detectors with a coverage angle of greater than 180°	22
6.5	Switch-on delay, time interval between signals and indication of detection	22
6.6	Self-tests	23
6.6.1	General	23
6.6.2	Application of the fault condition	23
6.6.3	Local self-test procedure	23
6.6.4	Remote self-test procedure	24
6.7	Immunity to incorrect operation	24
6.7.1	Immunity to turbulent warm air flow	24
6.7.2	Immunity to visible and near infrared radiation	24
6.8	Tamper security	25
6.8.1	Resistance to and detection of unauthorised access to the inside of the detector through covers and existing holes	25
6.8.2	Detection of removal from the mounting surface	25
6.8.3	Resistance to re-orientation of adjustable mountings	25
6.8.4	Immunity to magnetic field interference	25
6.8.5	Detection of detector masking	26
6.8.6	Immunity to False Masking Signals	27
6.9	Electrical tests	27

EN 50131-2-2:2021 (E)

6.9.1	General	27
6.9.2	Detector current consumption	27
6.9.3	Slow input voltage change and input voltage range limits	28
6.9.4	Input voltage ripple	28
6.9.5	Input voltage step change	28
6.9.6	Total loss of power supply	28
6.10	Environmental classification and conditions	28
6.11	Marking, identification and documentation	30
6.11.1	Marking and/or identification.....	30
6.11.2	Documentation	30
Annex A (normative) Dimensions and requirements of the standardized test magnets		31
Annex B (normative) General testing matrix.....		34
Annex C (normative) Walk test diagrams.....		36
Annex D (normative) Procedure for calculation of the average temperature difference between the standard target and the background		44
Annex E (informative) Basic detection target for the basic test of detection capability		45
Annex F (informative) Equipment for walk test velocity control.....		46
Annex G (informative) Immunity to visible and near Infrared radiation - Notes on calibration of the light source.....		47
Annex H (informative) Example list of small tools		48
Annex I (informative) Test for resistance to re-orientation of adjustable mountings.....		49
Annex J (informative) Delta-T film adjustment lookup table		51
Annex K (informative) Immunity to turbulent warm air flow.....		52
Bibliography.....		53

European foreword

This document (EN 50131-2-2:2021) has been prepared by CLC/TC 79, "Alarm systems".

The following dates are fixed:

- latest date by which this document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022-11-08
- latest date by which the national standards conflicting with this document have to be withdrawn (dow) 2024-11-08

This document supersedes EN 50131-2-2:2017 and all of its amendments and corrigenda (if any).

EN 50131-2-2:2021 includes the following significant technical changes with respect to EN 50131-2-2:2017:

- editorial changes and refinement of wording;
- removal of significant reduction of range requirements;
- addition of requirements, tests and corresponding Annexes throughout the overall standard, to support ceiling mounted detectors;

EN 50131 will consist of the following parts, under the general title *Alarm systems - Intrusion and hold-up systems*:

- *Part 1: System requirements*
- *Part 2–2: Intrusion detectors – Passive infrared detectors*
- *Part 2–3: Intrusion detectors – Microwave detectors*
- *Part 2–4: Intrusion detectors – Combined passive infrared / Microwave detectors*
- *Part 2–5: Intrusion detectors – Combined passive infrared / Ultrasonic detectors*
- *Part 2–6: Intrusion detectors – Opening contacts*
- *Part 2–7–1: Intrusion detectors – Glass break detectors – Acoustic*
- *Part 2–7–2: Intrusion detectors – Glass break detectors – Passive*
- *Part 2–7–3: Intrusion detectors – Glass break detectors – Active*
- *Part 3: Control and indicating equipment*
- *Part 4: Warning devices*
- *Part 5–3: Requirements for interconnections equipment using radio frequency techniques*
- *Part 6: Power supplies*
- *Part 7: Application guidelines*
- *Part 8: Security fog devices*

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

EN 50131-2-2:2021 (E)

Introduction

This document deals with passive infrared detectors (to be referred to as the detector) used as part of intrusion alarm systems installed in buildings. It includes four security grades and four environmental classes.

The purpose of the detector is to detect the broad spectrum infrared radiation emitted by an intruder, to analyse the resulting signals and to provide the necessary range of signals or messages to be used by the rest of the intrusion alarm system.

The number and scope of these signals or messages will be more comprehensive for systems that are specified at the higher grades.

This version of the document contains limited requirements for Grade 4 detectors. Future revisions of the document are expected to include enhanced requirements for Grade 4 detectors.

This document is only concerned with the requirements and tests for the detector. Other types of detector are covered by other documents identified as in the EN 50131-2 series.

1 Scope

This document is for passive infrared detectors installed in buildings and provides for security grades 1 to 4 (see EN 50131-1), specific or non-specific wired or wire-free detectors, and uses environmental classes I to IV (see EN 50130-5). This document does not include requirements for detectors intended for use outdoors.

The purpose of the detector is to detect the broad spectrum infrared radiation emitted by an intruder, to analyse the resulting signals and to provide the necessary range of signals or messages to be used by the rest of the intrusion alarm system.

The grade-dependent requirements of this document apply and it is essential that a detector fulfils all the requirements of the specified grade.

Functions additional to the mandatory functions specified in this document can be included in the detector, providing they do not influence the correct operation of the mandatory functions.

Requirements for system interconnections are not included in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 50130-4, *Alarm systems - Part 4: Electromagnetic compatibility - Product family standard: Immunity requirements for components of fire, intruder, hold up, CCTV, access control and social alarm systems*

EN 50130-5, *Alarm systems - Part 5: Environmental test methods*

EN 50131-1, *Alarm systems - Intrusion and hold-up systems - Part 1: System requirements*

3 Terms, definitions and abbreviations

For the purposes of this document, the terms, definitions and abbreviations given in EN 50131-1 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1 Terms and definitions

3.1.1

basic detection target

heat source designed to verify the operation of a detector

3.1.2

coverage angle

width of field of view in degrees provided by the detector when measured in the horizontal plane

3.1.3

detection settings

adjustments which influence the performance of the detector

EXAMPLE: pulse count settings, gain settings

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-