



NSAI
Standards

Irish Standard
I.S. EN ISO 24443:2021

Cosmetics - Determination of sunscreen UVA photoprotection in vitro (ISO 24443:2021)

I.S. EN ISO 24443:2021

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard — national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on:

EN ISO 24443:2021

Published:

2021-12-15

This document was published under the authority of the NSAI and comes into effect on:

2022-01-02

ICS number:

71.100.70

NOTE: If blank see CEN/CENELEC cover page

NSAI
1 Swift Square,
Northwood, Santry
Dublin 9

T +353 1 807 3800
F +353 1 807 3838
E standards@nsai.ie
W NSAI.ie

Sales:
T +353 1 857 6730
F +353 1 857 6729
W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN ISO 24443:2021 is the adopted Irish version of the European Document EN ISO 24443:2021, Cosmetics - Determination of sunscreen UVA photoprotection in vitro (ISO 24443:2021)

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This page is intentionally left blank

EUROPEAN STANDARD

EN ISO 24443

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2021

ICS 71.100.70

Supersedes EN ISO 24443:2012

English Version

Cosmetics - Determination of sunscreen UVA photoprotection in vitro (ISO 24443:2021)

Cosmétiques - Détermination in vitro de la
photoprotection UVA (ISO 24443:2021)

In vitro Bestimmung des UVA-Schutzes von
Sonnenschutzmitteln (ISO 24443:2021)

This European Standard was approved by CEN on 17 October 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

EN ISO 24443:2021 (E)

Contents	Page
European foreword.....	3

European foreword

This document (EN ISO 24443:2021) has been prepared by Technical Committee ISO/TC 217 "Cosmetics" in collaboration with Technical Committee CEN/TC 392 "Cosmetics" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2022, and conflicting national standards shall be withdrawn at the latest by June 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 24443:2012.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 24443:2021 has been approved by CEN as EN ISO 24443:2021 without any modification.

This page is intentionally left blank

INTERNATIONAL
STANDARD

ISO
24443

Second edition
2021-12

**Cosmetics — Determination of
sunscreen UVA photoprotection in
vitro**

Cosmétiques — Détermination in vitro de la photoprotection UVA



Reference number
ISO 24443:2021(E)

© ISO 2021

ISO 24443:2021(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Symbols and abbreviated terms.....	2
4 Principle	3
5 Apparatus	3
5.1 Spectrophotometer specifications.....	3
5.2 Calibration of the spectrophotometer.....	4
5.3 Calibration of the UV exposure source.....	4
5.4 Monitoring of the UV exposure source.....	5
5.5 Calibration of the UVA radiometer used to monitor the test sample irradiation.....	5
5.6 Substrate/plate.....	5
6 Test method	6
6.1 Outline of the test procedure.....	6
6.2 Equipment calibration and validation of test plates.....	6
6.3 Absorption measurements through the plate.....	6
6.4 Sample application.....	7
6.5 Absorbance measurements of the product-treated plate.....	8
6.6 Number of determinations.....	8
6.7 Determination of initial calculated SPF ($SPF_{in\ vitro,0}$), “C” value, initial UVA-PF ($UVA-PF_0$), and UV exposure dose.....	8
6.7.1 Determination of initial in vitro SPF ($SPF_{in\ vitro,0}$).....	8
6.7.2 Determination of “C” value.....	8
6.7.3 Determination of initial UVA protection factor before UV exposure ($UVA-PF_0$).....	9
6.7.4 Determination of the UV exposure dose.....	10
6.8 UV exposure of sample plates.....	10
6.9 Calculation of UVA-PF of plates after UV exposure of the sample.....	10
6.10 Calculation of critical wavelength of plates after UV exposure of the sample.....	11
7 Procedure using the spreadsheet in this document	11
8 Product reference sunscreen	12
8.1 Formula S2.....	12
8.2 Standard P8.....	12
9 Test report	12
Annex A (normative) Calibration of spectrophotometer and plate transmission test	14
Annex B (normative) Radiometer calibration to spectroradiometric irradiance procedure	18
Annex C (normative) Computation values: PPD and erythema action spectra and UVA and UV-SSR spectral irradiances	20
Annex D (normative) PMMA substrate plate surface specifications	23
Annex E (normative) Product reference sunscreen formulations	26
Annex F (informative) Statistical calculations	32
Annex G (informative) Definition and examples of valid results/Factor “C”	35
Bibliography	36

ISO 24443:2021(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 217 *Cosmetics*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 392, *Cosmetics*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This second edition cancels and replaces the first edition (ISO 24443:2012), which has been technically revised.

The main changes compared to the previous edition are as follows:

- acceptance of moulded and sandblasted PMMA plates, according to specifications described in [Annex D](#);
- product application fitted to 1,2mg/cm² for sandblasted plates;
- description of application gesture according to tested products;
- introduction of a new high UVA PF standard P8;
- introduction of critical wavelength calculation;
- calculation of coefficient "C" accepted from in vivo screening SPF, with specific conditions based on SEM and percentage of variability, and new range proposed from 0,6 to 1,6;
- limitation of UVA irradiation dose to 36 J/cm².

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document specifies the procedure to determine the ultraviolet protection factor (UVA-PF) of a sunscreen product using the in vitro UVA-PF according to the principles recommended by the European Cosmetic and Perfumery Association (COLIPA) in 2011. The outcome of this test method can be used to determine the UVA classification of topical sunscreen products according to local regulatory requirements.

Topical sunscreen products are primarily rated and labelled according to their ability to protect against sunburn, using a test method to determine the in vivo sun protection factor (see ISO 24444). This rating evaluates filtration of sunburn generating radiation across the electromagnetic UV spectrum (290 nm to 400 nm). However, knowledge of the sun protection factor (SPF) rating does not provide explicit information on the magnitude of the protection provided specifically in the UVA range of the spectrum (320 nm to 400 nm), as it is possible to have high SPF products with very modest UVA protection (e.g. SPF 50 with a UVA-PF of only 3 to 4). There is a demand among medical professionals, as well as knowledgeable consumers, to have fuller information on the UVA protection provided by their sunscreen product, in addition to the SPF, in order to make a more informed choice of product, providing a more balanced and broader-spectrum protection. Moreover, there is also a demand to prevent UVA-induced darkening of the skin from a cultural point of view even without sunburn. The UVA-PF value of a product provides information on the magnitude of the protection provided explicitly in the UVA portion of the spectrum, independent of the SPF values.

The test method outlined in this document is derived primarily from the in vitro UVA-PF test method as developed by COLIPA.

Cosmetics — Determination of sunscreen UVA photoprotection in vitro

1 Scope

This document specifies an in vitro procedure to characterize the UVA protection of sunscreen products. Specifications are given to enable determination of the spectral absorbance characteristics of UVA protection in a reproducible manner.

In order to determine relevant UVA protection parameters, the method has been created to provide an UV spectral absorbance curve from which a number of calculations and evaluations can be undertaken. These include calculation of the Ultraviolet-A protection factor (UVA-PF) [correlating with in vivo UVA-PF from the persistent pigment darkening (PPD) testing procedure], critical wavelength and UVA absorbance proportionality. These computations are optional and relate to local sunscreen product labelling requirements. This method relies on the use of static in vivo SPF results for scaling the UV absorbance curve.

This document is not applicable to powder products such as pressed powder and loose powder products.

2 Normative references

There are no normative references in this document.

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

UV

ultraviolet radiation

electromagnetic radiation in the range of 290 nm to 400 nm

3.1.2

UVB

ultraviolet B

electromagnetic radiation in the range of 290 nm to 320 nm

3.1.3

UVA

ultraviolet A

electromagnetic radiation in the range of 320 nm to 400 nm

Note 1 to entry: UVA II = 320 nm to 340 nm; UVA I = 340 nm to 400 nm.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-