

Irish Standard I.S. EN 15967:2022

Determination of maximum explosion pressure and the maximum rate of pressure rise of gases and vapours

 $\ensuremath{\mathbb C}$ CEN 2022 $\hfill No copying without NSAI permission except as permitted by copyright law.$

I.S. EN 15967:2022

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: EN 15967:2022 *Published:* 2022-01-19

This document was published under the authority of the NSAI and comes into effect on:

2022-02-16

ICS number:

13.230

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:	
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730	
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729	
Dublin 9	W NSAI.ie	W standards.ie	

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

I.S. EN 15967:2022 is the adopted Irish version of the European Document EN 15967:2022, Determination of maximum explosion pressure and the maximum rate of pressure rise of gases and vapours

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. I.S. EN 15967:2022

EUROPEAN STANDARD NORME EUROPÉENNE

EN 15967

EUROPÄISCHE NORM

January 2022

ICS 13.230; B

Supersedes EN 15967:2011

English Version

Determination of maximum explosion pressure and the maximum rate of pressure rise of gases and vapours

Détermination de la pression maximale d'explosion et de la vitesse maximale de montée en pression des gaz et des vapeurs Verfahren zur Bestimmung des maximalen Explosionsdruckes und des maximalen zeitlichen Druckanstieges für Gase und Dämpfe

This European Standard was approved by CEN on 12 December 2021.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Europ	European foreword 4		
Introduction			
1	Scope	6	
2	Normative references	6	
3	Terms and definitions	6	
4	Test method	. 7	
4.1	Principle	. 7	
4.2	Apparatus	. 7	
4.2.1	General	. 7	
4.2.2	Test Vessel	8	
4.2.3	Equipment for preparing the test mixture	. 8	
4.2.4	Ignition system	8	
4.2.5	Pressure measuring system	.9	
4.2.6	Initial temperature measuring device		
4.2./	Salety aspects		
4.3	Preparation and preservation of test samples	12	
4.4	Properties of the test mixture	12	
4.4.1	Preparation of the explosion processor n the maximum explosion processor n	12	
4.4.2	Determination of the explosion pressure p_{ex} , the maximum explosion pressure p_{max}	ıxı	
	the rate of explosion pressure rise $(dp/dt)_{ex}$ and the maximum rate of explosion)n	
	pressure rise (<i>ap/at</i>) _{max}		
4.5	Expression of results	15	
4.5.1	Common aspects	15	
4.5.2	Explosion pressure and maximum explosion pressure	15	
4.5.3	Rate of pressure rise and maximum rate of pressure rise		
4.6	l est report	[7	
Annex	A (normative) Verification of maximum explosion pressure values	19	
Annex	B (normative) Verification of maximum rate of pressure rise	20	
Annex	C (normative) Smoothing of pressure-time curves	23	
Annex	D (informative) Conversion of the values for the flammable substance content	27	
D.1	Abbreviations and symbols	27	
D.2	Substance characteristics of air	27	
D.3	Definitions	28	
D.4	Preparation of the test mixture	28	
Annex	E (informative) Example of an evaporator equipment for liquid flammable substanc	es	
		31	
Annex	F (informative) Example for test report form	33	
Annex	G (informative) Significant technical changes between this European Standard an	ıd	
	the previous editions	36	

Annex	H (informative) Approximate dependence of the explosion pressure ratio on temperature
H.1	Definition of parameters
H.2	Deriving an equation for approximating the temperature dependence of the explosion pressure ratio
Annex	ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/34/EU aimed to be covered
Annex	ZB (informative) Relationship between this European Standard and the essential requirements of Directive 2006/42/EC aimed to be covered
Bibliog	raphy

European foreword

This document (EN 15967:2022) has been prepared by Technical Committee CEN/TC 305 "Potentially explosive atmospheres - Explosion prevention and protection", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by July 2022, and conflicting national standards shall be withdrawn at the latest by July 2022.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 15967:2011.

Significant technical differences between the editions can be found in Annex G.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s) / Regulation(s).

For relationship with EU Directive(s) / Regulation(s), see informative Annex ZA and ZB, which are integral parts of this document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document describes test methods for the determination of:

- the explosion pressure and the maximum explosion pressure;
- the rate of explosion pressure rise and the maximum rate of explosion pressure rise of a quiescent flammable gas/air/inert mixture at ambient temperature and pressure.

Maximum explosion pressure and maximum rate of explosion pressure rise are used for designing explosion protection measures, such as explosion pressure resistant or explosion pressure shock resistant apparatus, explosion venting and explosion suppression. These characteristics are particularly influenced by:

- the size and shape of the vessel;
- the type and energy of the ignition source;
- the temperature and pressure;
- the level of turbulence.

It is therefore necessary to standardize the conditions at which the maximum explosion pressure and the maximum rate of explosion pressure rise are determined.

1 Scope

This document specifies a test method that is designed to measure the explosion pressure and the maximum explosion pressure, the rate of explosion pressure rise and the maximum rate of explosion pressure rise of a quiescent flammable gas/air/inert mixture in closed volume at ambient temperature and pressure. In this document, the term "gas" includes vapours but not mists. Detonation and decomposition phenomena are not considered in this document.

The pressures and rates of pressure rise measured by the procedures specified in this document are not applicable to flameproof enclosures, i.e. enclosures intended to withstand an internal explosion and not to transmit it to an external explosive atmosphere, or any other closed volume where the internal geometry can result in pressure piling. Even in an enclosure of relatively simple geometry the disposition of the internal components can lead to rates of pressure rise significantly higher than those measured using this document. This document does not apply to the design and testing of flameproof enclosures in conformity with EN ISO 80079-37 (for non-electrical equipment) and EN 60079-1 (for electrical equipment).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13237:2012, Potentially explosive atmospheres - Terms and definitions for equipment and protective systems intended for use in potentially explosive atmospheres

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13237:2012 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at https://www.electropedia.org/

3.1

explosion pressure

$p_{\rm ex}$

highest pressure occurring in a closed vessel during the explosion of a specific mixture of flammable substances with air or air and inert gases determined under specified test conditions

Note 1 to entry: p_{ex} is expressed as absolute pressure with gases and vapours in this standard and as overpressure with dusts in EN 14034.

3.2

maximum explosion pressure

 $p_{\rm max}$

maximum value of explosion pressure measured in the tests for explosion pressure when the content of the flammable substances in the mixture is varied

Note 1 to entry: p_{max} is expressed as absolute pressure with gases and vapours in this standard and as overpressure with dusts in EN 14034.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation