

Irish Standard Recommendation S.R. CEN/TS 17759:2022

Inorganic fertilizers - Determination of pH of a solution of ammonium nitrate fertilizers of high nitrogen content

 $\ensuremath{\mathbb C}$ CEN 2022 $\hfill No copying without NSAI permission except as permitted by copyright law.$

S.R. CEN/TS 17759:2022

Incorporating amendments/corrigenda/National Annexes issued since publication:

The National Standards Authority of Ireland (NSAI) produces the following categories of formal documents:

I.S. xxx: Irish Standard – national specification based on the consensus of an expert panel and subject to public consultation.

S.R. xxx: Standard Recommendation — recommendation based on the consensus of an expert panel and subject to public consultation.

SWiFT xxx: A rapidly developed recommendatory document based on the consensus of the participants of an NSAI workshop.

This document replaces/revises/consolidates the NSAI adoption of the document(s) indicated on the CEN/CENELEC cover/Foreword and the following National document(s):

NOTE: The date of any NSAI previous adoption may not match the date of its original CEN/CENELEC document.

This document is based on: CEN/TS 17759:2022

2022-04-24

Published: 2022-04-06

This document was published under the authority of the NSAI and comes into effect on:

ICS number:

65.080

NOTE: If blank see CEN/CENELEC cover page

NSAI	T +353 1 807 3800	Sales:
1 Swift Square,	F +353 1 807 3838	T +353 1 857 6730
Northwood, Santry	E standards@nsai.ie	F +353 1 857 6729
Dublin 9	W NSAI.ie	W standards.ie

Údarás um Chaighdeáin Náisiúnta na hÉireann

National Foreword

S.R. CEN/TS 17759:2022 is the adopted Irish version of the European Document CEN/TS 17759:2022, Inorganic fertilizers - Determination of pH of a solution of ammonium nitrate fertilizers of high nitrogen content

This document does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

For relationships with other publications refer to the NSAI web store.

Compliance with this document does not of itself confer immunity from legal obligations.

In line with international standards practice the decimal point is shown as a comma (,) throughout this document.

This is a free page sample. Access the full version online.

This page is intentionally left blank

This is a free page sample. Access the full version online. S.R. CEN/TS 17759:2022

TECHNICAL SPECIFICATION SPÉCIFICATION TECHNIQUE TECHNISCHE SPEZIFIKATION

CEN/TS 17759

April 2022

ICS 65.080

English Version

Inorganic fertilizers - Determination of pH of a solution of ammonium nitrate fertilizers of high nitrogen content

Engrais inorganiques - Détermination du pH d'une solution d'engrais à base de nitrate d'ammonium à forte teneur en azote Anorganische Düngemittel - Bestimmung des pH-Wertes in einer Lösung mit Ammoniumnitratdüngemitteln mit hohem Stickstoffgehalt

This Technical Specification (CEN/TS) was approved by CEN on 13 March 2022 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a free page sample. Access the full version online. S.R. CEN/TS 17759:2022

CEN/TS 17759:2022 (E)

Contents

Europ	ean foreword	3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Principle	4
5	Reagents	4
6	Apparatus and equipment	
7	Sampling and sample preparation	
8 8.1 8.2	Procedure Calibration of the pH meter Determination	5
9	Expression of the results	5
10	Test report	5
Biblio	graphy	6

European foreword

This document (CEN/TS 17759:2022) has been prepared by Technical Committee CEN/TC 260 "Fertilizers and liming materials" the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a Standardization Request given to CEN by the European Commission and the European Free Trade Association.

WARNING — The use of this document can involve hazardous materials, operations and equipment. This document does not purport to address all the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies a method for the determination of pH of a solution of ammonium nitrate fertilizer of high nitrogen content.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1482-2, Fertilizers and liming materials — Sampling and sample preparation — Part 2: Sample preparation

EN 12944-1, Fertilizers and liming materials — Vocabulary — Part 1: General terms

EN 12944-2, Fertilizers and liming materials — Vocabulary — Part 2: Terms relating to fertilizers

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 12944-1 and EN 12944-2 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <u>https://www.electropedia.org/</u>
- ISO Online browsing platform: available at <u>https://www.iso.org/obp</u>

4 Principle

The measurement of the pH of an ammonium nitrate solution is carried out by means of a pH meter.

5 Reagents

Use only reagents of recognized analytical grade.

- **5.1 Distilled or demineralized water**, free from carbon dioxide.
- **5.2** Buffer solution A, pH 6,88 at 20 °C or buffer solution B pH 4,00 at 20 °C.

For buffer solution A, dissolve $3,40 \text{ g} \pm 0,01 \text{ g}$ of potassium dihydrogen phosphate (KH₂PO₄) in approximately 400 ml of water. Then dissolve $3,55 \text{ g} \pm 0,01 \text{ g}$ of disodium hydrogen phosphate (Na₂HPO₄) in approximately 400 ml of water (5.1). Transfer the two solutions without loss into a 1 000-ml graduated flask (6.2), fill up to the mark and mix.

Keep this solution in an airtight vessel.

For buffer solution B, dissolve $10,21 \text{ g} \pm 0,01 \text{ g}$ of potassium hydrogen phthalate (KHC₈O₄H₄) in water (5.1), transfer without loss into a 1 000-ml graduated flask (6.2), fill up to the mark and mix.

Keep this solution in an airtight vessel.

Alternatively, commercially available pH standard solutions may be used.



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation