ASME B89.4.19-2006

Performance Evaluation of Laser-Based Spherical Coordinate Measurement Systems

AN AMERICAN NATIONAL STANDARD



Copyright \bigcirc 2007 by the American Society of Mechanical Engineers. No reproduction may be made of this material without written consent of ASME.



ASME B89.4.19-2006

Performance Evaluation of Laser-Based Spherical Coordinate Measurement Systems

AN AMERICAN NATIONAL STANDARD



Three Park Avenue • New York, NY 10016

Copyright \bigcirc 2007 by the American Society of Mechanical Engineers. No reproduction may be made of this material without written consent of ASME.



Date of Issuance: November 30, 2006

The next edition of this Standard is scheduled for publication in 2011. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard. Interpretations are published on the ASME website under the Committee Pages at http://cstools.asme.org as they are issued.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Three Park Avenue, New York, NY 10016-5990

Copyright © 2006 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved Printed in U.S.A.

Copyright \mathbb{C} 2007 by the American Society of Mechanical Engineers. No reproduction may be made of this material without written consent of ASME.



CONTENTS

Fore	eword	iv
Con	nmittee Roster	v
Cor	respondence With the B89 Committee	vi
1	Scope	1
2	Introduction	1
3	Specifications and Rated Conditions	2
4	Definitions	2
5	Test Environment	5
6	Performance Tests	5
7	Analysis of Performance Evaluation Tests	13
8	References	16
Figu	Ires	
1	Laser Tracker and Reference Interferometer Alignment	12
2	Cosine Error Versus Offset C From Reference Line	14
3	Least Squares Line Fit to 12 Short Reference Lengths	16
Tabl	les	
1	Laser Tracker Performance Evaluation Requirements	6
2	Horizontal Length Measurement System Test	8
3	Vertical Length Measurement System Test	8
4	Right Diagonal Length Measurement System Test	9
5	Left Diagonal Length Measurement System Test	9
6	Two-Face System Test Measurement	10
7	Ranging Test	11
Man	ndatory Appendix	
Ι	Reference Length Traceability	19
Non	mandatory Appendices	
A	Traceability of Subsequent Measurements	21
В	Spherically Mounted Retroreflector (SMR) Tests	22
Ē	Refractive Index of Air	26
D	Reference Lengths for Laser Tracker System Tests	29
Е	Effect of Air Temperature on Laser Tracker Measurements	36
F	Laser Tracker Interim Testing	41



FOREWORD

ASME Standards Committee B89 on Dimensional Metrology, under procedures approved by the American National Standards Institute (ANSI), prepares standards that encompass the inspection and the means of measuring characteristics of such various geometric parameters as diameter, length, flatness, parallelism, concentricity, and squareness.

Division B89.4 produces Standards and Technical Reports in the area of coordinate measuring technology, with particular focus on coordinate measuring machines (CMMs). This Standard, addressing the performance evaluation of laser trackers and similar large-scale measurement systems, is the work of the B89.4.19 Project Team on Optical CMM Evaluation.

Performance evaluation of a laser tracker presents challenges different from those associated with conventional Cartesian CMMs. Because of the very large working volume, no full-scale, three-dimensional calibrated artifacts exist, and the design of the laser beam steering system is such that individual parametric errors cannot, in general, be isolated and measured individually. For any coordinate measurement system, a fundamental requirement is a test of its ability to realize the SI unit of length, the meter. In a laser tracker, the length scale is often a laser interferometer and usually one does not have a significantly more accurate reference interferometer with which to perform such a test.

For these reasons, the performance evaluation tests in this Standard consist primarily of pointto-point length measurements using calibrated artifacts that can be realized in a number of ways. Measured lengths are compared with manufacturers Maximum Permissible Error (MPE) specifications in order to decide conformance. Realization of the SI meter can be evaluated in a number of ways, including calibration of the laser interferometer, measurement of a series of short calibrated reference lengths, or measurement of a series of long calibrated reference lengths. Procedures are also included for testing the absolute distance measurement (ADM) capability of laser trackers that include this option.

All reference lengths used in the performance evaluation tests are required to be traceable per ASME B89.7.5. Guidance is provided on how to demonstrate this traceability, as well as the traceability of subsequent point-to-point length measurements made with a laser tracker that has passed the performance evaluation tests of this Standard.

Suggestions for improvement of this Standard are welcome. They should be sent to The American Society of Mechanical Engineers, Secretary, B89 Standards Committee, Three Park Avenue, New York, NY 10016-5990.

This Edition was approved by the American National Standards Institute on January 30, 2006.







This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation