

**ASME B18.2.3.4M-2001**  
[Revision of ANSI/ASME B18.2.3.4M-1984 (R1995)]

# METRIC HEX FLANGE SCREWS

AN AMERICAN NATIONAL STANDARD



The American Society of  
Mechanical Engineers®



The American Society of  
Mechanical Engineers

A N A M E R I C A N N A T I O N A L S T A N D A R D

# METRIC HEX FLANGE SCREWS

**ASME B18.2.3.4M-2001**

[Revision of ANSI/ASME B18.2.3.4M-1984 (R1995)]

Date of Issuance: June 24, 2002

The next edition of this Standard is scheduled for publication in 2007. There will be no addenda issued to this edition.

ASME issues written replies to inquiries concerning interpretations of technical aspects of this Standard.

ASME is the registered trademark of The American Society of Mechanical Engineers.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The Standards Committee that approved the code or standard was balanced to assure that individuals from competent and concerned interests have had an opportunity to participate. The proposed code or standard was made available for public review and comment that provides an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "rate," or "endorse" any item, construction, proprietary device, or activity.

ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor assumes any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representative(s) or person(s) affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

No part of this document may be reproduced in any form,  
in an electronic retrieval system or otherwise,  
without the prior written permission of the publisher.

The American Society of Mechanical Engineers  
Three Park Avenue, New York, NY 10016-5990

Copyright © 2002 by  
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS  
All Rights Reserved  
Printed in U.S.A.

# CONTENTS

Foreword .....	v
Standards Committee Roster .....	vii
Correspondence With the B18 Committee .....	ix
<b>1 Scope .....</b>	<b>1</b>
<b>2 Comparison With ISO 4162 .....</b>	<b>1</b>
<b>3 Referenced Standards .....</b>	<b>1</b>
<b>4 Terminology .....</b>	<b>2</b>
<b>5 Dimensions .....</b>	<b>2</b>
<b>6 Top of Head .....</b>	<b>2</b>
<b>7 Head Height .....</b>	<b>2</b>
<b>8 Wrenching Height .....</b>	<b>2</b>
<b>9 Corner Fill .....</b>	<b>2</b>
<b>10 Gaging of Hex Flange Head .....</b>	<b>2</b>
<b>11 Position of Head .....</b>	<b>2</b>
<b>12 Flange .....</b>	<b>2</b>
<b>13 Bearing Surface .....</b>	<b>2</b>
<b>14 Fillet .....</b>	<b>3</b>
<b>15 Body Diameter .....</b>	<b>3</b>
<b>16 Length .....</b>	<b>4</b>
<b>17 Points .....</b>	<b>4</b>
<b>18 Straightness .....</b>	<b>5</b>
<b>19 Threads .....</b>	<b>5</b>
19.1 Thread Series and Tolerance Class .....	5

19.2	Thread Gaging .....	7
<b>20</b>	<b>Thread Length .....</b>	<b>7</b>
20.1	Grip Length, $L_g$ .....	8
20.2	Body Length, $L_s$ .....	8
20.3	Thread Length, ( $B$ ) .....	9
20.4	Transition Thread Length, ( $X$ ) .....	9
<b>21</b>	<b>Materials and Mechanical Properties .....</b>	<b>9</b>
21.1	Steel .....	9
21.2	Corrosion-Resistant Steels .....	9
21.3	Nonferrous Metals .....	9
<b>22</b>	<b>Identification Symbols .....</b>	<b>9</b>
22.1	Property Class Symbols .....	10
22.2	Source Symbols .....	10
<b>23</b>	<b>Finish .....</b>	<b>10</b>
<b>24</b>	<b>Workmanship .....</b>	<b>10</b>
<b>25</b>	<b>Inspection and Quality Assurance .....</b>	<b>10</b>
<b>26</b>	<b>Dimensional Conformance .....</b>	<b>10</b>
<b>27</b>	<b>Clearance Holes .....</b>	<b>10</b>
<b>28</b>	<b>Designation .....</b>	<b>10</b>
<b>Tables</b>		
1	Gaging of Hex Flange Head .....	3
2	Tolerance Zones .....	3
3	Dimensions of Type F Underhead Fillets .....	4
4	Dimensions of Type U Underhead Fillets .....	5
5	Dimensions of Hex Flange Screws .....	6
6	Dimensions of Reduced Body Diameter (Type R) .....	7
7	Length Tolerances .....	7
8	Dimensions of Points .....	7
9	Maximum Grip Lengths, $L_g$ , and Minimum Body Lengths, $L_s$ .....	8
10	Thread Lengths .....	9
<b>Nonmandatory Appendices</b>		
A	Comparison With ISO Standards .....	11
B	Screw Straightness Gage and Gaging Procedure .....	13

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-