



National Standards Authority of Ireland

IRISH STANDARD

**I.S. 301 : 1984**

ICS 03.120.30

National Standards  
Authority of Ireland  
Dublin 9  
Ireland

Tel: (01) 807 3800  
Tel: (01) 807 3838

**SAMPLING PROCEDURES AND TABLES  
FOR INSPECTION BY ATTRIBUTES - GUIDE  
TO THE USE OF SINGLE SAMPLING PLANS**

*This Irish Standard was  
published under the  
authority of the National  
Standards Authority of  
Ireland  
and comes into effect on:  
April 13, 1984*

**NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW**

© NSAI 1984

**Price Code K**

Údarás um Chaighdeán Náisiúnta na hÉireann



1.

IRISH STANDARD SPECIFICATION

SAMPLING PROCEDURES AND TABLES  
FOR INSPECTION BY ATTRIBUTES  
GUIDE TO THE USE OF SINGLE SAMPLING PLANS

I.S. 301 : 1984

Price Code K

INSTITUTE FOR INDUSTRIAL RESEARCH AND STANDARDS

Ballymun Road, Dublin 9.

Telegrams: Research, Dublin    Telex: 25449    Telephone: (01) 370101



## CONTENTS

	Page
Introduction	3
Declaration	5
Clauses	
1. Sampling Plans	6
2. Scope, Application and Definitions	8
3. Defects and Defectives	10
4. Acceptable Quality Level (AQL)	11
5. Submission of Product	12
6. Acceptance or Rejection	13
7. Drawing of Samples	14
8. Normal, Tightened and Reduced Inspection	14
9. Determination of Acceptability	16
10. Supplementary Information	17
Appendices	
1. Understanding the Single Sampling Plan	27
2. Reference Standards	37
Tables	
1. Single Sampling Plans for Normal Inspection at Inspection Level II	19
2. Single Sampling Plans for Tightened Inspection at Inspection Level II	20
3. Single Sampling Plans for Reduced Inspection at Inspection Level II	21
4. Limiting Quality (In % Defective) for which $P_a=10\%$ (For Normal Inspection, Single Sampling)	22
5. Limiting Quality (In Defects per 100 items or units of product) for which $P_a=10\%$ (For Normal Inspection, Single Sampling)	23
6. Limiting Quality (In % Defective) for which $P_a=5\%$ (For Normal Inspection, Single Sampling)	24
7. Limiting Quality (In Defects per 100 items or units of Product) for which $P_a=5\%$ (For Normal Inspection, Single Sampling).	25
8. Limit Numbers for Reduced Inspection	26
Figures	
1. Poisson probability paper	29
2. Operating characteristics curve	30
3. Average outgoing quality	31



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-