



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 12639:2000

ICS 17.140.20
23.080

**LIQUID PUMPS AND PUMP UNITS - NOISE
TEST CODE - GRADE 2 AND GRADE 3 OF
ACCURACY**

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on:
June 9, 2000*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2000

Price Code J

Údarás um Chaighdeán Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 12639:2000/AC

NORME EUROPÉENNE

November 2000

EUROPÄISCHE NORM

Novembre 2000

November 2000

English version
Version Française
Deutsche Fassung

Liquid pumps and pump units - Noise test code - Grade 2 and Grade 3 of accuracy

Pompes et groupes motopompes pour liquide - Code d'essai acoustique - Classes de précision 2 et 3

Flüssigkeitspumpen und -pumpenaggregate - Geräuschmessung - Genauigkeitsklassen 2 und 3

This corrigendum becomes effective on 15 November 2000 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 15 novembre 2000 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 15. November 2000 in Kraft zur Einarbeitung der drei offiziellen Sprachfassungen der EN einzufügen.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPAISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2000 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

Ref. No. EN 12639:2000/AC:2000 D/E/F

Page/Seite 2
EN 12639:2000/AC:2000

5.2.2 Measurement surface and microphone positions

In Figures 5 and 6, « $d_1 \leq 0,5 \text{ m}$ » is to be replaced by « $d_1 \geq 0,5 \text{ m}$ ».

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-