



National Standards Authority of Ireland

IRISH STANDARD

**I.S. EN 12639:2000**

ICS 17.140.20  
23.080

National Standards  
Authority of Ireland  
Dublin 9  
Ireland

Tel: (01) 807 3800  
Tel: (01) 807 3838

**LIQUID PUMPS AND PUMP UNITS - NOISE  
TEST CODE - GRADE 2 AND GRADE 3 OF  
ACCURACY**

*This Irish Standard was  
published under the  
authority of the National  
Standards Authority of  
Ireland  
and comes into effect on:  
June 9, 2000*

**NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW**

© NSAI 2000

**Price Code J**

Údarás um Chaighdeán Náisiúnta na hÉireann



EUROPEAN STANDARD

**EN 12639:2000/AC**

NORME EUROPÉENNE

November 2000

EUROPÄISCHE NORM

Novembre 2000

November 2000

---

English version  
Version Française  
Deutsche Fassung

Liquid pumps and pump units - Noise test code - Grade 2 and Grade 3 of accuracy

Pompes et groupes motopompes pour liquide - Code d'essai acoustique - Classes de précision 2 et 3

Flüssigkeitspumpen und -pumpenaggregate - Geräuschmessung - Genauigkeitsklassen 2 und 3

This corrigendum becomes effective on 15 November 2000 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 15 novembre 2000 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 15. November 2000 in Kraft zur Einarbeitung der drei offiziellen Sprachfassungen der EN einzufügen.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPAISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

---

© 2000 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.  
Tous droits d'exploitation sous quelque forme et de quelque manière que ce soit réservés dans le monde entier aux membres nationaux du CEN.  
Alle Rechte der Verwertung, gleich in welcher Form und in welchem Verfahren, sind weltweit den nationalen Mitgliedern von CEN vorbehalten.

Ref. No. EN 12639:2000/AC:2000 D/E/F



Page/Seite 2  
EN 12639:2000/AC:2000

### **5.2.2 Measurement surface and microphone positions**

In Figures 5 and 6, «  $d_1 \leq 0,5 \text{ m}$  » is to be replaced by «  $d_1 \geq 0,5 \text{ m}$  ».



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-