



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 12329:2000

ICS 25.220.40

**CORROSION PROTECTION OF METALS -
ELECTRODEPOSITED COATINGS OF ZINC
WITH SUPPLEMENTARY TREATMENT ON
IRON OR STEEL**

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel. (01) 807 3800
Tel: (01) 807 3838

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on
June 30, 2000*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2000

Price Code G

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD

EN 12329

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2000

ICS 25.220.40

English version

Corrosion protection of metals - Electrodeposited coatings of zinc with supplementary treatment on iron or steel

Protection contre la corrosion des métaux - Revêtements électrolytiques de zinc avec traitement complémentaire sur fer ou acier

Korrosionsschutz von Metallen - Galvanische Zinküberzüge auf Eisenwerkstoffen mit zusätzlicher Behandlung

This European Standard was approved by CEN on 3 February 2000.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPAISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Contents		Page
Foreword		3
Introduction		4
1 Scope		5
2 Normative references		5
3 Terms and definitions		6
4 Information to be supplied by the purchaser		6
5 Designation		6
5.1 General		6
5.2 Heat treatment		6
5.3 Supplementary treatments		6
6 Heat treatment		6
7 Requirements		7
7.1 General		7
7.2 Appearance		7
7.3 Thickness		7
7.4 Adhesion		7
7.5 Corrosion resistance		7
Annex A (informative) Chromate conversion coatings		10
Annex B (normative) Choice of designation		12
Annex C (informative) Examples of designations		14
Annex D (normative) Measurement of average thickness of coating on small articles		15

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 262 "Metallic and other inorganic coatings", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2000, and conflicting national standards shall be withdrawn at the latest by September 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

Electrodeposited coatings of zinc can be chromate treated in order to retard the formation of corrosion products on surfaces of coatings exposed to corrosive atmospheres. When corrosion protection is the main purpose of the coating, the usual practice is to apply a chromate or other conversion coating on top of the electrodeposited zinc coating. This is particularly effective in retarding the formation of white corrosion products which form on zinc coatings under certain conditions (see annex A).

Certain types of chromate conversion coating can be coloured in order to facilitate identification of the treated articles.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-