



National Standards Authority of Ireland

STANDARD

I.S. 166 : 1972

ICS 23.040.50

National Standards  
Authority of Ireland  
Dublin 9  
Ireland

Tel: (01) 807 3800  
Fax: (01) 807 3838

## CONCRETE SURFACE WATER PIPES

*This Irish Standard was  
published under the  
authority of the National  
Standards Authority of  
Ireland  
and comes into effect on:*

NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW

© NSAI 1972

Price Code C

Údarás um Chaighdeáin Náisiúnta na hÉireann





National Standards Authority of Ireland

AMENDMENT

I.S. 166:1972:Amd. 1:1974

ICS 23.040.50

National Standards  
Authority of Ireland  
Dublin 9  
Ireland

Tel: (01) 807 3800  
Fax: (01) 807 3838

## CONCRETE SURFACE WATER PIPES

*This Irish Standard was  
published under the  
authority of the National  
Standards Authority of  
Ireland  
and comes into effect on:  
April 2, 1974*

NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW

© NSAI 1974

Price Code B

Údarás um Chaighdeán Náisiúnta na hÉireann



**AMENDMENT**  
**OF**  
**STANDARD SPECIFICATION (CONCRETE SURFACE WATER PIPES)**  
**DECLARATION, 1972**  
**IRISH STANDARD 166:1972**

---

The Institute for Industrial Research and Standards in exercise of the power conferred by Section 20 (5) of the Industrial Research and Standards Act, 1961 (No. 20 of 1961) and with the consent of the Minister for Industry and Commerce, hereby declares as follows:

1. This instrument may be cited as the Standard Specification (Concrete Surface Water Pipes) Declaration, 1972, (Amendment) 1974.
  2. Irish Standard 166:1972 set out in the Schedule to the Standard Specification (Concrete Surface Water Pipes) Declaration, 1972, is hereby amended as indicated in the Schedule hereto.
- 

**SCHEDULE**

**Clause 4, line 4.** *Delete “19 mm ( $\frac{3}{4}$  in.)” and substitute “20 mm.”.*

**Clause 5, final line.** *Delete “28 N/mm<sup>2</sup> (4000 lbf/in.<sup>2</sup>)” and substitute “31 N/mm<sup>2</sup> (4500 lbf/in.<sup>2</sup>)”.*

**Clause 8.** *Delete the second paragraph and substitute*

*“The nominal lengths of bends shall be as follows:*

<i>Nominal internal diameter</i>	<i>Nominal length of bend</i>
100 mm to 225 mm	300 mm to 450 mm
300 mm to 600 mm	450 mm to 900 mm
675 mm and upwards	525 mm and upwards”

**Clause 9, line 2.** *Include the following additional nominal diameters:*

*“675, 750, 900, 1050 and 1200 mm.”*

*Add at the end of this clause:*

*“10 mm for nominal internal diameters greater than 600 mm.”*

**Clause 14, line 3.** *Delete “19.71 kN/m (1350 lbf/ft)” and substitute “23.34 kN/m (1600 lbf/ft)”*



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-