

IRISH STANDARD

I.S. EN 181000:1994

ICS 33.180.20

National Standards Authority of Ireland Glasnevin, Dublin 9 Ireland

Tel: +353 1 807 3800 Fax: +353 1 807 3838 http://www.nsai.ie

# FIBRE OPTIC BRANCHING DEVICES (GENERIC SPECIFICATION)

Sales

http://www.standards.ie

This Irish Standard was published under the authority of the National Standards Authority of Ireland and comes into effect on:

October 25, 1994

NO COPYING WITHOUT NSAI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

© NSAI 1994

Price Code AC

Údarás um Chaighdeáin Náisiúnta na hÉireann

#### **DECLARATION**

OF

### **SPECIFICATION**

#### **ENTITLED**

## (GENERIC SPECIFCATION)

AS

### THE IRISH STANDARD SPECIFICATION FOR

# (GENERIC SPECIFCATION)

Forfás in exercise of the power conferred by section 20 (3) of the Industrial Research and Standards Act, 1961 (No. 20 of 1961) and the Industrial Development Act, 1993 (No. 19 of 1993), and with the consent of the Minister for Enterprise and Employment, hereby declares as follows:

- 1. This instrument may be cited as the Standard Specification (Fibre Optic Branching Devices (Generic Specification)) Declaration, 1994.
- 2. (1) The Specification set forth in the Schedule to this declaration is hereby declared to be the standard specification for Fibre Optic Branching Devices (Generic Specification). The Schedule comprises the text of EN 181000: 1994.
- (2) The said standard specification may be cited as Irish Standard/EN 181000:1994 or as I.S./EN 181000:1994.

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 181 000

July 1994

UDC

Descriptors: Quality, electronic components, fibre optic branching devices

**English version** 

### Generic Specification: Fibre Optic Branching Devices

Spécification générique:

Fachgrundspezifikation:

Coupleurs à fibres optiques

Faseroptische Verzweiger

This European Standard was approved by the CENELEC Electronic Components Committee (CECC) on 27 January 1992. CENELEC members are bound to comply with CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the General Secretariat of the CECC or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CECC General Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and United Kingdom. The membership of the CECC is identical, with the exception of the national electrotechnical committees of Greece, Iceland and Luxembourg.

### **CECC**

CENELEC Electronic Components Committee

Comité des Composants Electroniques du CENELEC

CENELEC- Komitee für Bauelemente der Elektronik

General Secretariat: Gartenstr. 179, D - 60596 Frankfurt am Main

Ref. No. EN 181 000 : 1994 E

Page 2

EN 181 000: 1994

#### **FOREWORD**

The CENELEC Electronic Components Committee (CECC) is composed of those member countries of the European Committee for Electrotechnical Standardization (CENELEC) who wish to take part in a harmonized System for electronic components of assessed quality.

The object of the System is to facilitate international trade by the harmonization of the specifications and quality assessment procedures for electronic components, and by the grant of an internationally recognized Mark, or Certificate, of Conformity. The components produced under the System are thereby acceptable in all member countries without further testing.

This specification was prepared by CECC WG 27.

The text of the draft based on document CECC (Secretariat)2755 was submitted to the formal vote; together with the voting report, circulated as document CECC(Secretariat)3001, it was approved by CECC as EN 181 000 on 27 January 1992.

The following dates were fixed:

	latest date of announcement of the EN at national level	(doa)	1993 - 01 - 12
-	latest date of publication of an identical national standard	(dop)	1993 - 07 - 12
•	latest date of declaration of national standards obsolescence		1993 - 07 - 12
•	latest date of withdrawal of conflicting national standards	(dow)	2003 - 01 - 12

Page 3 EN 181 000 : 1994

### CONTENTS

Claus	e	Page
FOREW	ORD	. 2
	SECTION ONE - GENERAL	
1. 1.1	General Scope	
1.2	Related documents	
1.3	Definitions	
	SECTION TWO - REQUIREMENTS	
2.	Requirements	16
2.1	Classification	
2.1.1	Туре	
2.1.2	Style	
2.1.3	Variant	
2.1.4	Climatic category	
2.1.5	Assessment level	
2.2	Minimum mandatory test sequence	
2.3	Documentation	
2.3.1	Symbols	
2.3.2	Specification system	
	Blank detail specifications	
	Detail specifications	
2.3.3	Drawings	
	Projection system	
	Dimensional system	
	Intermountability	
2.3.4		24
	Measurement method	
	Reference components	
2.3.5	Gauges Test data sheets	
2.3.5	Instructions for use	24
2.3.0	Design and construction	
	Materials	25
2.4.2	Workmanship	
2.5	Quality	
2.6	Performance requirements	
2.7	Identification and marking	
2.7.1	Variant identification number	25
2.7.2	Component marking	26
2.7.3	Package marking	26
2.8	Packaging	
2.9	Ordering information	

Page 4 EN 181 000 : 1994

	SECTION	THIAM	QUALITY	ASSESSMENT	PROCEDURES
3.	Ouality a	ssessment	procedure	·s	28
3.1					28
3.2					28
3.3	Oualifica	tion appr	oval proce	dures	28
				cedure	
				n approval.	
3.4					30
	Lot-by-1	ot inspec	tion		31
	Format	ion of in	spection l	ots	31
					31
3.4.2	Periodic	inspecti	on		31
	Sample	size			32
	Prepar	ation of a	specimens.		32
	Period	ic inspect	tion		32
					32
	Period	ic inspect	tion repor	t	32
3.5	Certified	records o	of release	d lots	33
					33
3.7				letion of gr	
					33
			ethods		33
3.9	Unchecked	parameter	s		33
		_		• • • • • • • • • • • • • • • • • • • •	33
SECTI		_			33
SECTI PROCI	ON FOUR	- MEASUI	REMENT AN	D ENVIRONM	ENTAL TEST
SECTI PROCE	ON FOUR DURES Measureme	- MEASUI	REMENT AN	D ENVIRONM al test proc	ENTAL TEST  cedures34
SECTI PROCE 4. 4.1	ON FOUR DURES Measurement Standard	- MEASUI	REMENT AN	D ENVIRONM	ENTAL TEST  cedures34
SECTI PROCE 4. 4.1 4.2	ON FOUR DURES Measurement Standard Specimen.	- MEASUR	REMENT AN	D ENVIRONM	cedures34
SECTI PROCE 4. 4.1 4.2 4.3	ON FOUR DURES  Measurement Standard Specimen. Cleaning	- MEASUR	nvironment	D ENVIRONM	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4	ON FOUR DURES  Measurement Standard Specimen. Cleaning Optical mo	- MEASURE of optical easurement	nvironment	D ENVIRONM  al test proc	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5	ON FOUR DURES  Measurement Standard Specimen. Cleaning Optical measurement	- MEASURATE AND THE PROPERTY OF OPTICAL EASUREMENT OF THE PROCESSION OF THE PROCESSI	rement And avironment S	al test proc	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1	ON FOUR DURES  Measurement Standard of Specimen. Cleaning of Optical measurement Visu	- MEASUI  nt and er  conditions  of optical  easurement  nt procedu	rement and avironment surfaces condition	al test proc	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.2	ON FOUR EDURES  Measurement Standard of Specimen. Cleaning Optical measurement Visu Dime	measurement and enconditions of optical easurement and inspectations and	rement and a vironment secondition second mass	al test prod	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.2 4.5.3	Measurement Standard of Specimen. Cleaning Optical measurement Visu Dime	mt and erconditions of optical easurement al inspectations and ination o	rement and a vironment secondition and mass	al test prod	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.2 4.5.3 4.5.4	ON FOUR DURES  Measurement Standard Specimen. Cleaning Optical measurement Visu Dime Exam Flam	nt and er conditions of optical easurement and inspectant inspecta	rement And avironment s	D ENVIRONM  al test proc	cedures
### SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 .1 4.5 .2 4.5 .3 4.5 .4 4.5 .5 .5	ON FOUR DURES  Measurement Standard Specimen. Cleaning Optical measurement Visu Dime Exam Flam Inse	nt and enconditions of optical easurement and inspectable inspectable institution of mability.	rement And avironment surfaces condition aresd massd massd	al test produced in section of the s	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.2 4.5.3 4.5.4 4.5.5 4.5.5	ON FOUR DURES  Measurement Standard Specimen. Cleaning Optical measurement Visu Dime Exam Flam Inse	nt and enconditions of optical easurement and inspectant inspectan	rement and avironment surfaces condition ares	al test produced in section of the s	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.2 4.5.3 4.5.4 4.5.5 4.5.5 4.5.5 4.5.5	ON FOUR DURES  Measurement Standard of Specimen. Cleaning of Optical measurement Visu Dime Exam Flam Inse	nt and enconditions of optical easurement al inspectant inspectant inspectant inspectant institution of mability. Extion loss an loss an loss allength de	rement and avironment surfaces condition aresd massd massd pendence mendence men	al test produced in the state of the state o	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.2 4.5.3 4.5.4 4.5.5 4.5.5	ON FOUR DURES  Measurement Standard of Specimen. Cleaning of Optical measurement Visu Dime Exam Flam Inse Retu Wave	nt and enconditions of optical easurement al inspectations and ination of mability. Extion loss are loss	rement and avironment surfaces condition and mass f product surfaces adependence adependence and appendence appendence and appendence and appendence	al test produced in the state of the	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5.1 4.5.2 4.5.3 4.5.4 4.5.5 4.5.5 4.5.7 4.5.8	Measurement Standard of Specimen. Cleaning Optical measurement Visu Dime Exam Flam Inservation Returns and Polar trans	nt and enconditions of optical easurement nt procedu al inspectorsions and ination of mability. ertion loss arn loss elength de arization asfer matr	rement and avironment surfaces condition and mass	al test produced in the second	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5.1 4.5.2 4.5.3 4.5.5 4.5.5 4.5.7 4.5.8 4.5.9	Measurement Standard of Specimen. Cleaning Optical measurement Visu Dime Exam Flam Inservation Returns and Character Character Speciments of the Speciment S	nt and enconditions of optical easurement nt procedu al inspectors and ination of mability. extion los arn loss elength de arization asfer matrage in tra	rement and a vironment secondition secondition second mass second	al test produced in the control of t	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5.1 4.5.2 4.5.3 4.5.4 4.5.5 4.5.5 4.5.7 4.5.8	Measurement Standard of Specimen. Cleaning Optical measurement Visu Dime Exam Flam Inse Return Wave Polatran Chan	nt and enconditions of optical easurement nt procedu al inspect ensions and ination of mability. ertion los er	rement and a vironment secondition secondition secondition second mass second	al test produced in the surement.	ENTAL TEST  cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.3 4.5.5 4.5.5 4.5.5 4.5.5 4.5.8 4.5.8 4.5.9 4.5.1	ON FOUR DURES  Measurement Standard of Specimen. Cleaning of Optical measurement Visu Diment Exam Flam Insent Retu Wave Polat tran Chan 0 Maxi Environm	nt and enconditions of optical easurement nt procedu al inspect ensions an aination of mation los ertion los ertion los elength de arization asfer matr me in tra mum input mental tes	rement and a vironment services and it ion and	al test produced in the continual power.	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.1 4.5.5 4.5.5 4.5.5 4.5.7 4.5.8 4.5.8 4.5.8 4.5.9 4.5.1	Measurement Standard of Specimen. Cleaning of Optical measurement Visu Dime Exam Flam Inse Return Wave Polatran Chan Chan Tenvironm Vibreffe	nt and enconditions of optical easurement nt procedu al inspectors an ination of mability. ertion los clength de arization after matr age in tra amum input mental tes cation ectiveness	rement and avironment surfaces condition ares	al test produced in the control of t	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.3 4.5.5 4.5.5 4.5.5 4.5.7 4.5.8 4.5.7 4.5.8 4.5.1 4	Measurement Standard of Specimen. Cleaning of Optical measurement Visu Dime Exam Flam Inse Return Wave Polatran Chan Chan Tenvironm Vibreffe	nt and enconditions of optical easurement nt procedu al inspectors an ination of mability. ertion los clength de arization after matr age in tra amum input mental tes cation ectiveness	rement and avironment surfaces condition ares	al test produced in the control of t	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5 4.5.3 4.5.5 4.5.5 4.5.5 4.5.7 4.5.8 4.5.7 4.5.8 4.5.1 4	Measurement Standard of Specimen. Cleaning of Optical measurement Visu Dime Exam Flam Inservation Maximan Chance C	nt and enconditions of optical easurement nt procedu al inspectorsions and ination of mability. ertion loss arn loss elength de arization after matr age in tra amum input mental tes cation ectiveness cule reten	rement and avironment surfaces condition ares	al test produced in the control of t	cedures
SECTI PROCE 4. 4.1 4.2 4.3 4.4 4.5.1 4.5.3 4.5.5 4.5.6 4.5.7 4.5.8 4.5.8 4.5.8 4.5.8 4.5.1 4.6.1 4.6.2	Measurement Standard of Specimen. Cleaning Optical measurement Visu Dime Exam Flam Inse Return Character Character State Pull	nt and enconditions of optical easurement nt procedu al inspectorsions and ination of mability. extion loss arn loss. elength de arization after matr age in tra amum input mental tes cation ectiveness cule reten cic load	rement and a vironment surfaces condition and mass f product. surfaces adependence ix nsmitted a power t procedur. of fibre tion	al test produced in the control of t	ENTAL TEST  Cedures



The is a new provider i arenade and chare publication at the limit below	This is a free preview.	Purchase the	entire publication	at the link below:
--	-------------------------	--------------	--------------------	--------------------

**Product Page** 

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation