

EN 301 005-2 V1.1.5 (1998-09)

European Standard (Telecommunications series)

**V interfaces at the digital Service Node (SN);
Interfaces at the VB5.1 reference point for the support of
broadband or combined narrowband and broadband
Access Networks (ANs);
Part 2: Protocol Implementation Conformance
Statement (PICS) proforma specification**



Reference

DEN/SPS-09046-2 (9b0i0fc.PDF)

Keywords

V interface, PSTN, ISDN, B-ISDN, AN, SN, PICS

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis
Valbonne - FRANCE
Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16
Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr
<http://www.etsi.fr>
<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998
All rights reserved.

Contents

Intellectual Property Rights.....	5
Foreword	5
Introduction	5
1 Scope	6
2 Normative references	6
3 Definitions and abbreviations	6
3.1 Definitions	6
3.2 Abbreviations.....	7
4 Conformance to this PICS proforma specification	8
Annex A (normative): PICS proforma for EN 301 005-1	9
A.1 Guidance for completing the PICS proforma.....	9
A.1.1 Purposes and structure	9
A.1.2 Abbreviations and conventions	9
A.1.3 Instructions for completing the PICS proforma	11
A.2 Identification of the implementation.....	12
A.2.1 Date of the statement	12
A.2.2 Implementation Under Test (IUT) identification	12
A.2.3 System Under Test (SUT) identification.....	12
A.2.4 Product supplier	13
A.2.5 Client (if different from product supplier)	13
A.2.6 PICS contact person.....	14
A.3 Identification of the protocol	14
A.4 Global statement of conformance	14
A.5 Service node	15
A.5.1 Main features	15
A.5.1.1 General	15
A.5.1.2 ATM layer characteristics	15
A.5.1.2.1 Broadband access network connection types.....	15
A.5.1.2.2 ATM transfer characteristics	16
A.5.2 VB5.1 reference point.....	16
A.5.2.1 Basic characteristics	16
A.5.2.1.1 Support of a physical interface	16
A.5.2.1.2 Physical layer at the VB5.1 reference point.....	17
A.5.2.2 ATM layer functions	17
A.5.2.3 ATM adaptation layer	17
A.5.2.3.1 AAL for the RTMC protocol.....	17
A.5.2.3.2 AAL for circuit emulation of 2 048 kbit/s signals	18
A.5.2.4 RTMC function and protocol	18
A.5.2.4.1 RTMC main features	18
A.5.2.4.2 RTMC messages.....	18
A.5.2.4.2.1 RTMC messages received by the Service Node.....	18
A.5.2.4.2.2 RTMC messages transmitted by the Service Node	19
A.5.2.4.3 Timers used in RTMC procedures.....	19
A.5.2.4.4 RTMC function specific information elements.....	19
A.6 Access network	20
A.6.1 Main features	20
A.6.1.1 General	20
A.6.1.2 ATM layer characteristics	20
A.6.1.2.1 Broadband access network connection types.....	20

A.6.1.2.2	ATM transfer characteristics	21
A.6.2	Access types.....	21
A.6.2.1	Support of ATM based access types	21
A.6.2.1.1	Basic characteristics	21
A.6.2.1.2	Physical layer.....	22
A.6.2.1.3	ATM layer functions.....	22
A.6.2.2	Support of non B-ISDN access types	23
A.6.2.2.1	Narrowband access types.....	23
A.6.3	VB5.1 reference point.....	23
A.6.3.1	Basic characteristics	23
A.6.3.1.1	Support of a physical interface	23
A.6.3.2	Physical layer at the VB5.1 reference point	23
A.6.3.3	ATM layer functions	24
A.6.3.4	ATM adaptation layer	24
A.6.3.4.1	AAL for the RTMC protocol.....	24
A.6.3.4.2	AAL for circuit emulation of 2 048 kbit/s signals	24
A.6.3.5	RTMC function and protocol	25
A.6.3.5.1	RTMC main features	25
A.6.3.5.2	RTMC messages.....	25
A.6.3.5.2.1	RTMC messages received by the Access Network	25
A.6.3.5.2.2	RTMC messages transmitted by the Access Network.....	25
A.6.3.5.3	Timers used in RTMC procedures.....	26
A.6.3.5.4	RTMC function specific information elements.....	26
Annex B (informative): Status of OAM functions based F4/F5 flows.....		27
B.1	OAM functions at service port (SN-side).....	28
B.2	OAM functions at user port	29
B.3	OAM functions at service port (AN-side).....	30
Annex C (informative): Support of ATM transfer capabilities and QoS classes.....		31
C.1	ATM transfer capabilities	31
C.2	QoS classes	32
History	33

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: *"Intellectual Property Rights (IPRs): Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocols and Switching (SPS).

The present document is part 2 of a multi-part standard covering the interfaces at the VB5.1 reference point as described below:

Part 1: "Interface specification";

Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification".

NOTE: Further parts covering conformance testing may be identified later.

National transposition dates	
Date of adoption of this EN:	18 September 1998
Date of latest announcement of this EN (doa):	31 December 1998
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 1999
Date of withdrawal of any conflicting National Standard (dow):	30 June 1999

Introduction

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a telecommunication specification. Such a statement is called a Protocol Implementation Conformance Statement (PICS).

1 Scope

The present document provides the Protocol Implementation Conformance Statement (PICS) proforma for the interfaces at the VB5.1 reference point for the support of broadband or combined narrowband and broadband Access Networks (ANs) as defined in EN 301 005-1 [1] in compliance with the relevant requirements, and in accordance with the relevant guidance given in ISO/IEC 9646-7 [4] and ETS 300 406 [2].

It details in tabular form the implementation options, i.e. the optional functions additional to those which are mandatory to implement.

2 Normative references

References may be made to:

- a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or
- b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or
- c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or
- d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- | | |
|-----|---|
| [1] | EN 301 005-1 (V1.1): "V interfaces at the digital Service Node (SN); Interfaces at the VB5.1 reference point for the support of broadband or combined narrowband and broadband Access Networks (ANs); Part 1: Interface specification". |
| [2] | ETS 300 406 (1995): "Methods for Testing and Specification (MTS); Protocol and profile conformance testing specifications; Standardization methodology". |
| [3] | ISO/IEC 9646-1: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts". |
| [4] | ISO/IEC 9646-7: "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements". |

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the following definitions apply:

- terms defined in EN 301 005-1 [1];
- terms defined in ISO/IEC 9646-1 [3] and in ISO/IEC 9646-7 [4].

In particular, the following terms defined in ISO/IEC 9646-1 [3] apply:

Protocol Implementation Conformance Statement (PICS): a statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented. The ICS can take several forms: protocol ICS, profile ICS, profile specific ICS, information object ICS, etc.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-