

IRISH STANDARD

I.S. EN ISO 13937-3:2000

ICS 59.080.30

National Standards Authority of Ireland Dublin 9 Ireland

Tel: (01) 807 3800 Tel: (01) 807 3838

TEXTILES - TEAR PROPERTIES OF FABRICS -

PART 3: DETERMINATION OF TEAR FORCE

OF WING-SHAPED TEST SPECIMENS (SINGLE

TEAR METHOD) (ISO 13937-3:2000)

This Irish Standard was published under the authority of the National Standards Authority of Ireland and comes into effect on:

July 7, 2000

NO COPYING WITHOUT NSAI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

© NSAI 2000 Price Code L

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 13937-3

April 2000

ICS 59.080.30

English version

Textiles - Tear properties of fabrics - Part 3: Determination of tear force of wing-shaped test specimens (Single tear method) (ISO 13937-3:2000)

Textiles - Propriétés de déchirement des étoffes - Partie 3: Détermination de la force de déchirure des éprouvettes croissants (Méthode de la déchirure unique) (ISO 13937-3:2000) Textilien - Weiterreißeigenschaften von textilen Flächengebilden - Teil 3: Bestimmung der Weitereißkraft mit dem Flügel-Weiterreißversuch (einfacher Weitereißversuch) (ISO 13937-3:2000)

This European Standard was approved by CEN on 2 July 1999.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Page 2 EN ISO 13937-3:2000

Forewo	ora	3
Introdu	ction	4
1	Scope	4
2	Normative references	4
3	Terms and definitions	5
4	Principle	5
5	Sampling	5
6	Apparatus	6
7	Atmosphere for conditioning and testing	6
8	Preparation of test specimens	6
9	Procedure	8
10	Calculation and expression of results	10
11	Test report	11
Annex	A (informative) Suggested procedure for sampling	12
	B (informative)Example of pattern for cutting out test specimens from the	40
	ory sample	
Annex	C (informative) Sample calculation of tear force	14
Bibliogr	aphyaphy	15

Foreword

The text of EN ISO 13937-3:2000 has been prepared by Technical Committee CEN/TC 248 "Textiles and textile products", the secretariat of which is held by BSI, in collaboration with Technical Committee ISO/TC 38 "Textiles".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2000, and conflicting national standards shall be withdrawn at the latest by October 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Page 4 EN ISO 13937-3:2000

Introduction

EN ISO 13937 has been prepared as a part of several test methods for the determination of certain mechanical properties of textiles using mainly tensile-testing machines, e.g. tensile properties, seam tensile properties, tear properties, seam slippage. Test requirements for these standards agree where appropriate. The results obtained by one of the methods should not be compared with those obtained by other methods. Annex D lists test methods standardized in this context.

EN ISO13937 specifies methods for the determination of tear force of fabrics. Part 1 describes a ballistic pendulum method, parts 2 to 4 describe methods using tensile-testing machines.

1 Scope

This Part of EN ISO 13937 describes a single tear method to determine fabric tear force, known as the wing test using a test specimen cut to form two wings for clamping inclined at a defined angle to the thread direction. The tear force measured is the force required to propagate a previously started tear.

The test is mainly applicable to woven textile fabrics. It may be applicable to fabrics produced by other techniques. Due to the clamping of the specimen wings inclined to the threads to be torn the test can be used for most types of fabrics without causing a transfer of tear and it is less susceptible to withdrawal of threads than other tear tests.

In general the method is not applicable to knitted fabrics, woven elastic fabrics and nonwovens, to which the trapezoidal test method is preferably applied (Note 2).

The method only allows the use of constant-rate-of-extension (CRE) testing machines.

NOTE 1: For other tear test methods using tensile-testing machines part 2 of EN ISO 13937 describes a method known as the trouser test and part 4 the tongue test method. Part 1 of EN ISO 13937 describes the ballistic pendulum (Elmendorf) method.

NOTE 2: For trapezoidal test methods, see ISO 9073-4 for nonwovens or ISO 4674 for coated fabrics.

2 Normative references

100 400

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

150 139	rextiles - Standard atmospheres for conditioning and testing
ISO 7500-1	Metallic materials - Verification of static uniaxial testing machines - Part 1 - Tensile testing machines
ISO 10012-1	Quality assurance requirements for measuring equipment - Part 1: Metrological confirmation system for measuring equipment



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation