



**I  
E  
T  
S**  
**INTERIM  
EUROPEAN  
TELECOMMUNICATION  
STANDARD**

**I-ETS 300 235**

**March 1994**

---

Source: ETSI TC-RES

Reference: DI/RES-00002

UDC: 621.396

Key words: Radio, testing, CT1

**Radio Equipment and Systems (RES);  
Technical characteristics, test conditions and methods of  
measurement for radio aspects of cordless telephones CT1**

**ETSI**

European Telecommunications Standards Institute

**ETSI Secretariat**

**Postal address:** 06921 Sophia Antipolis Cedex - FRANCE

**Office address:** Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

**Tel.:** + 33 92 94 42 00 - **Fax:** + 33 93 65 47 16

# DECLARATION

OF

SPECIFICATION

ENTITLED

EQUIPMENT ENGINEERING (EE); ELECTROSTATIC ENVIRONMENT AND MITIGATION

MEASURES FOR PUBLIC TELECOMMUNICATIONS NETWORK (PTN)

AS

THE IRISH STANDARD SPECIFICATION FOR

EQUIPMENT ENGINEERING (EE); ELECTROSTATIC ENVIRONMENT AND MITIGATION

MEASURES FOR PUBLIC TELECOMMUNICATIONS NETWORK (PTN)

---

Forfás in exercise of the power conferred by section 20 (3) of the Industrial Research and Standards Act, 1961 ( No. 20 of 1961 ) and the Industrial Development Act, 1993 (No. 19 of 1993), and with the consent of the Minister for Enterprise and Employment, hereby declares as follows:

1. This instrument may be cited as the Standard Specification (Equipment Engineering (EE); Electrostatic Environment and Mitigation Measures for Public Telecommunications Network (PTN)) Declaration, 1994.

2. (1) The Specification set forth in the Schedule to this declaration is hereby declared to be the standard specification for Equipment Engineering (EE); Electrostatic Environment and Mitigation Measures for Public Telecommunications Network (PTN). The Schedule comprises the text of I-ETS 300235 : 1994.

(2) The said standard specification may be cited as Irish Standard/I-ETS 300235:1994 or as I.S./I-ETS 300235:1994.



## Contents

Foreword	7
1 Scope	9
2 Normative references	9
3 Definitions and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	10
4 Principles of operation and general requirements	10
4.1 Procedure to set up the RF connection between fixed and portable part	10
4.2 Operating frequencies	11
4.3 General requirements	11
4.3.1 Modulation	11
4.3.2 Antenna	11
4.3.3 Companding	11
4.3.4 Threshold level for field strength and minimum observation time	11
4.3.5 Scanning time	12
4.3.6 Use of the identification code	12
4.3.6.1 General	12
4.3.6.2 The exchange of the code	12
4.3.6.3 The number of codes and their protection	12
4.3.6.4 Wrong identification codes	12
4.3.7 Answering incoming calls	12
4.3.8 Termination of the RF connection and line connection	13
4.3.8.1 Termination of the RF connection	13
4.3.8.2 Interruption of a connection due to low field strength	13
4.3.9 Communication between CFP and CPP	13
4.3.10 Power supply for CPP	13
4.3.11 Power supply for CFP	13
5 Test conditions, power sources and ambient temperatures	13
5.1 Normal and extreme test conditions	13
5.2 Test power source	13
5.3 Normal test conditions	14
5.3.1 Normal temperature and humidity	14
5.3.2 Normal test power source	14
5.3.2.1 Mains voltage and frequency	14
5.3.2.2 Other power sources	14
5.4 Extreme test conditions	14
5.4.1 Extreme temperatures	14
5.4.2 Extreme test voltages	14
5.4.2.1 Mains voltage and frequency	14
5.4.2.2 Other power sources	14
5.5 Procedure for test at extreme temperatures	15
5.5.1 Procedure for equipment designed for continuous operation	15
6 General conditions	15
6.1 Arrangements for test signals applied to the receiver	15

6.2	Receiver circuitry . . . . .	16
6.2.1	Receiver mute or squelch circuit . . . . .	16
6.3	Receiver rated audio output power . . . . .	16
6.4	Normal test modulation . . . . .	16
6.5	Encoder for receiver measurements . . . . .	16
6.6	Normal coded test signal . . . . .	16
6.7	Test fixture . . . . .	16
6.8	Test site and general arrangement for measurements involving the use of radiated fields . . . . .	17
6.8.1	Test site . . . . .	17
6.8.2	Optional indoor test site . . . . .	17
6.8.3	Test antenna . . . . .	18
6.8.4	Substitution antenna . . . . .	18
6.8.5	Auxiliary cables . . . . .	19
6.9	Interpretation of measurement results . . . . .	19
7	Transmitter . . . . .	19
7.1	Frequency error . . . . .	19
7.1.1	Definition . . . . .	19
7.1.2	Method of measurement . . . . .	19
7.1.3	Limits . . . . .	20
7.2	Carrier power . . . . .	20
7.2.1	Definition . . . . .	20
7.2.2	Method of measurement under normal test conditions . . . . .	20
7.2.3	Limits . . . . .	20
7.3	Adjacent channel power . . . . .	21
7.3.1	Definition . . . . .	21
7.3.2	Method of measurement . . . . .	21
7.3.2.1	General remarks . . . . .	21
7.3.2.2	Method of measurement using a power measuring receiver . . . . .	21
7.3.2.3	Power measuring receiver specification . . . . .	22
7.3.3	Limits . . . . .	23
7.4	Frequency deviation . . . . .	23
7.4.1	Maximum permissible frequency deviation . . . . .	23
7.4.1.1	Definition . . . . .	23
7.4.1.2	Method of measurement . . . . .	23
7.4.1.3	Limits . . . . .	24
7.4.2	Response of the transmitter at modulation frequencies above 3 kHz . . . . .	24
7.4.2.1	Definition . . . . .	24
7.4.2.2	Method of measurement . . . . .	24
7.4.2.3	Limits . . . . .	24
7.5	Intermodulation attenuation . . . . .	24
7.5.1	Definition . . . . .	24
7.5.2	Methods of measurement . . . . .	25
7.5.3	Limits . . . . .	25
7.6	Spurious emissions . . . . .	26
7.6.1	Definition . . . . .	26
7.6.2	Method of measurement . . . . .	26
7.6.3	Limit . . . . .	26
8	Receiver . . . . .	26
8.1	Receiver sensitivity . . . . .	27
8.1.1	Definition . . . . .	27
8.1.2	Method of measurement . . . . .	27
8.1.3	Limits . . . . .	28

8.2	Message acceptance . . . . .	28
8.2.1	Definition . . . . .	28
8.2.2	Method of measurement . . . . .	28
8.2.3	Limit . . . . .	29
8.3	Co-channel rejection . . . . .	29
8.3.1	Definition . . . . .	29
8.3.2	Method of measurement . . . . .	29
8.3.3	Limit . . . . .	29
8.4	Adjacent channel selectivity . . . . .	29
8.4.1	Definition . . . . .	29
8.4.2	Method of measurement . . . . .	30
8.4.3	Limit . . . . .	30
8.5	Spurious response rejection . . . . .	30
8.5.1	Definition . . . . .	30
8.5.2	Method of measurement . . . . .	30
8.5.3	Limit . . . . .	31
8.6	Intermodulation rejection . . . . .	31
8.6.1	Definition . . . . .	31
8.6.2	Method of measurement . . . . .	31
8.6.3	Limit . . . . .	32
8.7	Spurious radiations . . . . .	32
8.7.1	Definition . . . . .	32
8.7.2	Method of measurement . . . . .	32
8.7.3	Limit . . . . .	32
9	Presentation of equipment for testing purposes . . . . .	32
9.1	Choice of model for testing . . . . .	32
9.2	Channel selection . . . . .	32
9.3	Equipment with internal temporary or internal permanent antenna connector . . . . .	32
9.4	Audio and power supply connections . . . . .	33
9.4.1	Temporary audio connections . . . . .	33
10	Measurement uncertainties . . . . .	34
	Annex A (normative): Acoustic coupler . . . . .	35
	Annex B (informative): . . . . .	36
	Technical characteristics, test conditions and methods of measurement for radio aspects of cordless telephones CT1 + . . . . .	36
	Annex C (informative): Additional requirements . . . . .	37
C.1	Definitions . . . . .	37
C.2	Method of measurement . . . . .	37
C.3	Limits . . . . .	37
	History . . . . .	38

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- Looking for additional Standards? Visit Intertek Inform Infostore
  - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-