



**I
NTERIM
E
UROPEAN
T
ELECOMMUNICATION
S
TANDARD**

I-ETS 300 235

March 1994

Source: ETSI TC-RES

Reference: DI/RES-00002

UDC: 621.396

Key words: Radio, testing, CT1

**Radio Equipment and Systems (RES);
Technical characteristics, test conditions and methods of
measurement for radio aspects of cordless telephones CT1**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: 06921 Sophia Antipolis Cedex - FRANCE

Office address: Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

Tel.: + 33 92 94 42 00 - Fax: + 33 93 65 47 16

© European Telecommunications Standards Institute 1994.
All rights reserved.

No part may be reproduced except as authorised by written permission. The copyright and the foregoing restriction on reproduction extend to all media in which the information may be embodied.

DECLARATION

OF

SPECIFICATION

ENTITLED

EQUIPMENT ENGINEERING (EE); ELECTROSTATIC ENVIRONMENT AND MITIGATION

MEASURES FOR PUBLIC TELECOMMUNICATIONS NETWORK (PTN)

AS

THE IRISH STANDARD SPECIFICATION FOR

EQUIPMENT ENGINEERING (EE); ELECTROSTATIC ENVIRONMENT AND MITIGATION

MEASURES FOR PUBLIC TELECOMMUNICATIONS NETWORK (PTN)

Forfás in exercise of the power conferred by section 20 (3) of the Industrial Research and Standards Act, 1961 (No. 20 of 1961) and the Industrial Development Act, 1993 (No. 19 of 1993), and with the consent of the Minister for Enterprise and Employment, hereby declares as follows:

1. This instrument may be cited as the Standard Specification (Equipment Engineering (EE); Electrostatic Environment and Mitigation Measures for Public Telecommunications Network (PTN)) Declaration, 1994.
2. (1) The Specification set forth in the Schedule to this declaration is hereby declared to be the standard specification for Equipment Engineering (EE); Electrostatic Environment and Mitigation Measures for Public Telecommunications Network (PTN). The Schedule comprises the text of I-ETS 300235 : 1994.
(2) The said standard specification may be cited as Irish Standard/I-ETS 300235:1994 or as I.S./I-ETS 300235:1994.

Contents

Foreword	7
1 Scope	9
2 Normative references	9
3 Definitions and abbreviations	10
3.1 Definitions	10
3.2 Abbreviations	10
4 Principles of operation and general requirements	10
4.1 Procedure to set up the RF connection between fixed and portable part	10
4.2 Operating frequencies	11
4.3 General requirements	11
4.3.1 Modulation	11
4.3.2 Antenna	11
4.3.3 Companding	11
4.3.4 Threshold level for field strength and minimum observation time	11
4.3.5 Scanning time	12
4.3.6 Use of the identification code	12
4.3.6.1 General	12
4.3.6.2 The exchange of the code	12
4.3.6.3 The number of codes and their protection	12
4.3.6.4 Wrong identification codes	12
4.3.7 Answering incoming calls	12
4.3.8 Termination of the RF connection and line connection	13
4.3.8.1 Termination of the RF connection	13
4.3.8.2 Interruption of a connection due to low field strength	13
4.3.9 Communication between CFP and CPP	13
4.3.10 Power supply for CPP	13
4.3.11 Power supply for CFP	13
5 Test conditions, power sources and ambient temperatures	13
5.1 Normal and extreme test conditions	13
5.2 Test power source	13
5.3 Normal test conditions	14
5.3.1 Normal temperature and humidity	14
5.3.2 Normal test power source	14
5.3.2.1 Mains voltage and frequency	14
5.3.2.2 Other power sources	14
5.4 Extreme test conditions	14
5.4.1 Extreme temperatures	14
5.4.2 Extreme test voltages	14
5.4.2.1 Mains voltage and frequency	14
5.4.2.2 Other power sources	14
5.5 Procedure for test at extreme temperatures	15
5.5.1 Procedure for equipment designed for continuous operation	15
6 General conditions	15
6.1 Arrangements for test signals applied to the receiver	15

6.2	Receiver circuitry	16
6.2.1	Receiver mute or squelch circuit	16
6.3	Receiver rated audio output power	16
6.4	Normal test modulation	16
6.5	Encoder for receiver measurements	16
6.6	Normal coded test signal	16
6.7	Test fixture	16
6.8	Test site and general arrangement for measurements involving the use of radiated fields	17
6.8.1	Test site	17
6.8.2	Optional indoor test site	17
6.8.3	Test antenna	18
6.8.4	Substitution antenna	18
6.8.5	Auxiliary cables	19
6.9	Interpretation of measurement results	19
7	Transmitter	19
7.1	Frequency error	19
7.1.1	Definition	19
7.1.2	Method of measurement	19
7.1.3	Limits	20
7.2	Carrier power	20
7.2.1	Definition	20
7.2.2	Method of measurement under normal test conditions	20
7.2.3	Limits	20
7.3	Adjacent channel power	21
7.3.1	Definition	21
7.3.2	Method of measurement	21
7.3.2.1	General remarks	21
7.3.2.2	Method of measurement using a power measuring receiver	21
7.3.2.3	Power measuring receiver specification	22
7.3.3	Limits	23
7.4	Frequency deviation	23
7.4.1	Maximum permissible frequency deviation	23
7.4.1.1	Definition	23
7.4.1.2	Method of measurement	23
7.4.1.3	Limits	24
7.4.2	Response of the transmitter at modulation frequencies above 3 kHz	24
7.4.2.1	Definition	24
7.4.2.2	Method of measurement	24
7.4.2.3	Limits	24
7.5	Intermodulation attenuation	24
7.5.1	Definition	24
7.5.2	Methods of measurement	25
7.5.3	Limits	25
7.6	Spurious emissions	26
7.6.1	Definition	26
7.6.2	Method of measurement	26
7.6.3	Limit	26
8	Receiver	26
8.1	Receiver sensitivity	27
8.1.1	Definition	27
8.1.2	Method of measurement	27
8.1.3	Limits	28

8.2	Message acceptance	28
8.2.1	Definition	28
8.2.2	Method of measurement	28
8.2.3	Limit	29
8.3	Co-channel rejection	29
8.3.1	Definition	29
8.3.2	Method of measurement	29
8.3.3	Limit	29
8.4	Adjacent channel selectivity	29
8.4.1	Definition	29
8.4.2	Method of measurement	30
8.4.3	Limit	30
8.5	Spurious response rejection	30
8.5.1	Definition	30
8.5.2	Method of measurement	30
8.5.3	Limit	31
8.6	Intermodulation rejection	31
8.6.1	Definition	31
8.6.2	Method of measurement	31
8.6.3	Limit	32
8.7	Spurious radiations	32
8.7.1	Definition	32
8.7.2	Method of measurement	32
8.7.3	Limit	32
9	Presentation of equipment for testing purposes	32
9.1	Choice of model for testing	32
9.2	Channel selection	32
9.3	Equipment with internal temporary or internal permanent antenna connector	32
9.4	Audio and power supply connections	33
9.4.1	Temporary audio connections	33
10	Measurement uncertainties	34
Annex A (normative):	Acoustic coupler	35
Annex B (informative):	36
Technical characteristics, test conditions and methods of measurement for radio aspects of cordless telephones CT1 +	36	
Annex C (informative):	Additional requirements	37
C.1	Definitions	37
C.2	Method of measurement	37
C.3	Limits	37
History	38	



This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- Looking for additional Standards? Visit Intertek Inform Infostore
- Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation