



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 50091-1-2:2003

ICS 29.020
29.200

UNINTERRUPTIBLE POWER SYSTEMS (UPS)
PART 1-2: GENERAL AND SAFETY
REQUIREMENTS FOR UPS USED IN
RESTRICTED ACCESS LOCATIONS

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

*This Irish Standard was
published under the authority
of the National Standards
Authority of Ireland
and comes into effect on:*

October 22, 2003

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2003

Price Code P

Údarás um Chaighdeán Náisiúnta na hÉireann

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 50091-1-2

July 1998

ICS 29.020; 29.200

Descriptors: Power electronics, uninterruptible power supply, restricted access location, general requirements, safety requirements

English version

**Uninterruptible power systems (UPS)
Part 1-2: General and safety requirements for UPS used in
restricted access locations**

Alimentations sans interruption (ASI)
Partie 1-2: Prescriptions générales et
règles de sécurité pour les ASI
utilisables dans des locaux d'accès
restreint

Unterbrechungsfreie
Stromversorgungssysteme (USV)
Teil 1-2: Allgemeine Anforderungen und
Sicherheitsanforderungen für USV in
abgeschlossenen Betriebsräumen

This European Standard was approved by CENELEC on 1998-01-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 22X, Power electronics.

The text of the draft was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 50091-1-2 on 1998-01-01.

The following dates were fixed:

- latest date by which the EN has to be implemented
at national level by publication of an identical
national standard or by endorsement (dop) 1998-12-01
- latest date by which the national standards conflicting
with the EN have to be withdrawn (dow) 1998-12-01

This European Standard is to be used in conjunction with EN 60950:1992 and its amendments A1:1993, A2:1993 and A3:1995, *Safety of information technology equipment*, which is referred to in this document by "RD".

NOTE: When reference is made to RD by phrases such as "The definitions or the provisions of item/RD apply", this phrase is intended to mean that the definitions or provisions in that item of EN 60950 apply, except any which are clearly inapplicable to uninterruptible power systems for use in restricted access locations.

Inappropriate clauses within EN 60950 which relate to operator safety are not referenced, but are replaced by additional text or reference to the relevant provisions of IEC 61140 and/or IEC 60536.

This Part 1-2 of EN 50091 deals with the general and safety requirements of uninterruptible power systems, for use in restricted access locations, i.e. secure electrical switchrooms and installed, operated and maintained by skilled electrical personnel.

The relevant general and safety requirements for operator access areas are given in EN 50091-1-1:1996. EMC requirements are given in EN 50091-2:1995; performance requirements are given in ENV 50091-3:1998.

This European Standard covers the essential requirements of LVD Directive 73/23/EEC.

NOTE The following print types are used

- requirements: in roman type;
 - test specifications: in italic type;
 - notes in small roman type
-

Contents

	Page
1 General	5
1.1 Scope	5
1.2 Normative references	6
1.3 Definitions	7
1.4 General requirements	12
1.5 General conditions for tests	13
1.6 Components	14
1.7 Power interfaces	14
1.8 Marking and instructions	14
2 Fundamental design requirements	21
2.1 Protection against electric shock and energy hazards	21
2.2 Insulation	23
2.3 Safety Extra-Low Voltage (SELV) circuits	23
2.4 Limited current circuits	24
2.5 Provisions for protective earthing	24
2.6 A.C. and D.C. power isolation	24
2.7 Overcurrent and earth fault protection	25
2.8 Protection of service personnel	27
2.9 Clearances, creepage distances and distances through insulation	28
2.10 External signalling circuits	28
2.11 Limited power source	28
2.12 Protection of the applied load	28
2.13 Connection to other equipment	29
3 Wiring, connections and supply	29
3.1 General	29
3.2 Connection to power sources	29
3.3 Wiring terminals for external power conductors	30
4 Physical requirements	31
4.1 Stability and mechanical hazards	32
4.2 Mechanical strength and stress relief	33
4.3 Construction details	33
4.4 Resistance to fire	34
4.5 Battery location	35

	Page
5 Thermal and electrical requirements	36
5.1 Heating.....	36
5.2 Earth leakage current.....	37
5.3 Electric strength	37
5.4 Abnormal operating and fault conditions.....	37

Annexes

A (normative)	Test for resistance to heat and fire	39
B (normative)	Motor test under abnormal conditions	39
C (normative)	Transformers	39
D (normative)	Measuring instruments for earth leakage current test	39
E (normative)	Temperature rise of a winding	39
F (normative)	Measurements of creepage.....	39
G (normative)	Earth leakage current for UPS intended to be connected directly to IT power systems	39
H (informative)	Guidance on protection against ingress of water and foreign objects	40
J (informative)	Table of electrochemical potentials	39
K (normative)	Thermal controls.....	39
L (normative)	Backfeed protection test.....	43
M (normative)	Reference load conditions	45
N (normative)	Ventilation of battery compartments	50
P (normative)	Minimum and maximum cross-sections for copper conductor suitable for connection.....	53
Q (informative)	A-Deviations	54
R (normative)	Special national conditions	55

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-