



National Standards Authority of Ireland

IRISH STANDARD

ENV 12299:1999

ICS 45.060.20

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

**RAILWAY APPLICATIONS - RIDE COMFORT
FOR PASSENGERS - MEASUREMENT AND
EVALUATION**

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on:
April 14, 2000*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 1999

Price Code Z

Údarás um Chaighdeán Náisiúnta na hÉireann

EUROPEAN PRESTANDARD

ENV 12299

PRÉNORME EUROPÉENNE

EUROPÄISCHE VORNORM

February 1999

ICS 45.060.20

Descriptors: Railway equipment, railway rolling stock, passenger transport, vibrations, measurement, vibration severity, physiological effects

English version

Railway applications - Ride comfort for passengers - Measurement and evaluation

Applications ferroviaires - Confort de marche des
voyageurs - Mesurage et évaluation

Bahnanwendungen - Fahrkomfort für Fahrgäste - Messung
und Auswertung

This European Prestandard (ENV) was approved by CEN on 29 August 1997 as a prospective standard for provisional application.

The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into a European Standard.

CEN members are required to announce the existence of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Central Secretariat: rue de Stassart, 36 B-1050 Brussels

Contents	
Foreword	3
Introduction	4
1 Scope	8
2 Normative references	8
3 Definitions	8
3.1 Passengers	8
3.2 Comfort	8
3.3 Interfaces	9
3.4 Whole-body transmission	9
3.5 Indirect measurements/tests	9
3.6 Characteristics of indirect measurements/tests	9
4 Mean Comfort - Simplified method	10
4.1 Reference system	10
4.2 Measurement and evaluation rules	12
5 Guide for the application to other vehicles	15
6 Guide for the interpretation of the results	15
6.1 Comfort scale	15
6.2 List of relevant applications	15
Annex A (normative) Simplified method for Mean Comfort evaluation Vibration measurement	17
Annex B (normative) Simplified method for Mean Comfort evaluation Processing of measurement results	21
Annex C (normative) List of the required track characteristics	33
Annex D (normative) Simplified method for Mean Comfort evaluation Presentation of test report	34
Annex E (informative) Complete method for Mean Comfort evaluation: Principle	39
Annex F (informative) Human body reference system for complete test	42
Annex G (informative) Complete method for Mean Comfort evaluation Vibration measurement	43
Annex H (informative) Complete method for Mean Comfort evaluation Processing of measurement results	50
Annex K (informative) Comfort on Curve Transitions: Principle	64
Annex L (informative) Comfort on Curve Transitions: Measurement and processing method	68
Annex M (informative) Comfort on Discrete Events: Principle	74
Annex N (informative) Comfort on Discrete Events: Measurement and processing method	77
Annex P (informative) List of possible track characteristics significant for different applications	81
Annex Q (informative) Guideline for the application of direct tests	83
Annex R (informative) List of additional information for track characteristics	84
Annex S (informative) Bibliography	88

Foreword

This European Prestandard has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this European Prestandard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

This ENV takes into account the documents listed below for the following:

UIC 513	Evaluation of Mean Comfort indices and definition of filters
ISO 2631	Definitions
BRR TR DOS 018 5/86	Comfort on Curve Transitions Comfort on Discrete Events
UIC 518	Selected testing procedures and track characteristics
List of normative clauses and annexes	Clauses 1, 2, 3, 4 Normative Annexes A, B, C, D
List of informative clauses and annexes	Foreword, Introduction, Clauses 5, 6 Informative Annexes E, F, G, H, K, L, M, N, P, Q, R, S

Introduction

a) General

The comfort of passengers in a railway vehicle is influenced by a number of different factors (temperature, noise, vibration etc). This European Prestandard considers only that part of the comfort influenced by the dynamic behaviour of the vehicle. This is described as Ride Comfort or as Comfort.

This European Prestandard summarizes the relevant works on the matter:

- taking into account, in mandatory form, the effects on Ride comfort for passengers of vibration exposure measured on the carbody floor (the simplified method for Mean Comfort evaluation);
- taking into account, (as recommendation), the vibration exposure measured on the interfaces (the complete method for Mean Comfort evaluation);
- taking into account, (as recommendation), the effects on Ride comfort for passengers of:
 - discrete events (Comfort on Discrete Events);
 - running on curve transitions (Comfort on Curve Transitions).

The standard is published as European Prestandard (ENV), due to

- the lack of experience in the application of the Mean Comfort measurement and evaluation criteria, based on UIC-leaflet 513, up to now experimentally approved in UIC, both for the normative part (N_{MV}) and for the informative part (N_{VA} , N_{VD});
- the lack of experience in the application of the recommended P_{DE} , P_{CT} comfort indexes, up to now based on the technical experience in studies and direct tests given mainly in Great Britain and in indirect tests performed by Italy, Germany and Switzerland.

Railway transport exposes passengers to vibrations related to the dynamic movements of the carbody.

The movements of the carbody transmit their effects to the human body through the following interfaces:

- in the standing position:
 - floor - feet
- in the seated position:
 - headrest - neck
 - arm rest - upper arms
 - seat - hip
 - seat - back
 - floor - feet

The type of transmission is whole-body transmission (see 3.4), which acts on the whole body through the interfaces (see 3.3).

The effect produced by the carbody movements considered in this ENV is:

- discomfort (effect on comfort, see 3.2), associated with relatively low levels of acceleration.

Other effects, not included in the standard, are associated with higher acceleration levels:

- health risk effect: physical damage and psychological deterioration.

This ENV applies to passengers in good health.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-