



National Standards Authority of Ireland

IRISH STANDARD

I.C.P. 2:2002

ICS 91.060.20

SLATING AND TILING

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales

<http://www.standards.ie>

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland and comes into
effect on:*

October 16, 2002

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2002

Price Code N

Údarás um Chaighdeán Náisiúnta na hÉireann

CONTENTS

Foreword	9
1 Scope	10
2 References	10
3 Terms and Definitions	13
4 Materials, fittings and accessories	25
4.1 General	25
4.2 Clay tiles and fittings	25
4.3 Concrete tiles and fittings	25
4.4 Fibre-cement slates and fittings	25
4.5 Natural slates	25
4.6 Other slates and tiles	26
4.7 Valley gutter units (pre-formed)	26
4.8 Roofing underlay	26
4.8.1 Fully supported	26
4.8.2 Unsupported	26
4.9 Boarding and decking	27
4.10 Battens and counterbattens	27
4.10.1 Timber species	27
4.10.2 Permissible characteristics and defects	27
4.10.3 Preservative treatment	28
4.11 Mechanical fixings	28
4.11.1 Nails	28
4.11.2 Clips, crampions and hooks for slates and tiles	29
4.12 Flashings and junctions	29
4.12.1 General	29
4.12.2 Lead	29
4.12.3 Copper	29
4.12.4 Aluminium and aluminium alloy	30
4.12.5 Zinc and zinc alloy	30
4.12.6 Proprietary flashing and junction units	30
4.13 Mortar	30
4.13.1 General	30
4.13.2 Cement	30
4.13.3 Sand	30
4.13.4 Pigment	30
4.13.5 Admixtures	30
4.13.6 Water	30

4.14 Other fittings and accessories	30
4.14.1 Hip irons	30
4.14.2 Rooflights	31
4.14.3 Roof windows	31
4.14.4 Safety hooks	31
4.14.5 Roof walkways	31
4.14.6 Ventilation products	31
4.14.7 Dry roofing products	32
4.14.8 Rainwater products	32
4.14.9 Lightning conductors	32
4.14.10 Eaves filler units	32
5 Design recommendations	33
5.1 Rain and snow resistance	33
5.1.1 General	33
5.1.2 Assessment of exposure to local wind-driven rain	33
5.1.3 Product resistance to rain and snow	33
5.2 Roof pitch	35
5.2.1 Roof pitches	35
5.2.2 Weather conditions	35
5.2.3 Restricted design situations	35
5.2.4 Length of roof slope	35
5.2.5 Maximum rafter length	35
5.3 Headlaps and side laps (roof)	36
5.3.1 Double lap clay and concrete plain tiles	36
5.3.2 Single lap clay and concrete tiles (interlocking)	37
5.3.3 Fibre-cement slates	38
5.3.4 Natural slates	39
5.3.5 Other slates and tiles	41
5.4 Headlaps and sidelaps for walls (70° and above)	42
5.4.1 Double lap clay and concrete plain tiles, fibre-cement slates and natural slates	42
5.4.2 Single lap clay and concrete tiles (interlocking) and slates	42
5.4.3 Other slates and tiles	42
5.5 Roofing underlay	42
5.5.1 General	42
5.5.2 Underlay overlaps	43
5.6 Roof drainage	43
5.7 Boarding and decking	43

5.8	Battens and counterbattens	44
5.8.1	Batten Strength and stiffness	44
5.8.2	Batten Sizes	44
5.8.3	Batten length	44
5.8.4	Counterbattens	45
5.8.5	Battens for vertical slating and tilting	45
5.8.6	Preservative treatment	45
5.9	Mechanical fixing	46
5.9.1	Minimum recommendations for mechanical fixing of roof covering elements	46
5.9.2	Double lap tiles	48
5.9.3	Single lap tiles	49
5.9.4	Fibre-cement and natural slates	49
5.9.5	Other slates and tiles	50
5.9.6	Nails and hooks for battens, counterbattens, boarding, decking, roofing underlays, clips, slates and tiles	50
5.10	Mortar mix	52
5.11	Durability	52
5.11.1	General	52
5.11.2	Weathering and appearance	52
5.11.3	Precautions in the use of metals	52
5.11.4	Control of internal pressure	53
5.12	Control of condensation	53
5.13	Fire	53
5.14	Health and Safety	53
6	Design details and workmanship	54
6.1	General	54
6.1.1	Pitch and lap	54
6.1.2	Fixing	54
6.1.3	Flashings and junctions	54
6.1.4	Projections	54
6.1.5	Parging and roof seals	55
6.1.6	Hip irons	55
6.2	Materials handling, preparation and cutting	55
6.2.1	Checking deliveries	55
6.2.2	Handling and site storage	55
6.2.3	Preparation of work	56
6.2.4	Cutting roof covering materials	56

6.3	Valleys	57
6.3.1	Key dimensions of pitched valley gutters	57
6.3.2	Construction of the substrate for pitched valley gutters	58
6.4	Underlays	62
6.4.1	Roofing underlays	62
6.4.2	Eaves and bottom edges	63
6.4.3	Verges	64
6.4.4	Ridges	65
6.4.5	Hips	65
6.4.6	Valleys	65
6.4.7	Junctions	65
6.4.8	Abutments (side and top edges)	65
6.4.9	Back abutment	66
6.5	Battens and counterbattens	66
6.5.1	General	66
6.5.2	Setting out	66
6.5.3	Eaves and bottom edges	67
6.5.4	Verge	67
6.5.5	Ridge	67
6.5.6	Hips	67
6.5.7	Valleys	68
6.5.8	Junctions	68
6.5.9	Abutments	68
6.6	Double lap clay and concrete plain tiles	68
6.6.1	General	68
6.6.2	Eaves and bottom edges	68
6.6.3	Verges	69
6.6.4	Ridges	70
6.6.5	Hips	71
6.6.6	Valleys	72
6.6.7	Abutments	74
6.6.8	Vertical tiling	74
6.7	Single lap clay and concrete interlocking tiles	76
6.7.1	General	76
6.7.2	Eaves and bottom edges	76
6.7.3	Verges	78
6.7.4	Ridges	79
6.7.5	Hips	80
6.7.6	Valleys	80

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-