



National Standards Authority of Ireland

IRISH STANDARD

I.S. CR 14380:2003

ICS 93.060
93.080.40

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

LIGHTING APPLICATIONS - TUNNEL

LIGHTING

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on:
August 29, 2003*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2003

Price Code R

Údarás um Chaighdeáin Náisiúnta na hÉireann

CEN REPORT
RAPPORT CEN
CEN BERICHT

CR 14380

April 2003

ICS

English version

Lighting applications - Tunnel lighting

This CEN Report was approved by CEN on 10 November 2001. It has been drawn up by the Technical Committee CEN/TC 169.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

CR 14380:2003 (E)

CONTENTS

0	Introduction	6
1	Scope	6
2	References	6
3	Definitions	6
	3.1 Tunnel related zones	
	3.2 Lighting	
	3.3 Luminances, illuminances	
	3.4 Traffic related concepts	
4	General aspects of tunnel lighting.....	10
	4.1 Tunnel conditions	
	4.1.1 Stopping Distance	
	4.1.2 Tunnel Lighting Requirements	
	4.1.3 Traffic composition	
	4.1.4 Road and Tunnel conditions	
	4.2 Distinction between long and short tunnels	
	4.3 Lighting systems and contrast rendition methods	
	4.3.1 Artificial lighting systems	
	4.3.2 Screened daylight systems	
	4.4 Aspects common to the various design methods	
	4.4.1 Flicker	
	4.4.2 Glare restriction	
	4.4.3 Lighting control	
	4.4.4 Maintenance	
5	Lighting of long tunnels.....	18
6	Artificial lighting of short tunnels and underpasses	18
7	Emergency lighting	19
8	Traffic signals	19
9	Measurement of tunnel lighting installations	19
	9.1 Quality numbers for tunnel lighting installations	
	9.2 Measuring fields	
	9.3 Instruments and methods	
	9.3.1 General	
	9.3.2 Illumination measurements	
	9.3.3 Luminance measurements with spot-luminancemeter	
	9.3.4 Reflection measurements	

ANNEXE A1 – L20 METHODOLOGY..... 22

- A.1.1 Luminance level in the threshold zone
- A.1.2 Length of the threshold zone
- A.1.3 Lighting requirements for the transition zone
- A.1.4 Lighting of the interior zone
- A.1.5 Lighting of the walls
- A.1.6 Uniformity of the road surface luminance
- A.1.7 Lighting of the exit zone
- A.1.8 Night time lighting
- A.1.9 Glare and flicker
- A.1.10 Determination of the luminance in the access zone
 - A.1.10.1 Approximation of L20
 - A.1.10.2 Determination of L20

ANNEXE A2 – TRAFFIC WEIGHTED L20 METHOD..... 30

- A.2.1 The determination of the tunnel class
- A.2.2 The lighting of the threshold zone of long tunnels
- A.2.3 The length of the threshold and transition zone
- A.2.4 The road surface luminance of the interior zone
- A.2.5 The exit zone
- A.2.6 Non-uniformity of the luminance
- A.2.7 The lighting of the tunnel walls
- A.2.8 Glare restriction
- A.2.9 Restriction of the flicker
- A.2.10 Night-time lighting

ANNEXE A3 – VEILING LUMINANCE METHOD AS USED IN THE NETHERLANDS..... 34

- A.3.1 Introduction
- A.3.2 The determination of the required contrast in the threshold zone of a long tunnel
- A.3.3 The veiling luminance L_v
 - A.3.3.1 The determination of the veiling luminance L_v
 - A.3.3.2 The determination of L_{seq}
 - A.3.3.3 The determination of L_{atm}
 - A.3.3.4 The determination of L_{winds}
- A.3.4 The determination of the threshold zone luminance
- A.3.5 Object and road luminance
 - A.3.5.1 No daylight influence
 - A.3.5.2 The influence of daylight falling into the tunnel at the tunnel entrance
- A.3.6 Further tunnel lighting design aspects
 - A.3.6.1 The threshold zone
 - A.3.6.2 The lighting of the transition zone
 - A.3.6.3 The lighting of the interior zone and the exit zone of long tunnels
 - A.3.6.4 Glare restriction
 - A.3.6.5 Restriction of the flicker

ANNEXE A4 – THE SPACE AND ADAPTATION METHOD AS USED IN France 40

CR 14380:2003 (E)

- A.4.1 The principle of the method
- A.4.2 The luminaire adaptation
- A.4.3 The space adaptation
- A.4.4 The time adaptation
- A.4.5 Characterising the lighting installation
- A.4.6 Calculating road luminance
- A.4.7 Algorithm of LCR calculations
- A.4.8 Calculation details for one 10 meters step for a rather simple case
- A.4.9 Calculating illuminance levels
- A.4.10 The results
- A.4.11 Road surface luminance of the interior zone at day-time
- A.4.12 Night-time lighting
- A.4.13 Lighting of the walls of the interior zone
- A.4.14 Emergency guidance lighting
- A.4.15 Fire emergency guidance lighting
- A.4.16 Uniformity of the road surface luminance

ANNEXE A5 – DETERMINATION OF THE NEED FOR DAYTIME LIGHTING OF SHORT TUNNELS ...54

- A.5.1 Determination of the look through percentage
- A.5.2 Using the look through percentage
- A.5.3 Influencing the look through percentage
- A.5.4 Daytime lighting of short tunnels
- A.5.5 A table method for determining the need of artificial daytime lighting

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-