

R

This is a free page sample. Access the full version online.

.

CEN REPORT RAPPORT CEN CEN BERICHT

CR 14380

April 2003

ICS

English version

Lighting applications - Tunnel lighting

This CEN Report was approved by CEN on 10 November 2001. It has been drawn up by the Technical Committee CEN/TC 169.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2003 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. CR 14380:2003 E

CONTENTS

0	Intr	roduction	
1	Sco	оре 6	
2	Ref	ferences	
3	Def	finitions6	
	3.1 3.2 3.3	Tunnel related zones Lighting Luminances, illuminances	
	3.4	I raffic related concepts	
4	Ger	neral aspects of tunnel lighting1	0
	4.14.24.34.4	Tunnel conditions4.1.1Stopping Distance4.1.2Tunnel Lighting Requirements4.1.3Traffic composition4.1.4Road and Tunnel conditionsDistinction between long and short tunnelsLighting systems and contrast rendition methods4.3.1Artificial lighting systems4.3.2Screened daylight systemsAspects common to the various design methods	
		 4.4.1 Flicker 4.4.2 Glare restriction 4.4.3 Lighting control 4.4.4 Maintenance 	
5	Ligl	hting of long tunnels1	8
6	Arti	ificial lighting of short tunnels and underpasses1	8
7	Em	ergency lighting1	9
8	Tra	ffic signals1	9
9	Меа	asurement of tunnel lighting installations1	9
	9.1 9.2 9.3	 Quality numbers for tunnel lighting installations Measuring fields Instruments and methods 9.3.1 General 9.3.2 Illumination measurements 9.3.3 Luminance measurements with spot-luminancemeter 9.3.4 Perfection measurements 	

- A.1.1 Luminance level in the threshold zone
- A.1.2 Length of the threshold zone
- A.1.3 Lighting requirements for the transition zone
- A.1.4 Lighting of the interior zone
- A.1.5 Lighting of the walls
- A.1.6 Uniformity of the road surface luminance
- A.1.7 Lighting of the exit zone
- A.1.8 Night time lighting
- A.1.9 Glare and flicker
- A.1.10 Determination of the luminance in the access zone
 - A.1.10.1 Approximation of L20
 - A.1.10.2 Determination of L20

- A.2.1 The determination of the tunnel class
- A.2.2 The lighting of the threshold zone of long tunnels
- A.2.3 The length of the threshold and transition zone
- A.2.4 The road surface luminance of the interior zone
- A.2.5 The exit zone
- A.2.6 Non-uniformity of the luminance
- A.2.7 The lighting of the tunnel walls
- A.2.8 Glare restriction
- A.2.9 Restriction of the flicker
- A.2.10 Night-time lighting

- A.3.1 Introduction
- A.3.2 The determination of the required contrast in the threshold zone of a long tunnel
- A.3.3 The veiling luminance Lv
 - A.3.3.1 The determination of the veiling luminance Lv
 - A.3.3.2 The determination of Lseq
 - A.3.3.3 The determination of Latm
 - A.3.3.4 The determination of Lwinds
- A.3.4 The determination of the threshold zone luminance
- A.3.5 Object and road luminance
 - A.3.5.1 No daylight influence
 - A.3.5.2 The influence of daylight falling into the tunnel at the tunnel entrance
- A.3.6 Further tunnel lighting design aspects
 - A.3.6.1 The threshold zone
 - A.3.6.2 The lighting of the transition zone
 - A.3.6.3 The lighting of the interior zone and the exit zone of long tunnels
 - A.3.6.4 Glare restriction
 - A.3.6.5 Restriction of the flicker

ANNEXE A4 - THE SPACE AND ADAPTATION METHOD AS USED IN France 40

- A.4.1 The principle of the method
- A.4.2 The luminaire adaptation
- A.4.3 The space adaptation
- A.4.4 The time adaptation
- A.4.5 Characterising the lighting installation
- A.4.6 Calculating road luminance
- A.4.7 Algorithm of LCR calculations
- A.4.8 Calculation details for one 10 meters step for a rather simple case
- A.4.9 Calculating illuminance levels
- A.4.10 The results
- A.4.11 Road surface luminance of the interior zone at day-time
- A.4.12 Night-time lighting
- A.4.13 Lighting of the walls of the interior zone
- A.4.14 Emergency guidance lighting
- A.4.15 Fire emergency guidance lighting
- A.4.16 Uniformity of the road surface luminance

ANNEXE A5 - DETERMINATION OF THE NEED FOR DAYTIME LIGHTING OF SHORT TUNNELS54

- A.5.1 Determination of the look through percentage
- A.5.2 Using the look through percentage
- A.5.3 Influencing the look through percentage
- A.5.4 Daytime lighting of short tunnels
- A.5.5 A table method for determining the need of artificial daytime lighting



This is a free preview. Purchase the entire publication at the link below:

Product Page

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation