



National Standards Authority of Ireland

STANDARD

I.S. EN 738-4:1999

ICS 11.040.10
23.060.40

**PRESSURE REGULATORS FOR USE WITH
MEDICAL GASES - PART 4: LOW-PRESSURE
REGULATORS INTENDED FOR
INCORPORATION INTO MEDICAL EQUIPMENT**

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Fax: (01) 807 3838

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on:
April 9, 1999*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 1999

Price Code K

Údarás um Chaighdeán Náisiúnta na hÉireann



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 738-4:1998/A1:2002

ICS 11.040.10
23 060 40

**PRESSURE REGULATORS FOR USE WITH
MEDICAL GASES - PART 4:
LOW-PRESSURE REGULATORS INTENDED
FOR INCORPORATION INTO MEDICAL
EQUIPMENT**

National Standards
Authority of Ireland
Dublin 4

Telex 0140073600
Fax 01 207 1028

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on
August 2, 2002*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2002

Price Code C

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 738-4:1998/A1

April 2002

ICS 11.040.10; 23.060.40

English version

Pressure regulators for use with medical gases - Part 4: Low-pressure regulators intended for incorporation into medical equipment

Détendeurs pour l'utilisation avec les gaz médicaux - Partie
4: Détendeurs basse pression conçus pour le matériel
médical

Druckminderer zur Verwendung mit medizinischen Gasen -
Teil 4: Niederdruckminderer zum Einsetzen in medizinische
Geräte

This amendment A1 modifies the European Standard EN 738-4:1998; it was approved by CEN on 4 March 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This amendment exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPAISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

EN 738-4:1998/A1:2002 (E)

Foreword

This document (EN 738-4:1998/A1:2002) has been prepared by Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2002, and conflicting national standards shall be withdrawn at the latest by October 2002.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard : Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

Add to the list of medical gases:

'NO/N₂ mixtures (NO ≤ 1000 µl/l)'

5.3.1

NOTE Add a new Note 4:

NOTE 4 'Guidance for the selection of metallic and non-metallic materials for use with NO/N₂ mixtures (NO ≤ 1000 µl/l) is given in CEN Report CR 13903.'

5.4.2

Add the following:

'NOTE ¹⁾: An example of inlet connector suitable for use with NO/N₂ mixtures (NO ≤ 1000 µl/l) is the stem of the quick-connector "Swagelock - QC4 DESO - Stainless steel 316".'

Add footnote:

¹⁾ This information is given for the convenience of users of this standard and does not constitute an endorsement by CEN of the product named.'

5.4.3

Add the following:

'NOTE ¹⁾ An example of outlet connector suitable for use with NO/N₂ mixtures (NO ≤ 1000 µl/l) is the body of the quick-connector "Swagelock - QC4 DESO Stainless steel 316".'

Add footnote:

¹⁾ This information is given for the convenience of users of this standard and does not constitute an endorsement by CEN of the product named.'

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-