

IRISH STANDARD

I.S. EN 50369:2005

ICS 29.120.10

National Standards Authority of Ireland Glasnevin, Dublin 9 Ireland

Tel: +353 1 807 3800 Fax: +353 1 807 3838 http://www.nsai.ie

LIQUID TIGHT SHEATHING SYSTEMS FOR CABLE MANAGEMENT

Sales

http://www.standards.ie

This Irish Standard was published under the authority of the National Standards Authority of Ireland and comes into effect on: October 7, 2005

NO COPYING WITHOUT NSAI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

© NSAI 2005 Price Code I

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

EUROPEAN STANDARD

EN 50369

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2005

ICS 29.120.10

English version

Liquid tight sheathing systems for cable management

Systèmes de gaines souples de protection contre les liquides pour la gestion du câblage Flüssigkeitsdichte Elektroinstallationsschlauchsysteme

This European Standard was approved by CENELEC on 2005-04-12. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This European Standard was prepared by the Technical Committee CENELEC TC 213, Cable management. The text of the draft was submitted to the formal vote and was approved by CENELEC as EN 50369 on 2005-04-12.

The following dates were fixed:

 latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement

(dop) 2006-04-01

latest date by which the national standards conflicting with the EN have to be withdrawn

(dow) 2008-04-01

Contents

		Page
1	Scope	4
2	Normative references	4
3	Definitions	4
4	General requirements	5
5	General conditions for tests	5
6	Classification	6
7	Marking and documentation	8
8	Dimensions	8
9	Construction	8
10	Mechanical properties	9
11	Electrical properties	11
12	Thermal properties	12
13	Fire hazard	13
14	External influences	15
15	Electromagnetic compatibility	17
Anı	nex A (informative) A-deviations	25
	gure 1 – Gauge for checking the minimum inside diameter of the liquid tight sheath	
•	jure 2 – Impact test apparatus	
_	gure 3 – Arrangement for flexing test	
_	pure 4 – Arrangement for insulation resistance and electric strength test	
_	jure 5 – Enclosure for burning test	
_	jure 6 – Arrangement for burning test	
	pure 7 – Assembly of liquid tight sheathing and fitting for bonding test	
Tal	ble 1 – Lower temperature range	7
Tal	ble 2 – Upper temperature range	7
Tal	ble 3 – Impact test values	9
Tal	ble 4 – Tensile force	10
Tal	ble 5 – Times of exposure of the sample to the flame	14
Tal	ble 6 – Resistance to corrosion classification	16

1 Scope

This European Standard specifies the requirements against ingress of water and tests for flexible non-flame propagating liquid tight sheathing systems for the protection and management of insulated conductors and/or cables in electrical installations or in communication systems up to 1 000 V a.c. and/or 1 500 V d.c. This standard applies to metallic, non-metallic and composite liquid tight sheathing systems including threaded fittings which terminate the system This European Standard does not apply to conduit systems for electrical installations which come within the scope of EN 50086 series as well as EN 61386 series. Liquid tight sheathing systems do not provide mechanical protection to insulated conductors and/or cables. They are not for use within the construction of buildings as a component of a fixed wiring system.

NOTE Earthing conductors may or may not be insulated.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 60423	1994	Conduits for electrical purposes – Outside diameters of conduits for electrical installations and threads for conduits and fittings (IEC 60423:1993, mod.)
EN 60529	1991	Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)
EN 60695-2-11	2001	Fire hazard testing – Part 2-11: Glowing/hot-wire based test methods – Glow-wire flammability test method for end-products (IEC 60695-2-11:2000)
EN 60695-11-2	2003	Fire hazard testing – Part 11-2: Test flames - 1 kW nominal premixed flame - Apparatus, confirmatory test arrangement and guidance (IEC 60695-11-2:2003)

3 Definitions

For the purposes of this document, the following terms and definitions apply.

3.1

liquid tight sheathing system

closed wiring system consisting of liquid tight sheathing and terminating fittings for the protection against ingress of liquid and management of insulated conductors and/or cables in electrical or communication installations, allowing them to be drawn in and/or replaced, but not to be inserted laterally

3.2

liquid tight sheathing

component of a closed wiring system which protects insulated conductors and/or cables against water

3.3

terminating fitting

terminating device designed to terminate a liquid tight sheathing system

3.4

metallic sheathing and/or terminating fitting

sheathing or terminating fitting which consists of metal only



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation