



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN ISO 9100-14:2005

ICS 55.100

**GLASS CONTAINERS - VACUUM LUG
FINISHES - PART 14: 110 REGULAR (ISO
9100-14:2005)**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on:
March 11, 2005*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2005

Price Code F

Údarás um Chaighdeán Náisiúnta na hÉireann

English version
Version Française
Deutsche Fassung

Glass containers - Vacuum lug finishes - Part 14: 110 regular (ISO 9100-14:2005/Cor 1:2008)

Réipients en verre - Bagues à crans pour bouchage sous vide - Partie 14: 110 regular (ISO 9100-14:2005/Cor 1:2008)

Glasbehälter - Vakuum-Nockenverschluss-Mündungen - Teil 14: 110 regular (ISO 9100-14:2005/Cor 1:2008)

This corrigendum becomes effective on 8 April 2009 for incorporation in the three official language versions of the EN.

Ce corrigendum prendra effet le 8 avril 2009 pour incorporation dans les trois versions linguistiques officielles de la EN.

Die Berichtigung tritt am 8. April 2009 zur Einarbeitung in die drei offiziellen Sprachfassungen der EN in Kraft.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

I.S. EN ISO 9100-14:2005/AC:2009
EN ISO 9100-14:2005/AC:2009 (E)

Endorsement notice

The text of ISO 9100-14:2005/Cor.1:2008 has been approved by CEN as a European Corrigendum without any modification.



I.S. EN ISO 9100-14:2005/AC:2009
INTERNATIONAL STANDARD ISO 9100-14:2005
TECHNICAL CORRIGENDUM 1

Published 2008-10-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Glass containers — Vacuum lug finishes —

Part 14: 110 regular

TECHNICAL CORRIGENDUM 1

Récipients en verre — Bagues à crans pour bouchage sous vide —

Partie 14: 110 regular


RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to ISO 9100-14:2005 was prepared by Technical Committee ISO/TC 63, *Glass containers*.

Page 3, Figure 3

Replace dimension “0,8” at the top left of the figure with “0,85”. The amended figure is given on the next page.

Dimensions in millimetres



Key

- a) The sealing surface shall be free of checks, dips, crizzles and other defects which may affect proper functioning.
- b) Proper system functioning calls for keeping the ovality in the finish diameters to a minimum. E and T diameters should be concentric in relation to one another.
- c) Cross-hatched areas of C diameter and H height show the closure position. Glass shall clear cap limits shown. The contour below the H dimension as well as the design of a possible bead are optional. Sufficient free space shall be provided between the bead and the cross-hatched area.

Figure 3 — Enlarged view section A-A

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-