

National Standards Authority of Ireland

**IRISH STANDARD** 

## I.S. EN 14704-1:2005

ICS 59.080.30

National Standards Authority of Ireland Glasnevin, Dublin 9 Ireland

Tel: +353 1 807 3800 Fax: +353 1 807 3838 http://www.nsai.ie

#### DETERMINATION OF THE ELASTICITY OF Sales http://www.standards.ie

# **FABRICS - PART 1: STRIP TESTS**

This Irish Standard was published under the authority of the National Standards Authority of Ireland and comes into effect on: June 22, 2005

NO COPYING WITHOUT NSAI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

© NSAI 2005

Price Code H

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

# EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# EN 14704-1

April 2005

ICS 59.080.30

English version

# Determination of the elasticity of fabrics - Part 1: Strip tests

Détermination de l'élasticité des étoffes - Partie 1: Essais sur bande

Bestimmung der Elastizität von textilen Flächengebilden -Teil 1: Streifenprüfungen

This European Standard was approved by CEN on 3 March 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

© 2005 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 14704-1:2005: E

# EN 14704-1:2005 (E)

# Contents

	Page
Foreword	
1	Scope
2	Normative references4
3	Terms and definitions4
4	Principle
5	Sampling6
6	Apparatus6
7	Atmosphere for conditioning and testing7
8 8.1 8.2	Preparation of test specimens
8.2.1 8.2.2 8.2.3	Woven fabrics 8   Knitted fabrics 8   Non-woven fabrics 9
9 9.1.1 9.1.2 9.2 9.2.1 9.2.2 9.3	Procedure 10   Method A - Strip test specimens 10   Method B - Looped test specimens 10   Knitted fabrics 10   Method A - Strip test specimens 10   Method B - Looped test specimens 11   Operation 11
10	Recording12
11	Expressions and calculations of test results12
12	Test report14
Annex	A (informative) Example of a typical cycling graph15
Annex	B (informative) Procedure for sampling16
Annex	C (informative) Clamping and holding devices17
Annex	D (informative) Example of a pattern for cutting test specimens from a laboratory sample20

# Foreword

This document (EN 14704-1:2005) has been prepared by Technical Committee CEN/TC 248 "Textiles and textile products", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2005, and conflicting national standards shall be withdrawn at the latest by October 2005.

The reasons for the development of this document are because of technical advancements in yarn and fabric structures and properties, which increase product range and developments.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

### 1 Scope

This document describes the methods of test using strips of fabric in straight strip form or as loops, which can be used to measure elasticity and related properties of fabrics, excluding narrow fabrics.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 139, Textiles - Standard atmospheres for conditioning and testing (ISO 139:2005).

EN ISO 7500-1, Metallic materials – Verification of static uniaxial testing machines – Part 1: Tension/compression testing machines – Verification and calibration of the force-measuring system (ISO 7500-1:2004).

EN ISO 10012:2003, Measurement management systems - Requirements for measurement processes and measuring equipment (ISO 10012:2003).

ISO 4915, Textiles – Stitch types – Classification and terminology.

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### narrow fabric

woven or knitted construction intended for use as a trim, binding, edging, strapping or harness, and designed to be used in its full width

#### 3.2

#### elasticity

property of a material by virtue of which it tends to recover its original size and shape immediately after the removal of the force causing deformation

### 3.3

## constant-rate-of-extension (CRE) testing machine

tensile testing machine provided with one clamp, which is stationary, and another clamp, which moves with a constant speed throughout the test, the entire testing system being virtually free from deflection

#### 3.4

#### strip test specimen

test specimen in which the full width is gripped in the jaws of the testing machine

#### 3.5

#### loop test specimen

test specimen in which a seam is made to create a loop of the full width of the specimen and which is placed around a loop bar assembly positioned on the testing machine

NOTE This method of preparation is useful when any ageing or exposure testing is to be carried out on the specimens after measurement.



This is a free preview. Purchase the entire publication at the link below:

**Product Page** 

S Looking for additional Standards? Visit Intertek Inform Infostore

> Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation