



National Standards Authority of Ireland

IRISH STANDARD

I.S. CEN/TR 15125:2005

ICS 91.100.10
91.180

**DESIGN, PREPARATION AND APPLICATION
OF INTERNAL CEMENT AND/OR LIME
PLASTERING SYSTEMS**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland and comes into
effect on:
August 5, 2005*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2005

Price Code L

Údarás um Chaighdeáin Náisiúnta na hÉireann

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

CEN/TR 15125

June 2005

ICS 91.100.10; 91.180

English version

**Design, preparation and application of internal cement and/or
lime plastering systems**

Planung, Zubereitung und Ausführung von Kalk-, Zement-
und Kalkzement-Innenputzsystemen

This Technical Report was approved by CEN on 13 May 2005. It has been drawn up by the Technical Committee CEN/TC 125.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword.....	3
1 Scope.....	4
2 Normative references	4
3 Terms and definitions	4
4 Materials and accessories	6
5 Design – factors influencing the selection of cement and/or lime plastering systems	8
6 Characteristics of cement and/or lime plastering systems	10
7 Types and standards of plaster finish	17
8 Backgrounds, including preparation	18
9 Preparation and application of cement and/or lime plasters	23
10 Maintenance and repair (other than restoration of old and historic buildings)	24
11 Specific recommendations relating to plasters containing cement and/or lime as the principal binder	26
Annex A (informative) Fixing applied backgrounds	28
Annex B (informative) Restoration of plasters on old and historic buildings	31
Bibliography	35

Foreword

This document (CEN/TR 15125:2005) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This document has been initially prepared by the European section of International Union of Contractors of Plastering, Dry Lining, Stucco and Related Activities (UIEP) at the request of the CEN Technical Sector Board (Resolution No.BTS1/56/1991). It has been revised by CEN/TC125/JWG5 in conjunction with CEN/TC 241.

It is not the function of this document to assign responsibility for the design and application of any work or actions mentioned within to any specific party. Such responsibility is a matter for other documentation associated with the work, e.g. the contract.

It has been assumed in the drafting of this document that the application of its provisions is entrusted to appropriately qualified and experienced people, for whose guidance it has been prepared.

This TR should be read in conjunction with EN 13914-2.

The following similar Technical Reports are also available:-

CEN/TR 15123:2005 *Design, preparation and application of internal polymer plastering systems*

CEN/TR 15124:2005 *Design, preparation and application of internal gypsum plastering systems.*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Report: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CEN/TR 15125:2005 (E)

1 Scope

This document concerns the design, preparation and application of internal plaster and plastering systems based on cement and/or lime for internal plastering on all types of background used under normal conditions. It includes plastering onto both new and old backgrounds and the maintenance and repair of existing work. It concerns materials, backgrounds, preparation of the surface to be plastered, choice of suitable cement and/or lime plastering system, methods of application and inspection and testing of plastering.

Cement and/or lime plastering mixes with special properties intended to enhance thermal insulation, fire resistance, acoustic insulation and to increase radiation absorption are also covered.

Because of the many and varied materials and practices in Europe it is not possible for certain aspects of the standard to enter into sufficient detail to be fully usable to practitioners in each country.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 998-1, *Specification for mortar for masonry — Part 1: Rendering and plastering mortar*

EN 13914-2, *Design, preparation and application of external rendering and internal plastering - Part 2: Design considerations and essential principles for internal plastering*

3 Terms and definitions

For the purposes of this document, the terms and definitions in EN 13914-2 and the following apply.

3.1

plaster

mixture based on one or more binders, that is applied while plastic and that hardens after application, used to obtain an internal surface finish. It does not acquire its final characteristics until it has set on the building component

3.2

mineral plaster

mixture of aggregates, additives, admixtures and one or more binders

3.3

cement and/or lime plaster coat

obtained by application of one or more layers with one or more mixes of the same product

3.4

cement and/or lime plaster layer

cement and/or lime plaster applied wet on wet to obtain the final thickness with one or more mixes of the same product, when all operations are completed before the cement and/or lime plaster has set

3.5

designed plaster

plaster designed and manufactured to fulfil stated properties and subjected test requirements (performance concept)

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-