



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 15051:2006

ICS 13.040.30

**WORKPLACE ATMOSPHERES -
MEASUREMENT OF THE DUSTINESS OF
BULK MATERIALS - REQUIREMENTS AND
REFERENCE TEST METHODS**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland and comes into
effect on:
7 July 2006*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2006

Price Code I

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 15051

April 2006

ICS 13.040.30

English Version

Workplace atmospheres - Measurement of the dustiness of bulk materials - Requirements and reference test methods

Atmosphère des lieux de travail - Mesure du pouvoir de
resuspension des matériaux pulvérulents en vrac -
Exigences et méthodes d'essai de référence

Arbeitsplatzatmosphäre - Messung des
Staubungsverhaltens von Schüttgütern - Anforderungen
und Referenzprüfverfahren

This European Standard was approved by CEN on 16 March 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents	Page
Foreword	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Principle	6
5 Requirements	7
6 Reference test methods	8
7 Evaluation of dustiness	12
8 Test report	13
Annex A (normative) Description of reference test apparatus	15
Annex B (normative) Determination of moisture content	19
Annex C (normative) Determination of bulk density of the test material	20
Annex D (normative) Test of equivalence between an alternative (candidate) test method and any of the reference test methods	21
Bibliography	24

Foreword

This document (EN 15051:2006) has been prepared by Technical Committee CEN/TC 137 "Assessment of workplace exposure to chemical and biological agents", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2006, and conflicting national standards shall be withdrawn at the latest by October 2006.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

The control of dust emissions during the handling and transportation of materials is an important consideration in the design and operation of many industrial processes. Excessive airborne dust levels in workplaces are undesirable for a number of reasons:

- a) can cause adverse health effects to the work force;
- b) control can involve the use of costly ventilation and filtration systems;
- c) can be costly in terms of lost product;
- d) can contaminate machinery and products.

It is advantageous, therefore, for occupational hygienists and process engineers to have accurate information about the propensity of materials to produce airborne dust (the '*dustiness*' of the material) so that risks can be evaluated, controlled and minimised.

No single method of dustiness testing is likely to represent and reproduce the various types of processing and handling used in industry. Therefore a number of dustiness testing methods are in use in different industries. Different methods use different test apparatus and measuring principles, and express results in different ways. Methods that do not separate the dust cloud produced into the three health-related size fractions - inhalable, thoracic and respirable dust - can serve the needs of manufacturing industry for process and batch control, but give limited information on the health hazard due to the dustiness of the material.

Dustiness is a relative term and the measurement obtained will depend on the test apparatus used, the properties of the dust and various environmental variables. The test and the variables therefore need to be closely specified to ensure reproducibility. Recognising the above it was concluded that there was a need for standardised reference methods to measure the dustiness of bulk materials, based on the biologically relevant aerosol fractions defined in EN 481.

This document establishes reference test methods that classify the dustiness, in terms of health-related fractions, of bulk solid materials. The dustiness classification is intended to provide users (e.g. manufacturers, producers, occupational hygienists and workers) with information on the potential for dust emissions when the material is handled or processed in workplaces. It provides the manufacturers of materials with information that can help to improve their products. It allows the users of the materials to assess the effects of pre-treatments, and also to select less dusty products, if available. Although this document does not discuss the analysis of dust released from bulk materials (except in terms of health-related fractions), the test method produces samples with the potential for chemical analysis of the contents.

This document also provides reference test methods to which users of alternative test methods on dustiness can compare their own measurements. A standardised test of equivalence is used to test whether the alternative test method is capable of reproducing the dustiness classifications of the reference test methods, for a range of standardised test dusts. If the requirements for equivalence are satisfied the alternative test method can be used to classify the dustiness of bulk materials.

This document was developed based on the results of the European project SMT4-CT96-2074 Development of a Method for Dustiness Testing (see [1]). This project investigated the dustiness of 12 materials, with the intention to test as wide a range of materials as possible, i.e. magnitude of dustiness, industrial sectors, chemical composition and particle size distribution.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-