



National Standards Authority of Ireland

IRISH STANDARD

I.S. CEN/TS 14997:2006

ICS 13.030.01

**CHARACTERIZATION OF WASTE - LEACHING
BEHAVIOUR TESTS - INFLUENCE OF PH ON
LEACHING WITH CONTINUOUS PH-CONTROL**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland and comes into
effect on:
22 January 2007*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2006

Price Code J

Údarás um Chaighdeáin Náisiúnta na hÉireann

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 14997

November 2006

ICS 13.030.01

English Version

**Characterization of waste - Leaching behaviour tests - Influence
of pH on leaching with continuous pH-control**

Caractérisation des déchets - Essais de comportement à la
lixiviation - Influence du pH sur la lixiviation avec contrôle
continu du pH

Charakterisierung von Abfällen - Untersuchung des
Auslaugungsverhaltens - Einfluss des pH-Wertes auf die
Auslaugung bei kontinuierlicher pH-Wert-Kontrolle

This Technical Specification (CEN/TS) was approved by CEN on 9 October 2006 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

CEN/TS 14997:2006 (E)

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Symbols and abbreviations	6
5 Principle.....	7
6 Reagents and laboratory devices	7
6.1 Reagents.....	7
6.2 Laboratory devices	7
7 Sampling.....	8
7.1 Laboratory sample.....	8
7.2 Test sample	8
7.3 Determination of dry residue of the sample	9
7.4 Test portion	9
8 Test procedure	9
8.1 Contact time	9
8.2 pH range	10
8.3 Leaching test.....	10
8.4 Natural pH.....	13
9 Eluate treatment, storage and analysis	13
10 Blank tests.....	13
11 Performance characteristics	14
12 Test report	14
Annex A (informative) Example of a data sheet	16
Annex B (informative) Operation and uses of the test: influence of pH on the leaching behaviour	17
Annex C (informative) Preliminary determination of the acid/base consumption.....	22
Annex D (informative) Examples of acid and base neutralisation capacities for waste, soil, sediment and construction materials	26
Bibliography.....	29

Foreword

This document (CEN/TS 14997:2006) has been prepared by Technical Committee CEN/TC 292 “Characterization of waste”, the secretariat of which is held by NEN.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, B, C or D, which is an integral part of this document.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this CEN Technical Specification: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

This document has been developed primarily to support the requirements for leaching behaviour testing within EU and EFTA countries. Tests to characterize the behaviour of waste materials can generally be divided into three categories. The relationship between these tests is summarized below:

- a) "Basic characterization" tests are used to obtain information on the short and long term leaching behaviour and characteristic properties of waste materials. Liquid/solid (*L/S*) ratios, leachant composition, factors controlling leachability such as pH, redox potential, complexing capacity, ageing of waste and physical parameters are addressed in these tests.
- b) "Compliance" tests are used to determine whether the waste complies with a specific behaviour or with specific reference values. The tests focus on key variables and leaching behaviour previously identified by basic characterization tests.
- c) "On-site verification" tests are used as a rapid check to confirm that the waste is the same as that which has been subjected to the compliance test(s). On-site verification tests are not necessarily leaching tests.

The test procedure specified in this document belongs to category (a): basic characterization tests.

In the test described in this standard an equilibrium condition is established as a result of continuous adjustment of pH. Size reduction is performed to accelerate reaching of equilibrium condition.

This test is different from the "Influence of pH on leaching with initial acid/base addition " (see CEN/TS 14429) in which the pH is controlled by addition of pre-determined amounts of acid or base to reach desired end pH values. The test is aiming at approaching equilibrium at the end of the procedure.

NOTE In Annex B specific uses of both the pH dependence test with initial acid/ base addition and the pH dependence test with continuous pH control are indicated.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-