



National Standards Authority of Ireland

STANDARD RECOMMENDATION

I.S. CLC/TS 50502:2007

ICS 45.060.01

**RAILWAY APPLICATIONS - ROLLING
STOCK - ELECTRIC EQUIPMENT IN
TROLLEY BUSES - SAFETY
REQUIREMENTS AND CONNECTION
SYSTEMS**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.n sai.ie>

Sales

<http://www.standards.ie>

*This Standard
Recommendation was
published under the authority
of the National Standards
Authority of Ireland and
comes into effect on:
25 September 2007*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
.....**

© NSAI 2007

Price Code M

Údarás um Chaighdeáin Náisiúnta na hÉireann

TECHNICAL SPECIFICATION

CLC/TS 50502

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

August 2007

ICS 45.060.01

English version

**Railway applications -
Rolling stock -
Electric equipment in trolley buses -
Safety requirements and connection systems**

Applications ferroviaires -
Matériel roulant -
Équipement électrique des trolleybus -
Exigences de sécurité
et systèmes de connexion

Bahnanwendungen -
Fahrzeuge -
Elektrische Ausrüstung in O-Bussen -
Sicherheitsanforderungen
und Verbindungssysteme

This Technical Specification was approved by CENELEC on 2007-04-20.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This Technical Specification was prepared by SC 9XB, Electromechanical material on board rolling stock, of Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to vote in accordance with the Internal Regulations, Part 2, Subclause 11.3.3.3 and was approved by CENELEC as CLC/TS 50502 on 2007-04-20.

The following date was fixed:

- latest date by which the existence of the CLC/TS
has to be announced at national level (doa) 2007-10-20

Contents

1	General	5
1.1	Scope	5
1.2	Normative references	5
1.3	Definitions.....	6
1.4	Voltages	8
1.5	Classification of the voltage bands	8
2	Trolley bus construction.....	9
2.1	Protection and electrical safety criteria	9
2.2	Electrical components in band III voltage (high voltage).....	10
2.3	Electric traction equipment.....	11
2.4	Emergency running equipment (independent from OHL)	12
2.5	Electrical components in band II voltage (medium voltage)	12
2.6	Electrical components in band I voltage (low voltage)	13
3	Checks and tests.....	13
3.1	General.....	13
3.2	New trolley vehicles.....	14
3.3	Overhauled trolley vehicles	20
3.4	On-duty trolley vehicles (periodical checks)	20
3.5	Leakage detectors	21
Annex A (normative) Constructional detailed provisions.....		24
A.1	General.....	24
A.2	Attachment of the connection system.....	24
A.3	Insulations	24
A.4	Ventilation.....	24
A.5	Accessibility	24
A.6	Location of the main breaker	24
A.7	Income and outlet points of cables	24
A.8	Cabling	24
A.9	Test terminal board.....	25
A.10	Pre-alarm leakage detecting device	25
A.11	Equipment connected to different voltage band circuits.....	25
A.12	Segregation of band III circuits.....	25
A.13	Batteries	25
Annex B (normative) Trolley buses – Connection system to overhead contact lines.....		26
B.1	Scope	26
B.2	General characteristics	26
B.3	Marking.....	35
B.4	Checks and tests.....	36
B.5	Inspections	41
B.6	Electromagnetic compatibility	41
Annex C (normative) Constructional hints for connection systems.....		42
C.1	General.....	42
C.2	Material of the rods.....	42
C.3	Current connections	42
C.4	Joints.....	42
C.5	Cable insulation.....	42
C.6	Abnormal line height.....	42
Bibliography		43

Figure 1 – Test circuits	15
Figure 2 – Megaohmmeter connection	18
Figure 3 – Megaohmmeter connection	19
Figure 4 – Typical efficiency verification criteria for the leakage detector	22
Figure B.1 – General characteristics of a typical trolley	26
Figure B.2 – Preferred excursion of trolley poles versus distances of contact lines to ground	27
Figure B.3 – Example of coupling of rod with this head and underbase.....	29
Figure B.4 – Typical trolley	30
Figure B.5 – Typical slipper.....	31
Figure B.6 – Devices (if any) for recovering and excursion limiting of rod ropes position, overall dimensions and signalling.....	34
Figure B.7 – Composition of forces when handling rope is adopted	39
Figure B.8 – Scheme of the verification of the slipping off of the current collector head	40
Table 1 – Voltage bands for trolley buses	8
Table 2 – Test voltages U_a based on rated insulation voltage U_{Nm}	16
Table 3 – Calibration of the insulation resistance	22
Table 4 – Summary of electric tests.....	23
Table B.1 – Summary of tests and checks	36

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-