



National Standards Authority of Ireland

IRISH STANDARD

I.S. CEN/TS 15531-3:2007

ICS 35.240.60

**PUBLIC TRANSPORT - SERVICE INTERFACE
FOR REAL-TIME INFORMATION RELATING
TO PUBLIC TRANSPORT OPERATIONS -
PART 3: FUNCTIONAL SERVICE INTERFACES**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the authority
of the National Standards
Authority of Ireland and
comes into effect on:
3 August 2007*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2007

Price Code AC

Údarás um Chaighdeán Náisiúnta na hÉireann

This page is intentionally left BLANK.

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 15531-3

July 2007

ICS 35.240.60

English Version

**Public transport - Service interface for real-time information
relating to public transport operations - Part 3: Functional
service interfaces**

Öffentlicher Verkehr - Dienstleistungsschnittstelle für
zeitnahe Informationen zum Betrieb des öffentlichen
Verkehrs - Teil 3: Funktionale Dienstleistungsschnittstellen

This Technical Specification (CEN/TS) was approved by CEN on 23 October 2006 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	6
Introduction	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	8
4 Symbols and abbreviations	9
5 Production Timetable Service [PT]	9
5.1 Purpose.....	9
5.2 Capability and Permission Matrices	9
5.2.1 Capability Matrix	9
5.2.2 Permission Matrix	10
5.3 ProductionTimetableRequest.....	10
5.3.1 ProductionTimetableRequest Definition	10
5.3.2 ProductionTimetableRequest Example	11
5.4 ProductionTimetableSubscriptionRequest.....	12
5.4.1 ProductionTimetableSubscriptionRequest Definition	12
5.4.2 ProductionTimetableSubscriptionRequest Example	12
5.5 ProductionTimetableDelivery	13
5.5.1 General.....	13
5.5.2 ServiceDelivery with a ProductionTimetableDelivery.....	13
5.5.3 ProductionTimetableDelivery Element.....	13
5.5.4 DatedTimetableVersionFrame Element.....	13
5.5.5 ProductionTimetableDelivery Example	17
5.5.6 Efficient Delivery of Large Timetables	20
6 Estimated Timetable Service [ET]	20
6.1 Purpose.....	20
6.2 Capability and Permission Matrices	20
6.2.1 Capability Matrix	20
6.2.2 Permission Matrix	21
6.3 EstimatedTimetableRequest.....	22
6.3.1 EstimatedTimetableRequest Definition	22
6.3.2 EstimatedTimetableRequest Example.....	23
6.4 EstimatedTimetableSubscriptionRequest	24
6.4.1 EstimatedTimetableSubscriptionRequest Definition.....	24
6.4.2 EstimatedTimetableSubscriptionRequest Example.....	24
6.5 The EstimatedTimetableDelivery	25
6.5.1 General.....	25
6.5.2 ServiceDelivery with a EstimatedTimetableDelivery.....	25
6.5.3 EstimatedTimetableDelivery Element.....	25
6.5.4 EstimatedTimetableVersionFrame Element.....	25
6.5.5 EstimatedVehicleJourney Element	26
6.5.6 EstimatedTimetableDelivery Example	29
6.6 Handling of Predictions in the Estimated Timetable Service.....	31
6.6.1 Supplementary Rule for the Delay Profile	31
6.6.2 Other Supplementary Rules	32
6.6.3 Quality of Prognoses and Prediction Windows.....	32
6.6.4 Reporting Rules and Monitored Journeys	33
6.6.5 Temporal Reporting Behaviour – Sensitivity Threshold	34

6.6.6	Prediction Inaccurate – In Congestion	35
6.6.7	Unexpected Termination of Monitoring	35
6.7	General Rules and Definitions for Timetable Data	36
6.7.1	General	36
6.7.2	Cancelled Vehicle Journeys	36
6.7.3	Additional Vehicle Journeys	36
6.7.4	Changes to Journeys & Routings	37
6.7.5	Changes to Call Attributes	37
6.7.6	Planned Connections and “Stay Seated” Connections	37
6.7.7	Handling Train Data	37
7	Stop Timetable Service [ST]	38
7.1	Purpose	38
7.2	Reference Data	38
7.3	Capability and Permission Matrices	38
7.3.1	Capability Matrix	38
7.3.2	Permission Matrix	39
7.4	StopTimetableRequest	40
7.4.1	StopTimetableRequest Definition	40
7.4.2	StopTimetableRequest Example	40
7.5	StopTimetableSubscriptionRequest	41
7.5.1	StopTimetableSubscriptionRequest Definition	41
7.5.2	StopTimetableSubscriptionRequest Example	41
7.6	StopTimetableDelivery	41
7.6.1	General	41
7.6.2	ServiceDelivery with a StopTimetableDelivery	42
7.6.3	StopTimetableDelivery Element	42
7.6.4	TimetabledStopVisit Element	42
7.6.5	TargetedVehicleJourney Element	43
7.6.6	TargetedCall Element	43
7.6.7	TimetabledStopVisitCancellation Element	44
7.6.8	StopTimetableDelivery Example	44
7.6.9	TargetedVehicleJourneyAsFlatGroup Element	45
8	Stop Monitoring Service [SM]	46
8.1	Purpose	46
8.2	Reference Data	46
8.2.1	General	46
8.2.2	Content Referencing	46
8.2.3	Direct Cleardown	46
8.3	Capability and Permission Matrices	47
8.3.1	Capability Matrix	47
8.3.2	Permission Matrix	48
8.4	StopMonitoringRequest	49
8.4.1	StopMonitoringRequest Definition	49
8.4.2	Use of PreviewInterval	50
8.4.3	StopMonitoringRequest Detail Levels	50
8.4.4	Use of Maximum and Minimum Number of Trips	50
8.4.5	StopMonitoringRequest Example	51
8.5	StopMonitoringSubscriptionRequest	52
8.5.1	StopMonitoringSubscriptionRequest Definition	52
8.5.2	Sensitivity Threshold	52
8.5.3	StopMonitoringSubscriptionRequest Example	53
8.6	StopMonitoringDelivery	54
8.6.1	General	54
8.6.2	ServiceDelivery with a StopMonitoringDelivery	54
8.6.3	StopMonitoringDelivery Element	54
8.6.4	MonitoredStopVisit Element	55
8.6.5	MonitoredStopVisitCancellation Element	61
8.6.6	StopLineNotice Element	62

CEN/TS 15531-3:2007 (E)

8.6.7	StopLineNoticeCancellation Element.....	63
8.6.8	MonitoredStopVisit with MonitoredVehicleJourneyAsGroup Element.....	63
8.6.9	StopMonitoringDelivery Examples	64
8.7	Using the Stop Timetable & Stop Monitoring services together	72
9	Vehicle Monitoring Service [VM]	72
9.1	Purpose.....	72
9.2	Reference Data.....	72
9.3	Capability and Permission Matrices	72
9.3.1	Capability Matrix	72
9.3.2	Permission Matrix	74
9.4	VehicleMonitoringRequest	74
9.4.1	VehicleMonitoringRequest Definition.....	74
9.4.2	VehicleMonitoringDetailLevel.....	75
9.4.3	VehicleMonitoringRequest Example.....	75
9.5	VehicleMonitoringSubscriptionRequest	76
9.5.1	VehicleMonitoringSubscriptionRequest Definition.....	76
9.5.2	Sensitivity Threshold	77
9.5.3	VehicleMonitoringSubscriptionRequest Example	77
9.6	VehicleMonitoringDelivery.....	78
9.6.1	General.....	78
9.6.2	ServiceDelivery with a VehicleMonitoringDelivery	78
9.6.3	VehicleMonitoringDelivery Element.....	78
9.6.4	VehicleActivity Element	79
9.6.5	VehicleActivityCancellation Element.....	83
9.6.6	VehicleActivity with MonitoredVehicleJourneyAsGroup Element	84
9.6.7	VehicleMonitoringDelivery Examples.....	84
10	Connection Timetable Data Service [CT]	89
10.1	Purpose.....	89
10.2	Reference Data.....	90
10.2.1	Content referencing.....	90
10.2.2	Availability of Data.....	91
10.2.3	Updating During the Course of a Journey	92
10.3	Capability and Permission Matrices	92
10.3.1	Capability Matrix	92
10.3.2	Permission Matrix	93
10.4	ConnectionTimetableRequest.....	94
10.4.1	ConnectionTimetableRequest Definition	94
10.4.2	ConnectionTimetableRequest Example	95
10.5	ConnectionTimetableSubscriptionRequest.....	95
10.5.1	ConnectionTimetableSubscriptionRequest Definition	95
10.5.2	ConnectionTimetableSubscriptionRequest Example	95
10.6	ConnectionTimetableDelivery	96
10.6.1	General.....	96
10.6.2	ServiceDelivery with a ConnectionTimetableDelivery	96
10.6.3	ConnectionTimetableDelivery Element	96
10.6.4	TimetabledFeederArrival with InterchangeJourneyAsFlatGroup Element.....	99
10.6.5	ConnectionTimetableDelivery Example	100
11	Connection Monitoring Service [CM].....	102
11.1	Purpose.....	102
11.1.1	General.....	102
11.1.2	Dated Vehicle-Journey-Based Connection Protection	102
11.1.3	Time-Based Connection Protection	103
11.2	Capability and Permission Matrices	103
11.2.1	Capability Matrix	103
11.2.2	Permission Matrix	104
11.3	The ConnectionMonitoringRequest.....	104
11.3.1	ConnectionMonitoringRequest Definition	104
11.3.2	Use of PreviewInterval	105

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- Looking for additional Standards? Visit Intertek Inform Infostore
 - Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation
-