



National Standards Authority of Ireland

IRISH STANDARD

**I.S. CEN/TS 15531-3:2007**

ICS 35.240.60

**PUBLIC TRANSPORT - SERVICE INTERFACE  
FOR REAL-TIME INFORMATION RELATING  
TO PUBLIC TRANSPORT OPERATIONS -  
PART 3: FUNCTIONAL SERVICE INTERFACES**

National Standards  
Authority of Ireland  
Glasnevin, Dublin 9  
Ireland

Tel: +353 1 807 3800  
Fax: +353 1 807 3838  
<http://www.nsai.ie>

**Sales**  
<http://www.standards.ie>

*This Irish Standard was  
published under the authority  
of the National Standards  
Authority of Ireland and  
comes into effect on:  
3 August 2007*

**NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW**

© NSAI 2007

**Price Code AC**

Údarás um Chaighdeán Náisiúnta na hÉireann

*This page is intentionally left BLANK.*

TECHNICAL SPECIFICATION  
SPÉCIFICATION TECHNIQUE  
TECHNISCHE SPEZIFIKATION

**CEN/TS 15531-3**

July 2007

ICS 35.240.60

English Version

**Public transport - Service interface for real-time information  
relating to public transport operations - Part 3: Functional  
service interfaces**

Öffentlicher Verkehr - Dienstleistungsschnittstelle für  
zeitnahe Informationen zum Betrieb des öffentlichen  
Verkehrs - Teil 3: Funktionale Dienstleistungsschnittstellen

This Technical Specification (CEN/TS) was approved by CEN on 23 October 2006 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

# Contents

Page

Foreword.....	6
Introduction .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 Symbols and abbreviations .....	9
5 Production Timetable Service [PT] .....	9
5.1 Purpose.....	9
5.2 Capability and Permission Matrices .....	9
5.2.1 Capability Matrix .....	9
5.2.2 Permission Matrix.....	10
5.3 ProductionTimetableRequest.....	10
5.3.1 ProductionTimetableRequest Definition .....	10
5.3.2 ProductionTimetableRequest Example .....	11
5.4 ProductionTimetableSubscriptionRequest.....	12
5.4.1 ProductionTimetableSubscriptionRequest Definition .....	12
5.4.2 ProductionTimetableSubscriptionRequest Example .....	12
5.5 ProductionTimetableDelivery .....	13
5.5.1 General.....	13
5.5.2 ServiceDelivery with a ProductionTimetableDelivery.....	13
5.5.3 ProductionTimetableDelivery Element.....	13
5.5.4 DatedTimetableVersionFrame Element.....	13
5.5.5 ProductionTimetableDelivery Example .....	17
5.5.6 Efficient Delivery of Large Timetables .....	20
6 Estimated Timetable Service [ET] .....	20
6.1 Purpose.....	20
6.2 Capability and Permission Matrices .....	20
6.2.1 Capability Matrix .....	20
6.2.2 Permission Matrix.....	21
6.3 EstimatedTimetableRequest.....	22
6.3.1 EstimatedTimetableRequest Definition .....	22
6.3.2 EstimatedTimetableRequest Example.....	23
6.4 EstimatedTimetableSubscriptionRequest .....	24
6.4.1 EstimatedTimetableSubscriptionRequest Definition.....	24
6.4.2 EstimatedTimetableSubscriptionRequest Example.....	24
6.5 The EstimatedTimetableDelivery .....	25
6.5.1 General.....	25
6.5.2 ServiceDelivery with a EstimatedTimetableDelivery.....	25
6.5.3 EstimatedTimetableDelivery Element.....	25
6.5.4 EstimatedTimetableVersionFrame Element.....	25
6.5.5 EstimatedVehicleJourney Element .....	26
6.5.6 EstimatedTimetableDelivery Example .....	29
6.6 Handling of Predictions in the Estimated Timetable Service.....	31
6.6.1 Supplementary Rule for the Delay Profile .....	31
6.6.2 Other Supplementary Rules .....	32
6.6.3 Quality of Prognoses and Prediction Windows.....	32
6.6.4 Reporting Rules and Monitored Journeys .....	33
6.6.5 Temporal Reporting Behaviour – Sensitivity Threshold .....	34

6.6.6	Prediction Inaccurate – In Congestion .....	35
6.6.7	Unexpected Termination of Monitoring .....	35
6.7	General Rules and Definitions for Timetable Data.....	36
6.7.1	General .....	36
6.7.2	Cancelled Vehicle Journeys .....	36
6.7.3	Additional Vehicle Journeys .....	36
6.7.4	Changes to Journeys & Routings.....	37
6.7.5	Changes to Call Attributes .....	37
6.7.6	Planned Connections and “Stay Seated” Connections .....	37
6.7.7	Handling Train Data.....	37
7	Stop Timetable Service [ST] .....	38
7.1	Purpose .....	38
7.2	Reference Data .....	38
7.3	Capability and Permission Matrices.....	38
7.3.1	Capability Matrix.....	38
7.3.2	Permission Matrix.....	39
7.4	StopTimetableRequest.....	40
7.4.1	StopTimetableRequest Definition .....	40
7.4.2	StopTimetableRequest Example.....	40
7.5	StopTimetableSubscriptionRequest .....	41
7.5.1	StopTimetableSubscriptionRequest Definition.....	41
7.5.2	StopTimetableSubscriptionRequest Example .....	41
7.6	StopTimetableDelivery .....	41
7.6.1	General .....	41
7.6.2	ServiceDelivery with a StopTimetableDelivery .....	42
7.6.3	StopTimetableDelivery Element.....	42
7.6.4	TimetabledStopVisit Element .....	42
7.6.5	TargetedVehicleJourney Element.....	43
7.6.6	TargetedCall Element.....	43
7.6.7	TimetabledStopVisitCancellation Element .....	44
7.6.8	StopTimetableDelivery Example .....	44
7.6.9	TargetedVehicleJourneyAsFlatGroup Element.....	45
8	Stop Monitoring Service [SM] .....	46
8.1	Purpose .....	46
8.2	Reference Data .....	46
8.2.1	General .....	46
8.2.2	Content Referencing .....	46
8.2.3	Direct Cleardown .....	46
8.3	Capability and Permission Matrices.....	47
8.3.1	Capability Matrix.....	47
8.3.2	Permission Matrix.....	48
8.4	StopMonitoringRequest.....	49
8.4.1	StopMonitoringRequest Definition .....	49
8.4.2	Use of PreviewInterval .....	50
8.4.3	StopMonitoringRequest Detail Levels.....	50
8.4.4	Use of Maximum and Minimum Number of Trips.....	50
8.4.5	StopMonitoringRequest Example .....	51
8.5	StopMonitoringSubscriptionRequest.....	52
8.5.1	StopMonitoringSubscriptionRequest Definition .....	52
8.5.2	Sensitivity Threshold .....	52
8.5.3	StopMonitoringSubscriptionRequest Example.....	53
8.6	StopMonitoringDelivery .....	54
8.6.1	General .....	54
8.6.2	ServiceDelivery with a StopMonitoringDelivery.....	54
8.6.3	StopMonitoringDelivery Element.....	54
8.6.4	MonitoredStopVisit Element.....	55
8.6.5	MonitoredStopVisitCancellation Element.....	61
8.6.6	StopLineNotice Element .....	62

**CEN/TS 15531-3:2007 (E)**

8.6.7	StopLineNoticeCancellation Element.....	63
8.6.8	MonitoredStopVisit with MonitoredVehicleJourneyAsGroup Element.....	63
8.6.9	StopMonitoringDelivery Examples .....	64
8.7	Using the Stop Timetable & Stop Monitoring services together .....	72
9	Vehicle Monitoring Service [VM] .....	72
9.1	Purpose.....	72
9.2	Reference Data.....	72
9.3	Capability and Permission Matrices .....	72
9.3.1	Capability Matrix .....	72
9.3.2	Permission Matrix.....	74
9.4	VehicleMonitoringRequest .....	74
9.4.1	VehicleMonitoringRequest Definition.....	74
9.4.2	VehicleMonitoringDetailLevel.....	75
9.4.3	VehicleMonitoringRequest Example.....	75
9.5	VehicleMonitoringSubscriptionRequest .....	76
9.5.1	VehicleMonitoringSubscriptionRequest Definition.....	76
9.5.2	Sensitivity Threshold .....	77
9.5.3	VehicleMonitoringSubscriptionRequest Example .....	77
9.6	VehicleMonitoringDelivery.....	78
9.6.1	General.....	78
9.6.2	ServiceDelivery with a VehicleMonitoringDelivery .....	78
9.6.3	VehicleMonitoringDelivery Element.....	78
9.6.4	VehicleActivity Element .....	79
9.6.5	VehicleActivityCancellation Element.....	83
9.6.6	VehicleActivity with MonitoredVehicleJourneyAsGroup Element .....	84
9.6.7	VehicleMonitoringDelivery Examples.....	84
10	Connection Timetable Data Service [CT] .....	89
10.1	Purpose.....	89
10.2	Reference Data.....	90
10.2.1	Content referencing.....	90
10.2.2	Availability of Data.....	91
10.2.3	Updating During the Course of a Journey .....	92
10.3	Capability and Permission Matrices .....	92
10.3.1	Capability Matrix .....	92
10.3.2	Permission Matrix.....	93
10.4	ConnectionTimetableRequest.....	94
10.4.1	ConnectionTimetableRequest Definition .....	94
10.4.2	ConnectionTimetableRequest Example .....	95
10.5	ConnectionTimetableSubscriptionRequest.....	95
10.5.1	ConnectionTimetableSubscriptionRequest Definition .....	95
10.5.2	ConnectionTimetableSubscriptionRequest Example .....	95
10.6	ConnectionTimetableDelivery .....	96
10.6.1	General.....	96
10.6.2	ServiceDelivery with a ConnectionTimetableDelivery .....	96
10.6.3	ConnectionTimetableDelivery Element .....	96
10.6.4	TimetabledFeederArrival with InterchangeJourneyAsFlatGroup Element.....	99
10.6.5	ConnectionTimetableDelivery Example .....	100
11	Connection Monitoring Service [CM].....	102
11.1	Purpose.....	102
11.1.1	General.....	102
11.1.2	Dated Vehicle-Journey-Based Connection Protection .....	102
11.1.3	Time-Based Connection Protection .....	103
11.2	Capability and Permission Matrices .....	103
11.2.1	Capability Matrix .....	103
11.2.2	Permission Matrix.....	104
11.3	The ConnectionMonitoringRequest.....	104
11.3.1	ConnectionMonitoringRequest Definition .....	104
11.3.2	Use of PreviewInterval .....	105

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-