



National Standards Authority of Ireland

IRISH STANDARD

I.S. CEN/TS 15590:2007

ICS 75.160.10

**SOLID RECOVERED FUELS -
DETERMINATION OF POTENTIAL RATE OF
MICROBIAL SELF HEATING USING THE REAL
DYNAMIC RESPIRATION INDEX**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the authority
of the National Standards
Authority of Ireland and
comes into effect on:
28 May 2007*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2007

Price Code F

Údarás um Chaighdeáin Náisiúnta na hÉireann

TECHNICAL SPECIFICATION
SPÉCIFICATION TECHNIQUE
TECHNISCHE SPEZIFIKATION

CEN/TS 15590

March 2007

ICS 75.160.10

English Version

**Solid recovered fuels - Determination of potential rate of
microbial self heating using the real dynamic respiration index**

Combustibles solides de récupération - Détermination du
taux d'activité microbienne utilisant l'index de respiration
dynamique

Feste Sekundärbrennstoffe - Bestimmung des potenziellen
Grades der mikrobiellen Selbstererhitzung mittels des
realen dynamischen Respirationsindex

This Technical Specification (CEN/TS) was approved by CEN on 1 January 2007 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents		Page
Foreword.....		3
Introduction		4
1	Scope	5
2	Normative references	5
3	Terms and definitions	5
4	Symbols and abbreviations	6
5	Principle.....	6
6	Apparatus	6
7	Procedure	8
8	Calculation of the RDRI results	8
9	Test reports	9
Annex A (informative) RDRI trend.....		11
Annex B (normative) RDRI interpretation		13
Bibliography		14

Foreword

This document (CEN/TS 15590:2007) has been prepared by Technical Committee CEN/TC 343 “Solid Recovered Fuels”, the secretariat of which is held by SFS.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CEN/TS 15590:2007 (E)

Introduction

This document specifies the method used for determining the current rate of potential microbial self-heating of SRF using the real dynamic respiration index.

Spontaneous combustion can occur when SRF from municipal solid waste or biomasses are stored and/or transported. The microbial activity, because of aerobic degradation of easily degradable organic matter, acts as a primer causing the waste temperature to increase until autoxidation and the self-combustion processes takes place.

The potential self-heating of SRF can be indirectly measured by the real dynamic respiration index (RDRI), which determines the extent to which easily biodegradable organic matter of a SRF has decomposed. Therefore, the RDRI identifies the actual point reached in the decomposition process and represents a gradation on a recognized scale of values, which thus enables a comparison of potential self-heating.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-