



National Standards Authority of Ireland

IRISH STANDARD

I.S. EN 2882:2006

ICS 49.030.30

**AEROSPACE SERIES - NUTS, HEXAGONAL,  
SELF-LOCKING, WITH COUNTERBORE AND  
CAPTIVE WASHER, IN STEEL, CADMIUM  
PLATED, MOS2 LUBRICATED -  
CLASSIFICATION: 1 100 MPA (AT AMBIENT  
TEMPERATURE) / 235 °C**

National Standards  
Authority of Ireland  
Glasnevin, Dublin 9  
Ireland

Tel: +353 1 807 3800  
Fax: +353 1 807 3838  
<http://www.nsai.ie>

**Sales**  
<http://www.standards.ie>

*This Irish Standard was  
published under the  
authority of the National  
Standards Authority of  
Ireland and comes into  
effect on:*

*15 September 2006*

**NO COPYING WITHOUT NSAI  
PERMISSION EXCEPT AS  
PERMITTED BY COPYRIGHT  
LAW**

© NSAI 2006

**Price Code E**

Údarás um Chaighdeáin Náisiúnta na hÉireann



EUROPEAN STANDARD

**EN 2882**

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2006

ICS 49.030.30

English Version

**Aerospace series - Nuts, hexagonal, self-locking, with counterbore and captive washer, in steel, cadmium plated, MoS2 lubricated - Classification: 1 100 MPa (at ambient temperature) / 235 °C**

Série aérospatiale - Ecrous hexagonaux, à freinage interne, avec chambrage et rondelle captive, en acier, cadmiés, lubrifiés MoS2 - Classification : 1 100 MPa (à température ambiante) / 235 °C

Luft-und Raumfahrt - Sechskantmuttern, selbstsichernd, mit Aussenkung und Bördelscheibe, aus Stahl, verkadmet, MoS2 geschmiert - Klasse: 1 100 MPa (bei Raumtemperatur) / 235 °C

This European Standard was approved by CEN on 20 April 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: rue de Stassart, 36 B-1050 Brussels**

## **Contents**

Page

<b>Foreword</b> .....	<b>3</b>
<b>1 Scope</b> .....	<b>4</b>
<b>2 Normative references</b> .....	<b>4</b>
<b>3 Required characteristics</b> .....	<b>5</b>
<b>4 Designation</b> .....	<b>7</b>
<b>5 Marking</b> .....	<b>7</b>
<b>6 Technical specification</b> .....	<b>7</b>

## **Foreword**

This European Standard (EN 2882:2006) has been prepared by the European Association of Aerospace Manufacturers - Standardization (AECMA-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of AECMA, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2007, and conflicting national standards shall be withdrawn at the latest by January 2007.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

## EN 2882:2006 (E)

### 1 Scope

This standard specifies characteristics for hexagon nuts, with counterbore and captive washer, with a self-locking feature achieved by forming the upper portion out-of-round, in steel, cadmium plated, MoS<sub>2</sub> lubricated, classification 1 100 MPa <sup>1)</sup> / 235 °C <sup>2)</sup>

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5855-2, *Aerospace — MJ threads — Part 2: Limit dimensions for bolts and nuts.*

ISO 5858, *Aerospace — Nuts, self-locking, with maximum operating temperature less than or equal to 425 °C — Procurement specification.*

ISO 8538, *Aerospace — Nuts, hexagonal, self-locking, with counterbore and captive washer, with MJ threads, classifications: 1 100 MPa (at ambient temperature)/235 °C, 1 100 MPa (at ambient temperature)/315 °C and 1 100 MPa (at ambient temperature)/425 °C — Dimensions.*

ISO 8788, *Aerospace — Nuts, metric — Tolerances of form and position.*

EN 2133, *Aerospace series — Cadmium plating of steels with specified tensile strength  $\leq 1\,450$  MPa, copper, copper alloys and nickel alloys.*

EN 2424, *Aerospace series — Marking of aerospace products.*

EN 2491, *Aerospace series — Molybdenum disulphide dry lubricants — Coating methods.*

EN 2543, *Aerospace series — Steel FE-PL43S — Annealed — Sheet and strip —  $0,3 \leq a \leq 2$  mm — for prevailing torque nuts.* <sup>3)</sup>

EN 3329, *Aerospace series — Steel FE-PL45 — Annealed — Sheet and strip —  $0,3 \leq a \leq 2$  mm — for prevailing torque nuts.* <sup>3)</sup>

EN 3330, *Aerospace series — Steel FE-PL45 — Annealed — Bar and wire —  $De \leq 40$  mm — for prevailing torque nuts.* <sup>3)</sup>

EN 9100, *Aerospace series — Quality management systems — Requirements (based on ISO 9001:2000) and Quality systems — Model for quality assurance in design, development, production, installation and servicing (based on ISO 9001:1994).*

EN 9133, *Aerospace series — Quality management systems — Qualification Procedure for aerospace standard parts.*

---

1) Corresponds to strength class of the associated bolt, the 100 per cent load of which it is able to withstand, when tested at ambient temperature, without breaking or cracking.

2) Maximum temperature that the nut is able to withstand, without permanent alteration of its original characteristics, after ambient temperature has been restored. The maximum temperature is conditioned by the cadmium plating.

3) Published as ASD Prestandard at the date of publication of this standard.

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

- 
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
  - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-