



National Standards Authority of Ireland

IRISH STANDARD

I.S. CLC/TS 50459-2:2005

ICS 03.220.30
13.180
35.240.60

**RAILWAY APPLICATIONS -
COMMUNICATION, SIGNALLING AND
PROCESSING SYSTEMS - EUROPEAN RAIL
TRAFFIC MANAGEMENT SYSTEM -
DRIVER-MACHINE INTERFACE -- PART 2:
ERGONOMIC ARRANGEMENTS OF
ERTMS/ETCS INFORMATION**

National Standards
Authority of Ireland
Glasnevin, Dublin 9
Ireland

Tel: +353 1 807 3800
Fax: +353 1 807 3838
<http://www.nsai.ie>

Sales
<http://www.standards.ie>

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland and comes into
effect on:
September 30, 2005*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2005

Price Code V

Údarás um Chaighdeáin Náisiúnta na hÉireann

TECHNICAL SPECIFICATION

CLC/TS 50459-2

SPECIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

September 2005

ICS 03.220.30; 13.180; 35.240.60

English version

**Railway applications –
Communication, signalling and processing systems –
European Rail Traffic Management System –
Driver-Machine Interface
Part 2: Ergonomic arrangements of ERTMS/ETCS information**

Applications ferroviaires –
Systèmes de signalisation, de
télécommunications et de traitement –
Système européen de gestion du trafic
ferroviaire –
Interface de conduite
Partie 2: Aménagement ergonomique
des informations ERTMS/ETCS

Bahnanwendungen –
Telekommunikationstechnik, Signal-
technik und Datenverarbeitungssysteme –
Europäisches Leitsystem für den
Schienenverkehr –
Mensch-Maschine Schnittstelle
Teil 2: Ergonomische Anordnung
der ERTMS/ETCS Informationen

This Technical Specification was approved by CENELEC on 2005-05-07.

CENELEC members are required to announce the existence of this TS in the same way as for an EN and to make the TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: rue de Stassart 35, B - 1050 Brussels

Foreword

This Technical Specification was prepared by SC 9XA, Communication, signalling and processing systems, of Technical Committee CENELEC TC 9X, Electrical and electronic applications for railways.

The text of the draft was submitted to the vote and was approved by CENELEC as CLC/TS 50459-2 on 2005-05-07.

The following date was fixed:

- latest date by which the existence of the CLC/TS
has to be announced at national level (doa) 2005-11-07

This Technical Specification has been prepared under mandates M/024 and M/334 given to CENELEC by the European Commission and the European Free Trade Association.

Contents

	Page
Introduction	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Symbols and abbreviations	8
5 Characteristics of the screen layout	10
5.1 Presentation philosophy	10
5.1.1 Area description.....	10
5.1.2 The use of areas.....	11
5.1.3 Examples of screen management.....	12
5.2 Colour and sound philosophy	12
5.2.1 Ceiling speed monitoring (CSM)	13
5.2.2 Target speed monitoring (TSM)	15
5.2.3 Release speed monitoring (RSM)	17
5.2.4 Other supervisions or protections.....	17
6 ERTMS/ETCS driving information shown on the DMI.....	17
6.1 Principles	17
6.2 Speed and Supervision information	18
6.2.1 Speed Information	19
6.2.2 Brake Information	31
6.2.3 Supplementary Driving Information	41
6.3 Planning Information.....	52
6.3.1 General description	53
6.3.2 Distance scale	53
6.3.3 Orders and announcements	55
6.3.4 Gradient profile	56
6.3.5 Speed profile related information	56
6.3.6 Most restricted speed profile (MRSP)	58
6.3.7 Indication starting point.....	60
6.3.8 Train position and geographical location.....	61
6.3.9 Show and hide Planning area	62
6.3.10 Second layer information.....	62
6.4 Monitoring Information.....	63
6.4.1 TIU monitoring	63
6.4.2 STM monitoring	64
6.4.3 GSM-R monitoring.....	65
6.4.4 Actual time	66
6.4.5 Prompt information for the driver.....	66
6.4.6 Train running number	67
6.5 Driver menu selection.....	67
6.5.1 Main menu.....	67
6.5.2 Mode menu.....	68
6.5.3 Override menu.....	69
6.5.4 Data menu	69
6.5.5 Special menu.....	70
Annex A (normative) Conditions for display and colour philosophy.....	72
Annex B (informative) Example of area and screen dimensions when using a touch device.....	73
Annex C (informative) Example of area and screen dimensions when using soft keys	74
Annex D (informative) Other example of area and screen dimensions when using soft keys.....	75

Annex E (informative) DMI example with only necessary information and with soft keys and hard keys	76
Annex F (informative) Other DMI example with soft keys and hard keys	77
Bibliography	78
Figure 1 — The main areas of the DMI	10
Figure 2 — The sub areas of the DMI	10
Figure 3 — The use of areas of the DMI	11
Figure 4 — Colour philosophy and DMI brake monitoring	14
Figure 5 — Speed and supervision areas	18
Figure 6 — Overview of the main elements in the speed and supervision areas	18
Figure 7 — Screen location of the speed dial	19
Figure 8 — 400 km/h indication for the DMI	19
Figure 9 — 250 km/h indication for the DMI	19
Figure 10 — Screen location for the current train speed pointer	20
Figure 11 — Size of the current train speed pointer	21
Figure 12 — Current train speed pointer	21
Figure 13 — Screen location for the current train speed digital	22
Figure 14 — Current train speed digital	23
Figure 15 — Screen location of the Circular Speed Gauge (CSG)	23
Figure 16 — Size of the Circular Speed Gauge (CSG); all dimensions in cells	24
Figure 17 — Circular Speed Gauge (CSG), when the Pre-indication Status is active	24
Figure 18 — Circular Speed Gauge (CSG), when the Over-speed Status is active	24
Figure 19 — Screen location of the maximum supervised speed indication	25
Figure 20 — Maximum supervised speed indication	26
Figure 21 — Screen location of the Set speed indication	27
Figure 22 — Set speed indication at V_{perm}	27
Figure 23 — Set speed indication at V_{target}	27
Figure 24 — Screen location of the Release speed	28
Figure 25 — Release speed, when $V_{perm} > V_{release}$;	28
Figure 26 — Release speed, when $V_{perm} < V_{release}$;	28
Figure 27 — Screen location for advice speed	29
Figure 28 — Advice speed	30
Figure 29 — Screen location for distance to target	31
Figure 30 — Distance to target	31
Figure 31 — Screen location for warning time to intervention	32
Figure 32 — Warning time to intervention	33
Figure 33 — Screen location for predicted distance to standstill location	34
Figure 34 — Predicted distance to standstill location	35
Figure 35 — Predicted distance to standstill location	35
Figure 36 — Screen location for predicted speed at target	36
Figure 37 — Predicted speed at target	36
Figure 38 — Screen location for brake intervention symbol	38
Figure 39 — Brake intervention	38
Figure 40 — Screen location for passenger emergency intervention	39
Figure 41 — Screen location for braking train symbol	40
Figure 42 — Braking train	40
Figure 43 — Screen location for mode information (active and acknowledgment)	41
Figure 44 — Mode information	42
Figure 45 — Screen location for level information	42
Figure 46 — Level information	43
Figure 47 — Acknowledgement of a transition	44
Figure 48 — Screen location for text messages	44
Figure 49 — Text messages	45
Figure 50 — Screen location for actual orders	46
Figure 51 — Actual orders	47
Figure 52 — Screen location for supervision of driver activity	48
Figure 53 — Screen location for emergency signal to/from trains	49
Figure 54 — Screen location for time schedule difference	50

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-