



National Standards Authority of Ireland

IRISH STANDARD

I.S. ENV 14236:2002

ICS 91.140.40

National Standards
Authority of Ireland
Dublin 9
Ireland

Tel: (01) 807 3800
Tel: (01) 807 3838

ULTRASONIC DOMESTIC GAS METERS

*This Irish Standard was
published under the
authority of the National
Standards Authority of
Ireland
and comes into effect on:
October 22, 2002*

**NO COPYING WITHOUT NSAI
PERMISSION EXCEPT AS
PERMITTED BY COPYRIGHT
LAW**

© NSAI 2002

Price Code U

Údarás um Chaighdeáin Náisiúnta na hÉireann

EUROPEAN PRESTANDARD
PRÉNORME EUROPÉENNE
EUROPÄISCHE VORNORM

ENV 14236

July 2002

ICS 91.140.40

English version

Ultrasonic domestic gas meters

This European Prestandard (ENV) was approved by CEN on 25 March 2002 as a prospective standard for provisional application.

The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into a European Standard.

CEN members are required to announce the existence of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

ENV 14236:2002 (E)

Contents

	page
Foreword	6
1 Scope.....	7
2 Normative references.....	7
3 Terms, definitions and symbols	9
3.1 Terms and definitions.....	9
3.2 Symbols	12
4 Normal operating conditions	12
4.1 Flow range	12
4.2 Maximum working pressure.....	13
4.3 Temperature range.....	13
4.4 Range of gases.....	13
4.4.1 General	13
4.4.2 Test gases.....	13
4.4.3 Test gas properties	14
5 Metrological performance	15
5.1 General	15
5.2 Mode comparison.....	15
5.2.1 General	15
5.2.2 Requirements	16
5.2.3 Test.....	16
5.3 Permissible errors.....	16
5.3.1 Requirements	16
5.3.2 Test.....	16
5.4 Gas — air relationship	17
5.4.1 General	17
5.4.2 Requirements	17
5.4.3 Test.....	19
5.5 Pressure absorption	19
5.5.1 Requirements	19
5.5.2 Test.....	19
5.6 Metrological stability.....	19
5.6.1 Requirements	19
5.6.2 Test.....	19
5.7 Immunity to contaminants in gas stream	19
5.7.1 Requirements	19
5.7.2 Test.....	19
5.7.3 Specification of contamination dust	21
5.8 Installation effects.....	21
5.8.1 Requirements	21
5.8.2 Test.....	21
5.9 Zero flow	21
5.9.1 Requirements	21
5.9.2 Test.....	22
5.10 Reverse flow	22
5.10.1 Requirements	22
5.10.2 Test.....	22
5.11 Low flow registration.....	22
5.11.1 Requirement	22

5.11.2	Test.....	22
5.12	High flow registration	22
5.12.1	Requirement	22
5.12.2	Test.....	22
5.13	Pulsed (unsteady) flow	22
5.13.1	General	22
5.13.2	Requirements	23
5.13.3	Test.....	23
5.14	Temperature sensitivity.....	24
5.14.1	Requirements	24
5.14.2	Test.....	24
6	Construction and materials.....	24
6.1	General	24
6.2	Robustness of meter case	24
6.2.1	General	24
6.2.2	Protection against penetration of dust and water	24
6.2.3	Resistance to internal pressure.....	25
6.2.4	External leak tightness	25
6.2.5	Heat resistance.....	25
6.2.6	Connections.....	25
6.2.7	Resistance to vibration.....	29
6.2.8	Resistance to impact	31
6.2.9	Resistance to mishandling.....	33
6.3	Corrosion protection.....	34
6.3.1	General	34
6.3.2	Protection against external corrosion for material which is not corrosion resistant.....	34
6.3.3	Protection against external corrosion for corrosion resistant material.....	36
6.3.4	Protection against internal corrosion for material which is not corrosion resistant.....	37
6.3.5	Protection against internal corrosion for corrosion resistant material.....	39
6.4	Casework decorative finish.....	39
6.4.1	Scratch test.....	39
6.4.2	Humidity	40
6.5	Ageing of non-metallic casework.....	40
6.5.1	Requirements	40
6.5.2	Test.....	40
6.6	Ageing of external surfaces of the meter, including index windows and adhesion of the index window	40
6.6.1	Requirements	40
6.6.2	Test.....	41
6.7	Protection against solar radiation	41
6.7.1	Requirements	41
6.7.2	Test.....	41
6.8	Resistance to external relative humidity	41
6.8.1	Requirements	41
6.8.2	Test.....	41
6.9	Flame retardance of external surfaces	42
6.9.1	Requirements	42
6.9.2	Test.....	42
6.10	Resistance to storage temperature range	42
6.10.1	Requirement	42
6.10.2	Test.....	42
6.11	Resistance to the effects of toluene/iso-octane vapour	42
6.11.1	Requirements	42
6.11.2	Test.....	43
6.12	Resistance to water vapour	46
6.12.1	Requirements	46
6.12.2	Test.....	46
6.13	Ageing	48
6.13.1	Requirements	48

ENV 14236:2002 (E)

6.13.2	Test.....	48
7	Optional features.....	48
7.1	Pressure measuring point.....	48
7.1.1	Requirements	48
7.1.2	Test.....	48
7.2	Resistance to high ambient temperature.....	49
7.2.1	Requirements	49
7.2.2	Test.....	49
7.2.3	Meter fitted with a thermal shut-off valve.....	51
7.3	Meters with temperature conversion	51
7.4	Ancillary devices.....	51
7.5	Use in hazardous zones	51
8	Index.....	51
8.1	Recording and storage	51
8.1.1	Requirement	51
8.1.2	Test.....	51
8.2	Display.....	51
8.2.1	Requirement	51
8.2.2	Test.....	52
8.3	Segmental display.....	52
8.3.1	Requirements	52
8.3.2	Test.....	52
8.4	Non-volatile memory.....	52
8.4.1	Requirements	52
8.4.2	Test.....	52
9	Marking.....	53
9.1	All meters	53
9.2	Two-pipe meters.....	53
9.3	Durability and legibility of marking	53
9.3.1	Requirements	53
9.3.2	Ultraviolet exposure test	54
9.3.3	Indelibility test	54
10	Software	54
10.1	Requirements	54
10.2	Test.....	54
11	Communications	54
11.1	General	54
11.2	Character transmission	55
11.3	Communications protocol.....	55
11.3.1	Wakeup.....	55
11.3.2	Sign-off.....	57
11.3.3	Security	57
11.3.4	Time-outs	57
11.4	Data.....	57
11.4.1	General	57
11.4.2	Data read-out mode.....	57
11.4.3	Data identifiers	57
11.4.4	Data set structure.....	58
11.5	Test-mode	58
11.5.1	General	58
11.5.2	Test-mode commands	58
11.5.3	Response of meter to test commands.....	59
11.6	Optical port	60
11.7	Galvanic port (optional).....	60
11.8	Diagnostics	60
11.8.1	General	60
11.8.2	Displayed flags	61

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-