

IRISH STANDARD

I.S. ENV 14236:2002

ICS 91.140.40

National Standards Authority of Ireland Dublin 9 Ireland

Tel: (01) 807 3800 Tel. (01) 807 3838

ULTRASONIC DOMESTIC GAS METERS

This Irish Standard was published under the authority of the National Standards Authority of Ireland and comes into effect on October 22, 2002

NO COPYING WITHOUT NSAI PERMISSION EXCEPT AS PERMITTED BY COPYRIGHT LAW

© NSAI 2002

Price Code U

Údarás um Chaighdeáin Náisiúnta na hÉireann

This is a free page sample. Access the full version online.

EUROPEAN PRESTANDARD PRÉNORME EUROPÉENNE EUROPÄISCHE VORNORM

ENV 14236

July 2002

ICS 91.140.40

English version

Ultrasonic domestic gas meters

This European Prestandard (ENV) was approved by CEN on 25 March 2002 as a prospective standard for provisional application.

The period of validity of this ENV is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the ENV can be converted into a European Standard.

CEN members are required to announce the existence of this ENV in the same way as for an EN and to make the ENV available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the ENV) until the final decision about the possible conversion of the ENV into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOM!TEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

ENV 14236:2002 (E)

Contents

	pa	age
Forewo	ord	6
1	Scope	7
2	Normative references	7
3	Terms, definitions and symbols	9
3.1	Terms and definitions	
3.2	Symbols	
	•	
4 4.1	Normal operating conditions	
	Flow range	
4.2	Maximum working pressure	
4.3	Temperature range	
4.4 4.4.1	Range of gases	
	General	
4.4.2 4.4.3	Test gases	
4.4.3	Test gas properties	14
5	Metrological performance	15
5.1	General	15
5.2	Mode comparison	15
5.2.1	General	15
5.2.2	Requirements	16
5.2.3	Test	
5.3	Permissible errors	
5.3.1	Requirements	
5.3.2	Test	16
5.4	Gas — air relationship	
5.4.1	General	
5.4.2	Requirements	
5.4.3	Test	
5.5	Pressure absorption	
5.5.1	Requirements	
5.5.2	Test	
5.6	Metrological stability	
5.6.1	Requirements	
5.6.2	Test	
5.7 5.7.1	Immunity to contaminants in gas stream	
5.7.1	Requirements	
5.7.2 5.7.3	Test	
ວ.7.3 5.8	Specification of contamination dust	
5.8.1	Installation effects	
5.8.2	Requirements	
5.6.∠ 5.9	Zero flow	
5.9 5.9.1	Requirements	
5.9.1 5.9.2	Test	
5.9.2 5.10	Reverse flow	
5.10 5.10.1	Requirements	
5.10.1 5.10.2	Test	
5.10.2 5.11	Low flow registration	
	Requirement	

ENV 14236:2002 (E)

5.11.2	Test	.22
5.12	High flow registration	
5.12.1	Requirement	.22
5.12.2	Test	.22
5.13	Pulsed (unsteady) flow	.22
5.13.1	General	
5.13.2	Requirements	
5.13.3	Test	
5.14 5.14	Temperature sensitivity	
5.14.1	Requirements	
5.14.2	Test	
5.14.2		
6	Construction and materials	.24
6.1	General	.24
6.2	Robustness of meter case	.24
6.2.1	General	
6.2.2	Protection against penetration of dust and water	
6.2.3	Resistance to internal pressure	
6.2.4	External leak tightness	
6.2.5	Heat resistance	
6.2.6	Connections	
6.2.7	Resistance to vibration.	
	Resistance to impact	
6.2.8		
6.2.9	Resistance to mishandling	
6.3	Corrosion protection	
6.3.1	General	
6.3.2	Protection against external corrosion for material which is not corrosion resistant	
6.3.3	Protection against external corrosion for corrosion resistant material	
6.3.4	Protection against internal corrosion for material which is not corrosion resistant	
6.3.5	Protection against internal corrosion for corrosion resistant material	
6.4	Casework decorative finish	
6.4.1	Scratch test	.39
6.4.2	Humidity	.40
6.5	Ageing of non-metallic casework	.40
6.5.1	Requirements	.40
6.5.2	Test	.40
6.6	Ageing of external surfaces of the meter, including index windows and adhesion	
	of the index window	.40
6.6.1		
	Requirements	40
6.6.2	Requirements Test	
6.6.2 6.7	Test	.41
6.7	Test Protection against solar radiation	.41 .41
6.7 6.7.1	Test Protection against solar radiation	.41 .41 .41
6.7 6.7.1 6.7.2	Test Protection against solar radiation	41 41 41
6.7 6.7.1 6.7.2 6.8	Test	.41 .41 .41 .41
6.7 6.7.1 6.7.2 6.8 6.8.1	Test	41 41 41 41 41
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2	Test	.41 .41 .41 .41 .41
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2	Test	41 41 41 41 41
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1	Test	41 41 41 41 41
6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2	Test	41 41 41 41 42 42
6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10	Test	.41 .41 .41 .41 .41 .42 .42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1	Test	41 41 41 41 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1 6.10.2	Test	41 41 41 41 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1 6.10.2 6.11	Test	41 41 41 41 42 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1 6.10.2 6.11	Test	41 41 41 41 42 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1 6.10.2 6.11 6.11.1	Test	41 41 41 41 42 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1 6.10.2 6.11 6.11.1 6.11.2	Test	41 41 41 41 42 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.2 6.11.1 6.11.2 6.12.2	Test	41 41 41 41 42 42 42 42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.1 6.11.1 6.11.2 6.11 6.11.2	Test	.41 .41 .41 .41 .42 .42 .42 .42 .42 .42 .42
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10 6.10.2 6.11.1 6.11.2 6.12.2	Test	.41 .41 .41 .41 .42 .42 .42 .42 .42 .42 .42 .43 .46
6.7 6.7.1 6.7.2 6.8 6.8.1 6.8.2 6.9 6.9.1 6.9.2 6.10.1 6.10.2 6.11.1 6.11.2 6.12.1 6.12.1	Test	41 41 41 41 42 42 42 42

ENV 14236:2002 (E)

6.13.2	Test	.48
7	Optional features	.48
7.1	Pressure measuring point	.48
7.1.1	Requirements	
7.1.2	Test	
7.2	Resistance to high ambient temperature	
7.2.1	Requirements	
7.2.2	Test	
7.2.3	Meter fitted with a thermal shut-off valve	
7.3	Meters with temperature conversion	
7.4	Ancillary devices	
7.5	Use in hazardous zones	.51
8	Index	.51
8.1	Recording and storage	
8.1.1	Requirement	.5 ⁻ 1
8.1.2	Test	.51
8.2	Display	
8.2.1	Requirement	
8.2.2	Test	
8.3	Segmental display	
8.3.1	Requirements	
8.3.2	Test	
8.4	Non-volatile memory	
8.4.1	Requirements	
8.4.2	Test	.52
9	Marking	5:
9.1	All meters	
9.2	Two-pipe meters	
9.3	Durability and legibility of marking	
9.3.1	Requirements	
9.3.2	Ultraviolet exposure test	
9.3.3	Indelibility test	.54
10	Software	5/
10.1	Requirements	
10.1	Test	
11	Communications	
11.1	General	
11.2	Character transmission	
11.3	Communications protocol	
11.3.1	Wakeup	
	Security	
11.3.4	Time-outs	
11.3.4	Data	
11.4.1	General	
11.4.2	Data read-out mode	
11.4.3	Data identifiers	
11.4.4	Data set structure	
11.5	Test-mode	
11.5.1	General	
11.5.2	Test-mode commands	
11.5.3	Response of meter to test commands	
11.6	Optical port	.60
11.7	Galvanic port (optional)	
11.8	Diagnostics	
11.8.1	General	.60
11.8.2	Displayed flags	.61



	This is a free preview.	Purchase the e	entire publication	at the link below:
--	-------------------------	----------------	--------------------	--------------------

Product Page

- Dooking for additional Standards? Visit Intertek Inform Infostore
- Dearn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation