



NSAI
Standards

Irish Standard
EN 62369-1:2009

"Evaluation of human exposure to electromagnetic fields from short range devices (SRDs) in various applications over the frequency range 0 GHz to 300 GHz -- Part 1: Fields produced by devices used for electronic article surveillance, radio frequency identification and similar systems" (IEC 62369-1:2008)

EN 62369-1:2009

Incorporating amendments/corrigenda issued since publication:

<i>This document replaces:</i>	<i>This document is based on:</i> EN 62369-1:2009	<i>Published:</i> 13 March, 2009	
This document was published under the authority of the NSAI and comes into effect on: 9 June, 2009		ICS number: 33.050	
NSAI 1 Swift Square, Northwood, Santry Dublin 9	T +353 1 807 3800 F +353 1 807 3838 E standards@nsai.ie W NSAI.ie	Sales: T +353 1 857 6730 F +353 1 857 6729 W standards.ie	Price Code: V
Údarás um Chaighdeáin Náisiúnta na hÉireann			

English version

**Evaluation of human exposure to electromagnetic fields
from short range devices (SRDs) in various applications
over the frequency range 0 GHz to 300 GHz -
Part 1: Fields produced by devices used for electronic article surveillance,
radio frequency identification and similar systems
(IEC 62369-1:2008)**

Evaluation de l'exposition humaine
aux champs électromagnétiques
produits par les dispositifs radio
à courte portée dans la plage
de fréquence 0 GHz à 300 GHz -
Partie 1: Champs produits
par les dispositifs utilisés pour
la surveillance électronique des objets,
l'identification par radiofréquence
et les systèmes similaires
(CEI 62369-1:2008)

Ermittlung der Exposition
von Personen gegenüber
elektromagnetischen Feldern
im Frequenzbereich 0 GHz bis 300 GHz
durch Geräte mit kurzer Reichweite
für verschiedene Anwendungen -
Teil 1: Felder, die durch Geräte erzeugt
werden, die zur elektronischen
Artikelüberwachung,
Hochfrequenz-Identifizierung und für
ähnliche Anwendungen verwendet werden
(IEC 62369-1:2008)

This European Standard was approved by CENELEC on 2009-03-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the Central Secretariat has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

Central Secretariat: avenue Marnix 17, B - 1000 Brussels

I.S. EN 62369-1:2009

EN 62369-1:2009

- 2 -

Foreword

The text of the International Standard IEC 62369-1:2008, prepared by IEC TC 106, Methods for the assessment of electric, magnetic and electromagnetic fields associated with human exposure, was submitted to the Unique Acceptance Procedure and was approved by CENELEC as EN 62369-1 on 2009-03-01 without any modification.

This European Standard supersedes EN 50357:2001.

The following dates were fixed:

- latest date by which the EN has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2010-03-01
- latest date by which the national standards conflicting with the EN have to be withdrawn (dow) 2012-03-01

Endorsement notice

The text of the International Standard IEC 62369-1:2008 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61566	NOTE	Harmonized as EN 61566:1997 (not modified).
IEC 62209-1	NOTE	Harmonized as EN 62209-1:2006 (not modified).
IEC 62311	NOTE	Harmonized as EN 62311:2008 (modified).
ISO/IEC 17025	NOTE	Harmonized as EN ISO/IEC 17025:2005 (not modified).



INTERNATIONAL STANDARD

NORME INTERNATIONALE

Evaluation of human exposure to electromagnetic fields from short range devices (SRDs) in various applications over the frequency range 0 GHz to 300 GHz –

Part 1: Fields produced by devices used for electronic article surveillance, radio frequency identification and similar systems

Evaluation de l'exposition humaine aux champs électromagnétiques produits par les dispositifs radio à courte portée dans la plage de fréquence 0 GHz à 300 GHz –

Partie 1: Champs produits par les dispositifs utilisés pour la surveillance électronique des objets, l'identification par radiofréquence et les systèmes similaires



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2008 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

- Catalogue des publications de la CEI: www.iec.ch/searchpub/cur_fut-f.htm

Le Catalogue en-ligne de la CEI vous permet d'effectuer des recherches en utilisant différents critères (numéro de référence, texte, comité d'études,...). Il donne aussi des informations sur les projets et les publications retirées ou remplacées.

- Just Published CEI: www.iec.ch/online_news/justpub

Restez informé sur les nouvelles publications de la CEI. Just Published détaille deux fois par mois les nouvelles publications parues. Disponible en-ligne et aussi par email.

- Electropedia: www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International en ligne.

- Service Clients: www.iec.ch/webstore/custserv/custserv_entry-f.htm

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions, visitez le FAQ du Service clients ou contactez-nous:

Email: csc@iec.ch
Tél.: +41 22 919 02 11
Fax: +41 22 919 03 00



INTERNATIONAL STANDARD

NORME INTERNATIONALE

Evaluation of human exposure to electromagnetic fields from short range devices (SRDs) in various applications over the frequency range 0 GHz to 300 GHz –

Part 1: Fields produced by devices used for electronic article surveillance, radio frequency identification and similar systems

Evaluation de l'exposition humaine aux champs électromagnétiques produits par les dispositifs radio à courte portée dans la plage de fréquence 0 GHz à 300 GHz –

Partie 1: Champs produits par les dispositifs utilisés pour la surveillance électronique des objets, l'identification par radiofréquence et les systèmes similaires

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XB

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms, definitions, and abbreviations	9
3.1 Quantities.....	9
3.2 Constants.....	9
3.3 Terms and definitions.....	10
4 Measurements and calculations for equipment evaluation	15
4.1 Introduction	15
4.2 Evaluation against reference values	16
4.2.1 General	16
4.2.2 Direct measurement for comparison against reference values	16
4.2.3 Spatial measurements for comparison against reference values	17
4.2.4 Modelling and analysis including field non-uniformity.....	17
4.3 Specific absorption rate (SAR) measurements.....	24
4.3.1 General	24
4.3.2 Internal electric field strength measurements.....	24
4.3.3 Internal temperature measurements	25
4.3.4 Calorimetric measurements of heat transfer	26
4.3.5 Phantom models and fluid	26
4.4 Numerical evaluations for comparison against basic restrictions.....	26
4.4.1 General	26
4.4.2 Evaluations using homogeneous models	26
4.4.3 Special case of inductive near-field exposure 100 kHz to 50 MHz.....	28
4.4.4 Frequencies > 50 MHz.....	29
4.4.5 Localised SAR (100 kHz to 10 GHz)	29
4.5 Evaluations using non-homogeneous models for comparison against basic restrictions	30
4.5.1 General	30
4.5.2 Anatomical body models.....	30
4.5.3 Calculation/modelling method	31
4.5.4 Position of the body in relation to the unit under evaluation	31
4.6 Measurement of limb and touch currents	31
5 Measurements for field monitoring.....	32
5.1 General.....	32
5.2 Field measurements	32
5.2.1 Measurement where persons spend significant periods of time.....	32
5.2.2 Detailed measurements for non-transitory exposure	32
5.3 Additional evaluation	32
6 Exposure from sources with multiple frequencies or complex waveforms.....	33
7 Exposure from multiple sources.....	33
8 Uncertainty.....	34
8.1 General.....	34
8.2 Evaluating uncertainties	34
8.2.1 Individual uncertainties.....	34

8.2.2	Combining uncertainties	35
8.3	Examples of typical uncertainty components	35
8.3.1	Measurement.....	35
8.3.2	Numerical calculation	35
8.4	Overall uncertainties	35
9	Evaluation report	35
Annex A (informative)	Characteristics of equipment	37
Annex B (informative)	Information for numerical modelling.....	47
Annex C (informative)	A simplified method for summation of multiple sources	67
Annex D (informative)	Uncertainty	70
	Bibliography.....	71
Figure 1	– General torso grid	19
Figure 2	– General head grid	19
Figure 3	– Single floor standing antenna.....	20
Figure 4	– Dual floor standing antenna	20
Figure 5	– Single floor antenna	21
Figure 6	– Single ceiling antenna	21
Figure 7	– Combined floor and ceiling antennas.....	22
Figure 8	– “Walk-through” loop antenna.....	22
Figure 9	– Counter or desk mounted antenna	23
Figure 10	– Vertical, wall or frame mounted antenna.....	23
Figure 11	– Hand-held antenna.....	24
Figure 12	– Disk model	28
Figure 13	– Cubic model.....	28
Figure 14	– Spheroid model.....	28
Figure A.1	– Example of exit mounted equipment showing detection range.....	40
Figure A.2	– Example of aisle mounted equipment.....	40
Figure A.3	– Inductive coupling.....	42
Figure A.4	– Electromagnetic coupling.....	42
Figure A.5	– Capacitive coupling.....	42
Figure A.6	– Overview of an RFID system.....	44
Figure B.1	– Current induced in a loop.....	47
Figure B.2	– Disk model.....	51
Figure B.3	– Disk model used for validations	51
Figure B.4	– Cubic model.....	52
Figure B.5	– Cubic model example showing current induced in 3 dimensions.....	53
Figure B.6	– Prolate spheroid	54
Figure B.7	– Helmholtz coils and prolate spheroid.....	55
Figure B.8	– 60 cm by 30 cm prolate spheroid results (magnetic field).....	56
Figure B.9	– 60 cm by 30 cm prolate spheroid results (induced current density)	56
Figure B.10	– 120 cm by 60 cm prolate spheroid results (magnetic field)	57
Figure B.11	– 120 cm by 60 cm prolate spheroid results (induced current density).....	57
Figure B.12	– 160 cm by 80 cm prolate spheroid results (magnetic field)	58

Figure B.13 – 160 cm by 80 cm prolate spheroid results (induced current density).....	58
Figure B.14 – Homogeneous human shape body model.....	60
Figure B.15 – Homogeneous human shape (induced current)	60
Figure B.16 – Homogeneous hand model.....	61
Figure B.17 – Approximate conductivities for LF homogeneous body modelling	66
Table 1 – Dimensions and distances for Figures 1 to 11	18
Table 2 – Dimensions and distances for simplified body shapes	27
Table 3 – Maximum total evaluation uncertainties	35
Table A.1 – Frequency ranges and typical system characteristics	43
Table A.2 – Example frequency bands and their applications	43
Table B.1 – Disk model dimensions for Figure B.2	51
Table B.2 – Cubic disk model dimensions for Figure B.4.....	52
Table B.3 – Prolate spheroid dimensions for Figure B.6.....	54
Table B.4 – Summary of results	59
Table B.5 – Examples of anatomical models	62
Table B.6 – Conductivity of tissue types.....	64
Table B.7 – Relative permittivity of tissue types	65

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**EVALUATION OF HUMAN EXPOSURE TO ELECTROMAGNETIC FIELDS
FROM SHORT RANGE DEVICES (SRDS) IN VARIOUS APPLICATIONS
OVER THE FREQUENCY RANGE 0 GHz to 300 GHz –**

**Part 1: Fields produced by devices used for electronic article
surveillance, radio frequency identification and similar systems**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62369-1 has been prepared by IEC technical committee 106: Methods for the assessment of electric, magnetic and electromagnetic fields associated with human exposure.

The text of this standard is based on the following documents:

FDIS	Report on voting
106/156/FDIS	106/159/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all parts of IEC 62369 series, published under the title *Evaluation of human exposure to electromagnetic fields from short range devices (SRDs) in various applications over the frequency range 0 GHz to 300 GHz*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

INTRODUCTION

Electromagnetic fields interact with the human body and other biological systems through a number of physical mechanisms. The main mechanisms of interaction are based on nervous system effects and heating. These effects are dependent on frequency and are defined by biologically relevant quantities. Based on these scientifically established health effects, there are international, regional and sometimes national exposure requirements. These are set as basic restrictions on quantities, which are not necessarily directly measurable, and contain high safety factors to ensure a high level of protection. These quantities may be determined either by calculation for each case, or by measuring a reference value that has a pre-derived relationship to them, usually under worst-case, far-field conditions. Respect of the reference value will ensure respect of the relevant basic restriction, except in some specific near field situations which would normally be identified or highlighted within the applicable exposure guidelines. If the measured quantity exceeds the reference value, it does not necessarily follow that the basic restriction is also exceeded. Under those circumstances, more detailed evaluation techniques will be necessary which are specific to that type of equipment and exposure.

This document is part of a multi-part standard covering the evaluation of human exposure to electromagnetic fields from short range devices (SRDs) in various applications over the frequency range from 0 GHz to 300 GHz.

EVALUATION OF HUMAN EXPOSURE TO ELECTROMAGNETIC FIELDS FROM SHORT RANGE DEVICES (SRDS) IN VARIOUS APPLICATIONS OVER THE FREQUENCY RANGE 0 GHz to 300 GHz –

Part 1: Fields produced by devices used for electronic article surveillance, radio frequency identification and similar systems

1 Scope

This part of IEC 62369 presents procedures for the evaluation of human exposure to electromagnetic fields (EMFs) from devices used in electronic article surveillance (EAS), radio frequency identification (RFID) and similar applications. It adopts a staged approach to facilitate compliance assessment. The first stage (Stage 1) is a simple measurement against the appropriate derived reference values. Stage 2 is a more complex series of measurements or calculations, coupled with analysis techniques. Stage 3 requires detailed modelling and analysis for comparison with the basic restrictions. When assessing any device, the most appropriate method for the exposure situation may be used.

At the time of writing this International Standard, electronic article surveillance, radio frequency identification and similar systems do not normally operate at frequencies below 1 Hz or above 10 GHz. EMF exposure guidelines and standards can cover a wider range of frequencies, so clarification on the required range is included as part of the evaluation procedures.

The devices covered by this document normally have non-uniform field patterns. Often these devices have a very rapid reduction of field strength with distance and operate under near-field conditions where the relationship between electric and magnetic fields is not constant. This, together with typical exposure conditions for different device types, is detailed in Annex A.

Annex B contains comprehensive information to assist with numerical modelling of the exposure situation. It includes both homogeneous and anatomical models as well as the electrical properties of tissue.

This International Standard does not include limits. Limits can be obtained from separately published human exposure guidelines. Different guidelines and limit values may apply in different regions. Linked into the guidelines are usually methods for summation across wider frequency ranges and for multiple exposure sources. These shall be used. A simplified method for summation of multiple sources is contained in Annex C. This has to be used with care as it is simplistic and will overestimate the exposure; however it is useful as a guide, when the results of different evaluations are in different units of measure which are not compatible.

Different countries and regions have different guidelines for handling the uncertainties from the evaluation. Annex D provides information on the two most common methods.

A bibliography at the end of this standard provides general information as well as useful information for the measurement of electromagnetic fields. See [1],[2],[3],[4],[5],[6]¹⁾.

Similar national or international standards may be used as an alternative.

1) Figures between brackets refer to the bibliography.

2 Normative references

None.

3 Terms, definitions, and abbreviations

The internationally accepted SI units are used throughout this document.

3.1 Quantities

Quantity	Symbol	Unit	Dimension
Magnetic flux density	B	tesla (Vs/m^2)	T
Electric flux density	D	coulomb per square metre	Cm^{-2}
Electric field strength	E	volt per metre	Vm^{-1}
Frequency	f	hertz	Hz
Magnetic field strength	H	ampere per metre	Am^{-1}
Current density	J	ampere per square metre	Am^{-2}
Power density	S	watt per square metre	Wm^{-2}
Specific absorption rate	SAR	watt per kilogram	Wkg^{-1}
Temperature	T	kelvin	K
Permittivity	ϵ	farad per metre	Fm^{-1}
Wavelength	λ	metre	m
Permeability		henry per metre	Hm^{-1}
Mass density	ρ	kilogram per cubic metre	kgm^{-3}
Electric conductivity	σ	siemens per metre	Sm^{-1}

3.2 Constants

Physical constant	Symbol	Magnitude
Velocity of light in free space	c	$2,998 \times 10^8 \text{ ms}^{-1}$
Permittivity of free space	ϵ_0	$8,854 \times 10^{-12} \text{ Fm}^{-1}$
Permeability of free space	μ_0	$4\pi \times 10^{-7} \text{ Hm}^{-1}$
Impedance of free space	Z_0	120π (or 377) Ω

This is a free preview. Purchase the entire publication at the link below:

[Product Page](#)

-
- [Looking for additional Standards? Visit Intertek Inform Infostore](#)
 - [Learn about LexConnect, All Jurisdictions, Standards referenced in Australian legislation](#)
-